

मोरङ जिल्लाको स्वीकृत
जिल्ला दररेट



आ.व. २०८१/०८२



आज मिति २०८१ साल असार ३१ गते सोमबारका दिने साबैजनिक खरिद नियमावली, २०६४ (संसोधन सहित) को नियम १४८ बमोजिम गठित जिल्ला दररेट निर्धारण समितिको बैठकका लागि जिल्ला दररेट समितिका संयोजक प्रमुख जिल्ला अधिकारी श्री प्रेम प्रसाद भट्टराईज्यूको संयोजकत्वमा बैठक बसी तपसिल बमोजिमको उपस्थितिमा देहाय बमोजिमको निर्णय गरियो ।

उपस्थिति:

सि.नं.	नाम धर	पद	कार्यालय/निकाय	मोबाइल नं.	हस्ताक्षर
१.	श्री प्रेम प्रसाद भट्टराई	प्र.जि.अ./अध्यक्ष	जिल्ला प्रशासन कार्यालय, मोरङ ।	९८५२०५७७७७	
२.	श्री गिरिराज भट्टराई	नि.जि.स.अ./सदस्य	जिल्ला समन्वय समिति, मोरङ ।	९८५२०५७७७७	
३.	श्री परशुराम क्षेत्री	प्र.को.नि./सदस्य	को.ले.नि.का., मोरङ ।	९८५२०५७७७७	
४.	श्री महेश कुमार मिश्र	अध्यक्ष/सदस्य	निर्माण व्यवसायी महासंघ, मोरङ ।	९८५२०२१०३८	
५.		/सदस्य	उद्योग वाणिज्य संघ, बिराटनगर ।		
६.	श्री सुरेन्द्र कुमार साह	आयोजना प्रमुख/सदस्य सचिव	संघीय आयोजना कार्यान्वयन इकाई, मोरङ ।	९८५२०२६०५८	
७.	श्री टेक बहादुर रेग्मी	स.प्र.जि.अ./आमन्त्रित	जिल्ला प्रशासन कार्यालय, मोरङ ।	९८५२०३७२९९	
८.	श्री प्रदीप साह	स.प्र.जि.अ./आमन्त्रित	जिल्ला प्रशासन कार्यालय, मोरङ ।	९८५२०३७२७७	
९.	श्री रुद्र राज जोशी	/आमन्त्रित	नि.का. संघ मोरङ	९८५२०४३३२	
१०.	श्री धुषराज कर्डी	प्रतिनिधी/आमन्त्रित	नि.का. संघ ..	९८५२०४३३३०	
११.	श्री रुद्रचित्त मिश्र	प्रतिनिधी/आमन्त्रित	" " "	९८५२०४३३३२	
१२.	श्री विष्णु प्रदीप कुमार	प्रतिनिधी/आमन्त्रित	खाद्य व्यवसायी तथा व्यापार को. लि	९८५२०४३३३४	
१३.	श्री सुव्रित महताे	इन्जिनियर/आमन्त्रित	संघीय र सन्तान सेवा बल व्यवसाय अकादमी	९८५०६१३३२	
१४.	श्री शान्तरु शाह	डि० प्र०/आमन्त्रित	ल० डि० वि० का०	९८५५४४०३३	
१५.	श्री सिमरन पा.का	/आमन्त्रित	निर्माण व्यवसायी संघ	९८५२०२०१७९	
१६.	श्री म.ज.सा.का योगेश्वर	/आमन्त्रित	नि.का. संघ	९८५२०४३३३३	
१७.	श्री रा.ध.सा.का रामेश्वर	/आमन्त्रित	" " "	९८५२०४३३३९	
१८.	श्री सुरेश कुमार मण्डल	इन्जिनियर/आमन्त्रित	स्वास्थ्य विकास को. सोरङ	९८५२०४३३३९	
१९.	श्री गुलाब चौधरी	इन्जिनियर/आमन्त्रित	सुदूरपश्चिम तथा विकास वि०, सोरङ	९८५००६५९८	
२०.	श्री अजयराज श्रेष्ठ	इन्जिनियर/आमन्त्रित	शहरी विकास तथा श्रम कार्यालय, मोरङ	९८५२२८२२२३	



21.	ದಿವ್ಯ ಲಿಂಗ	ಮೆಟ್ರಿಕ್	ನವೀನ ತಂತ್ರಜ್ಞಾನ ಪರಿಷತ್	9852020999	UPL
22.	ರಾಜು ಶರಣ	ಪಿ.ಹೆಚ್.ಎಸ್	CNTI 1654 ಕರ್ನಾಟಕ ಸರ್ಕಾರದ ಸೇವೆ	9852020999	UPL
23.	ಮೊಗ್ಗುಲಿ	ಬಿ.ಟಿ.ಎಸ್	ಕರ್ನಾಟಕ ಸರ್ಕಾರದ ಸೇವೆ	9852020999	UPL
24.	ಸುಲೋಚನಾ	ಕೆ.ಆರ್.	ಕರ್ನಾಟಕ ಸರ್ಕಾರದ ಸೇವೆ	9852020999	UPL
25.					



एजेण्डा:

१.आ.२०८१/०८२ को मोरङ जिल्लाको लागि दररेट, भाडा तथा ज्याला निर्धारण गर्ने ।

निर्णय:









एजेण्डा नं. १ माथी छलफल हुँदा सार्वजनिक खरिद नियमावली, २०६४ को नियम १४८ को उप नियम (१) बमोजिम गठित समिति आ.व.२०८१/०८२ को मोरङ जिल्लाको लागि दररेट, भाडा तथा ज्याला निर्धारण गरि स्वीकृत गर्ने निर्णय गरियो ।

~~...~~ (मोह) - उपनिवेश सुब्बा ह.फ.
B... ..



CONTENT

१. कामदारहरूको ज्याला, मेसिनको भाडा तथा ढुवानी दर
२. फलामजन्य निर्माण सामग्रीहरू
३. सडक र पूल संबन्धी निर्माण सामग्री
४. स्थानीय तथा विविध निर्माण सामग्री
५. भवन निर्माण संबन्धी निर्माण सामग्रीहरू
- 5a. Paver Blocks / Kerb stones**
६. वाटर प्युफिङ तथा कंक्रीट एडमिक्सर सम्बन्धि सामग्रीहरू
७. छाना छाड्ने निर्माण सामग्रीहरू
८. काठ, प्लाइवुड, बोर्डहरू सम्बन्धी
९. किचन र बाथरूममा प्रयोगहुने सामग्रीहरू
१०. विद्युत संबन्धि सामग्रीहरू
११. रंगरोगन संबन्धि सामग्रीहरू
१२. सिंचाई तथा नदी नियन्त्रण सम्बन्धी
१३. खानेपानी तथा सरसफाई संबन्धि सामग्री
१४. पि.पि.आर.पाईप तथा फिटिङहरू
- 15. UPVC Pipes (NS-206/046)**
१६. औजार (टुल्स) तथा सेफ्टी गियर्सहरू
१७. निर्माण सामग्री परिक्षण संबन्धी दररेट
१८. वन पैदावार संबन्धि
१९. सौर्य उर्जा सम्बन्धी
- २० फाइबर सम्बन्धि सामग्रीहरू**
२१. घर तथा घर भाडाको दररेट
- २२. Cleaning & Furnishing**
- २३. NUCON Transformer**
- २४. Readymix**
- २५. Arihant Cables**
२६. स्यालो टयुबवेल
- 27 Food Related
- 28 Carpet Related



१. कामदारहरुको ज्याला, मेशिनको भाडा तथा ढुवानी दर

क्र.स.	कामदारको पद	इकाई	मू.अ.कर बाहेकको स्वीकृत दररेट		
			भा.व. ०७९/८०	भा.व. ०८०/८१	भा.व. ०८१/८२
१	ढकमी, नकमी, बढकमी, सिकमी पेन्टर दक्ष कामदार	प्रति दिन	९५०.००	१०००.००	१०५०.००
२	ढकमी, नकमी, बढकमी, सिकमी, पेन्टर अर्धदक्ष कामदार	प्रति दिन	७५०.००	८००.००	८५०.००
३	सबै खाने कुल्ली, ज्यामी, चैनम्यान, बगैचा माली	प्रति दिन	६७५.००	७००.००	७३५.००
४	दिउसीको काम गर्ने पाले	प्रति दिन	६७५.००	७००.००	७३५.००
५	रातीको काम गर्ने पाले	प्रति दिन	६७५.००	७००.००	७३५.००
६	प्लम्बर / इलेक्ट्रियन दक्ष	प्रति दिन	९५०.००	१०००.००	१०५०.००
७	इलेक्ट्रिसियन सहायक	प्रति दिन	७६५.००	८००.००	८५०.००
८	हेल्पर/मेकानिकल हेल्पर/लाईन म्यान हेल्पर	प्रति दिन	६७५.००	७००.००	७३५.००
९	सुपरभाईजर (प्राविधिक)	प्रति दिन	७६०.००	८००.००	८५०.००
१०	सुपरभाईजर (साधारण)	प्रति दिन	६८५.००	७००.००	७३५.००
११	सडक लेन्थ बर्कर	प्रति दिन	६७५.००	७००.००	७३५.००
१२	ड्रिलर दक्ष	प्रति दिन	९५०.००	१०००.००	१०५०.००
१३	ड्रिलर हेल्पर	प्रति दिन	६७५.००	७००.००	७३५.००
१४	जेनेरेटर अपरेटर दक्ष	प्रति दिन	९५०.००	१०००.००	१०५०.००
१५	ल्याब ग्यार्ड	प्रति दिन	९५०.००	१०००.००	१०५०.००
१६	ल्याब असिस्टेन्ट	प्रति दिन	६७५.००	७००.००	७३५.००
१७	क्याम्प बर्कर	प्रति दिन	६७५.००	७००.००	७३५.००
१८	विटुमीन स्प्रेयर	प्रति दिन	७६५.००	८००.००	८५०.००
१९	फोरमेन	प्रति दिन	६७५.००	७००.००	७३५.००
२०	किटनासक औपधी स्प्रे म्यान	प्रति दिन	६७५.००	७००.००	७३५.००
२१	नाली तथा सेप्टिक ट्याकी सफा गर्ने ज्यामी (सफाइ कामदार)	प्रति दिन	६७५.००	७००.००	७३५.००
२२	स्वास्थ्यसंग आर.डि.	प्रति दिन	५४०.००	६००.००	६३०.००
भौगर्भिक तथा अन्य कार्यको लागि					
२३	क. क्याम्प बर्कर	प्रति दिन	७६५.००	८००.००	८५०.००
२४	ख. सर्भे हेल्पर	प्रति दिन	७६५.००	८००.००	८५०.००
२५	ग. भरीया	प्रति दिन	६७५.००	७००.००	७३५.००
२६	घ. एस.पी.टी.हेल्पर	प्रति दिन	७६५.००	८००.००	८५०.००
२७	ड. खनेल	प्रति दिन	७६५.००	८००.००	८५०.००
भरीया वाट ढुवानी					
२८	भरीयावाट सामान ढुवानी पहाड तर्फ	के.जी/कोस	४.००	४.२०	४.४१
२९	भरीयावाट सामान ढुवानी तराइ तर्फ	के.जी/कोस	४.००	४.००	४.२०
३०	तौल कम हुने सामान भरीयावाट ढुवानी	के.जी/कोस	४.००	४.००	४.२५
३१	अप्टेरो सामान भरीयावाट ढुवानी	के.जी/कोस	४.००	४.२०	४.४६
सामान लोड र अनलोड गर्ने काम					
३२	क. फुटकर	प्रति क्विन्टल	३०.००	३०.००	३०.००
३३	ख. टुक/टुयाक्टर	प्रति क्विन्टल	२५.००	२५.००	२५.००
३४	ग. जी.आइ.वापर क्रेट लोडीड	प्रति क्रेट	१६.००	१६.००	१६.००
३५	ग. जी.आइ.वापर क्रेट अनलोडीड	प्रति क्रेट	११.००	११.००	११.००
३६	घ. जी.आइ.वापर क्वायल लोड/अनलोड	प्रति टन	२५०.००	२५०.००	२५०.००
३७	ठला/रिक्सा/भ्यान गाडीवाट नगर क्षेत्र भित्र ढुवानी ५ कि.मी सम्म	के.जी.	२.००	२.००	२.००
३८	कठको विद्युत पोल ढुवानी ५ कि.मी सम्म	प्रति पोल	२७५.००	२७५.००	२७५.००











१. कामदारहरुको ज्याला, मेसिनको भाडा तथा ढुवानी दर

क्र.स.	कामदारको पद	इकाई	म.ज.कर बाहेकको स्वीकृत दररेट		
			आ.व. ०७१/६०	आ.व. ०६०/६१	आ.व. ०६१/६२
	सिमेन्ट बिद्युत पोल ढुवानी				
३९	क. ५ कि.मी. सम्म	प्रति पोल	२५०.००	२५०.००	२५०.००
४०	ख. ५ कि.मि. पछि पक्की सडकमा प्रति कि.मि. थप	प्रति पोल	५०.००	५०.००	५०.००
४१	ग. ५ कि.मि. पछि कच्ची सडकमा प्रति कि.मि. थप	प्रति पोल	६५.००	६५.००	६५.००
४२	घ. पि.एस.सी. लोडिङ र अनलोडिङ गर्ने काम	प्रति पोल	१४५.००	१४५.००	१४५.००
४३	ड। बिद्युत काठको पोल लोड र अनलोड गर्ने काम	प्रति पोल	११४.००	११४.००	११४.००
	११ मी स्टिल टपुक्कर तथा पि.एस.सि पोल ढुवानी				
४४	क. ५ कि.मी. सम्म	प्रति पोल	२६०.००	२६०.००	२६०.००
४५	ख. ५ कि.मि. पछि पक्की सडकमा प्रति कि.मि. थप	प्रति पोल	५५.००	५५.००	५५.००
	टुक्याट ढुवानी २० कि.मी. भित्र (६टन टुक)				
४६	क. पक्की सडक २० कि.मि. सम्म	प्रति टिप	४०००.००	४०००.००	४०००.००
४७	ख. कच्ची सडक २० कि.मि. सम्म	प्रति टिप	५२००.००	५२००.००	५२००.००
४८	ग. २० कि.मि.पछि थप पक्की सडकमा	टन/कि.मि.	६५.००	६५.००	६५.००
४९	घ. २० कि.मि.पछि थप कच्ची सडकमा	टन/कि.मि.	७५.००	७५.००	७५.००
५०	पहाडी गा.वि.स.मा कच्ची सडकमा टेक्टरबाट सामान ढुवानी	केजि./कि.मि.	०.५०	०.५०	०.५०
५१	काठको पुलको खम्बा उखाल्ने	र.मी.	७१०.००	७१०.००	७१०.००
५२	काठको पुलको खम्बा गाड्ने	र.मी.	१४५०.००	१४५०.००	१४५०.००
५३	रंग ग्रुप द्वारा ज्वाइन्ट गर्ने	प्र. खम्बा	६५०.००	६५०.००	६५०.००
५४	पुराना काठको पुलको डेक बीम उखाल्ने	घ.मी.	१२५०.००	१२५०.००	१२५०.००
५५	पुरानो काठको पुलको डेक बीम जोड्ने	घ.मी.	२१०००.००	२१०००.००	२१०००.००
५६	टुकको मूल्य (६ मेट.)	गोटा			
५७	टापरको मूल्य	गोटा			
	मेसिनको भाडा				
५८	उपभोक्ता समिति तथा अमानतबाट काम गराउदा माथ उपकरण स्वैतर्फ ढुवानी				
	घेने एक्सावेटर र रोडरोलर पहाडी गा.वि.स.	प्रति मसिन			
	५ कि.मी.सम्म		२३०००.००	२३०००.००	२३०००.००
	५ कि.मी. देखि १० कि.मी.सम्म		२५५००.००	२५५००.००	२५५००.००
	११ कि.मी. देखि २० कि.मी.सम्म		२६०००.००	२६०००.००	२६०००.००
	२० कि.मी. देखि माथि		३१२००.००	३१२००.००	३१२००.००
५९	घेने एक्सावेटर र रोडरोलर तराईका गा.वि.स.	प्रति मसिन			
	५ कि.मी.सम्म		१६५००.००	१६५००.००	१६५००.००
	५ कि.मी. देखि १० कि.मी.सम्म		२०६००.००	२०६००.००	२०६००.००
	११ कि.मी. देखि २० कि.मी.सम्म		२३१००.००	२३१००.००	२३१००.००
	२० कि.मी. देखि माथि		२५५००.००	२५५००.००	२५५००.००
६०	मोटर रोडर भाडा	प्रति घण्टा	२६००.००	२६००.००	२६००.००
६१	भाइब्रेटर रोलर १० टनको भाडा	प्रति घण्टा	१९००.००	१९००.००	१९००.००
६२	मिडल भाइब्रेटर भाडा	प्रति घण्टा	१०५.००	१०५.००	१०५.००
६३	कंकट मिक्कर (०.२ देखि ०.२६ घ.मी.)	प्रति घण्टा	१०७६.००	१०७६.००	१०७६.००
६४	वाटर पम्प भाडा २ देखि ५ घ.च.पी. सम्मको	प्रति घण्टा	४१०.००	४१०.००	४१०.००
६५	हाते रोलर	प्रति घण्टा	३१५.००	३१५.००	३१५.००
६६	पानी छुर्ने ट्याङ्की भाडा	प्रति घण्टा	९०६.००	९०६.००	९०६.००
६७	सागसी लगायेर घोटने (माथल मोज्याक) घोटने	प्रति घण्टा	४२०.००	४२०.००	४२०.००
६८	एक्सावेटर पिसी १२० सम्मको भाडा	प्रति घण्टा	१६०६.००	१६०६.००	१६०६.००
६९	एक्सावेटर पिसी १२० देखि २०० सम्मको भाडा	प्रति घण्टा	२४१५.००	२४१५.००	२४१५.००
७०	एक्सावेटर पिसी २०० भन्दा माथीको भाडा	प्रति घण्टा	३००३.००	३००३.००	३००३.००
७१	रक्रेकर जडीत एक्सावेटर पि सि २०० को भाडा	प्रति घण्टा	२२५०.००	२२५०.००	२२५०.००



१. कामदारहरूको ज्याला, मेशिनको भाडा तथा ढुवानी दर

क्र.सं.	कामदारको पद	इकाई	मू.अ.कर बाहेकको स्वीकृत दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
७२	प्री-स्ट्रेस कंक्रीटको लागि प्री-स्ट्रेसिङ ज्याक	प्रति घण्टा	९५५.००	९५५.००	९५५.००
७३	प्री-स्ट्रेस कंक्रीटको लागि चाउटिङ पम्प	प्रति घण्टा	९५५.००	९५५.००	९५५.००
७४	डि.एम.एम. पाइल वारंग मासन भाडा (इन्धन, सुअकन्ट र अपरेटर खर्च सहित)	प्रति घण्टा	३८७५.००	३८७५.००	३८७५.००
७५	वाइलर स्प्रेयर मेशिन	प्रति घण्टा	३०२५.००	३०२५.००	३०२५.००
७६	लोडर १.२ घ.मी.	प्रति घण्टा	२४१५.००	२४१५.००	२४१५.००
७७	केन (डण्डी, र टिमी पाइप हेन्डलिङका लागि)	प्रति घण्टा	३६२५.००	३६२५.००	३६२५.००
७८	मिनिट्रक ३ टन क्षमताको (इन्धन बाहेक)	प्रति घण्टा	४७५.००	४७५.००	४७५.००
७९	ट्रक ८ टन क्षमताको (इन्धन बाहेक)	प्रति घण्टा	६६०.००	६६०.००	६६०.००
८०	महिन्द्रा, हाइलबस, निसानको भाडा (फोरव्हील, इन्धन बाहेक)	प्रति दिन	४८००.००	४८००.००	४८००.००
८१	सुमो, बालेरो वा सो सरहको भाडा (इन्धन बाहेक)	प्रति दिन	४२००.००	४२००.००	४२००.००
८२	मारुती भ्यान भाडा (इन्धन बाहेक)	प्रति दिन	२५००.००	२५००.००	२५००.००
८३	सर्वे पद/श्रेणिका ज्यालादारी कामदारहरूको हकमा संबन्धित पद/श्रेणिको लागि नेपाल सरकारको वा सम्बन्धित संस्थानको प्रचलित तलब मानलाई ३० ले भाग गर्दा हुन आउने रकमलाई दैनिक ज्यालादर मान्नुपर्ने छ ।				
८४	यसमा उल्लेखित बाहेक मेशिनको भाडादरको हकमा नेपाल सरकार, सडक विभाग/ह.इ.डि. ले तोकेको दररेट बमोजिम हुने छ ।				

 आ.व. ०८१/८२

२. फलामजन्य निर्माण सामग्रीहरु



क्र.स.	निर्माण सामग्रीको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
१	फलामे डण्डी Fe-500 ; NS-191				
	८ मि.मि व्यासको	के.जी.	९७.००	१०१.००	१०५.००
	१० मि.मि देखी २० मि.मि. व्यासको	के.जी.	९७.००	१०१.००	१०५.००
	२५ मि.मि व्यासको	के.जी.	९७.००	१०१.००	१०५.००
	२८ मि.मि देखी ३२ मि.मि. व्यासको	के.जी.	९७.००	१०१.००	१०५.००
	टोरकारी ४.७५, मि.मि देखि ७ मि.मि.	के.जी.	९७.००	१०१.००	१०५.००
२	फलामे डंडी बाधने तार	के.जी.	९७.००	१०१.००	१०५.००
३	जि.आई. बारबेड वायर (एन.एस.१६ ८/१२ गेजको)	के.जी.	१३०.००	१३०.००	१३५.००
४	जि.आई. बारबेड वायर (एन.एस.१६ ८/१४ गेजको)	के.जी.	१३०.००	१३०.००	१३५.००
५	साईट जिङ्ग कोटेड जि.आई. तार				
	क. ८ गेजको	के.जी.	१३०.००	१३०.००	१३०.००
	ख. १० गेजको	के.जी.	१३०.००	१३०.००	१३०.००
	ग. १२ गेजको	के.जी.	१३०.००	१३२.००	१३२.००
६	मिडियम जिङ्ग कोटेड जि.आई. तार				
	क. ८ गेजको	के.जी.	१३०.००	१३५.००	१३५.००
	ख. १० गेजको	के.जी.	१३०.००	१३५.००	१३५.००
	ग. १२ गेजको	के.जी.	१३०.००	१४२.००	१४२.००
७	हेभी जिङ्ग कोटेड जि.आई. तार				०.००
	क. ८ गेजको	के.जी.	१३५.००	१४५.००	१४५.००
	ख. १० "	के.जी.	१३५.००	१४५.००	१४५.००
	ग. १२ "	के.जी.	१३५.००	१४७.००	१४७.००
८	मेसिनबाट बुनेको हेभीजिङ्गकोटेड ग्याबियन जाली (षटकोणीय मेस साईज १० x १२ से.मी. मेस वायर ३ मिमि, सेलभेज वायर ३.९ मिमि, लेसिड वायर २.६४ मिमि) - वायरको कारखानाको मूल्य	वर्ग मिटर	२६५.००	२७०.००	२७०.००
९	मेसिनबाट बुनेको हेभी जिङ्ग कोटेड १० SWG ग्याबियन वायर मेस नेटिङ	वर्ग मिटर	२६५.००	२७०.००	२७०.००
१०	फलामे स्ववायर होलो रड सधै साइजको	के.जी.	११५.००	११५.००	११५.००
११	फलामे राउण्ड रड सधै व्यासको	के.जी.	११५.००	११५.००	११५.००
१२	१० एम.एम.व्यासको जे. नटबोल्ट	के.जी.	१५०.००	१५०.००	१५०.००
१३	विभिन्न साईजको फलामे किल्ला कांटी	के.जी.	१३०.००	१३०.००	१३०.००
१४	पेच किल्ला २", ३", ४"	गोटा	७.००	७.००	७.००
१५	चारपाटे किल्ला (वालसिरी)	के.जी.	१८०.००	१८०.००	१८०.००
१६	फलामे सुलिस पाताको नटबोल्ट	के.जी.	१३०.००	१३०.००	१३०.००
१७	स्पान्डेड मेटल बार्फि जाली				
	१.२० मि.मी. मोटाईको ३६ इन्च चौडाईको	र.मि.	१७२.००	१७२.००	१७२.००
	१.२० मि.मी. मोटाईको ४८ इन्च चौडाईको	र.मि.	२३०.००	२३०.००	२३०.००
१८	मस्वीटोपूफ मेस जाली				
	३ फिट चौडाईको कर्मशियल चाईनिज	र.मि.	७०.००	७०.००	७०.००
	३ फिट चौडाईको भारतीय	"	३२५.००	३२५.००	३२५.००
	४ फिट चौडाईको चाईनिज	"	९५.००	९५.००	९५.००
	४ फिट चौडाईको स्टेनलेस स्टील	"	७००.००	७००.००	७००.००
	३ फिट चौडाईको स्टेनलेस स्टील	"	५५०.००	५५०.००	५५०.००
१९	फ्लाइ प्रुफ नेट २७ गेजको ३ फिट चौडाईको	"	७५.००	७५.००	७५.००
२०	फ्लाइ प्रुफ नेट २७ गेजको ४ फिट चौडाईको	"	१२५.००	१२५.००	१२५.००
२१	कुकुरे जाली (Chicken Wiremesh)				
	३ फीट चौडाईको	"	६०.००	६५.००	६५.००

Handwritten signatures and stamps at the bottom of the page.

२. फलामजन्य निर्माण सामाग्रीहरु



क्र.स.	निर्माण सामाग्रीको नाम	इकाई	मु.ब. कर बाहेकको दररेट		
			आ.ब. ०७९/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२
	४ फीट चौडाईको	"	९०.००	९५.००	९५.००
२२	तयारी ग्रील				
	ग्रील ३x२० मि.मि.(१५.०० के.जी. प्र.ब.मि.)	के.जी.	१४०.००	१५०.००	१५०.००
	५ x २० मि.मि., ५ x २२ मि.मि.(२०के.जी.प्र.ब.मि.)	के.जी.	१४०.००	१५५.००	१५५.००
	५ x २५ मि.मि., (२५.०० के.जी. प्र.ब.मि.)	के.जी.	१३०.००	१६०.००	१६०.००
	स्क्वयर रडको तयारी ग्रील	के.जी.	१३०.००	१५०.००	१५०.००
२३	तयारी कम्पाउण्ड गेट				
	प्लेन साधारण डिजाईन (३५ के.जी. प्र.ब.मि.)	के.जी.	१४०.००	१४५.००	१४५.००
	प्लेनसिट लगाएर (५० के.जी. प्र.ब.मि.)	के.जी.	१५०.००	१५५.००	१५५.००
	कोल्याप्सीवल गेट ४" ग्यापमा (४० के.जी. प्र.ब.मि.)	के.जी.	१४०.००	१४५.००	१४५.००
	कोल्याप्सीवल गेट ३" ग्यापमा (५० के.जी. प्र.ब.मि.)	के.जी.	१४०.००	१५५.००	१५५.००
२४	मेटल गेट तयारी :				
	५-६ मि.मि. मोटाईको	के.जी.	१४०.००	१५०.००	१५०.००
	१.५ - २.५ स्पेण्डल	के.जी.	१४०.००	१५०.००	१५०.००
	८ - १० मि.मि. मोटाईको	के.जी.	१४०.००	१५०.००	१५०.००
	एम.एस. स्टीलको सटर तथा फ्रेम	के.जी.	१९०.००	२००.००	२००.००
२५	तयारी रोलिङ सटर				
	साधारण डिजाईन (३.५०के.जी.प्रति वर्ग फिट)	व.फि.	५१०.००	५१०.००	५१०.००
	स्पेसल डिजाईन (३.६५ के.जी.प्रति वर्ग फिट)	व.फि.	५४०.००	५४०.००	५४०.००
२६	स्पाइरल सिडी ४" मेडियम पोष्ट, ३*२० मि.मी. पाता, ३२ मि.मी. डाय ह्याण्डरेल समेतको तयारी जडान समेत	के.जी.	१९३.६०	२१२.९६	२१२.९६
२७	रेलिङ तथा सिडीको लागि ९० से.मि. उचाईको, मिडियम १.५ इन्चको कालो पाईप हेन्डरेल र १ इन्च स्क्वायर पाईपको ६ इन्चको फरकमा ठाडो पोष्ट राखि तयार तथा जडान गर्ने काम (कालो पाइप)	के.जी.	१३५.००	१३५.००	१३५.००
२८	घ्यानल गेट (फोब्रिकेसन गरी तयारी)	के.जी.	१६८.००	१६८.००	१६८.००
२९	घ्यानल टुस (फोब्रिकेसन गरी तयारी)	के.जी.	१६८.००	१६८.००	१६८.००
३०	एङ्गल टुस (फोब्रिकेसन गरी तयारी)	के.जी.	१६०.००	१६०.००	१६०.००
३१	टयुबलर टुस (फोब्रिकेसन गरी तयारी)	के.जी.	१३५.००	१३५.००	१३५.००
३२	टुस, परलिन, फ्रेम, ग्रील, कोल्याप्सीवल गेट, कम्पाउण्ड गेट, रोलिङ सटर आदिको जडान चार्ज	के.जी.	३०.००	३०.००	३०.००
३३	कास्ट आइरनका बुट्टाहरु (रेकोरिभ)	के.जी.	३००.००	३००.००	३००.००
३४	एम.एस. कालो पाईप लाइट तथा मेडियम क्लास	के.जी.	१२५.००	१२५.००	१२५.००
३५	एम.एस. कालो पाईप हेभी क्लास	के.जी.	१२५.००	१२५.००	१२५.००
३६	म्यान होल कभर (माईन्ड स्टील) सेट ६० से.मी. डाय	सेट	३०५.००	३०५.००	३०५.००
३७	म्यान होल कभर (माईन्ड स्टील) सेट ६०x६० से.मी.	गोटा	३०५.००	३०५.००	३०५.००
३८	विभिन्न साईजको एम.एस.एङ्गल	के.जि.	९९.९६	११८.९५	११८.९५
३९	विभिन्न साईजको एम.एस.सिट	के.जि.	९८.७७	११७.५४	११७.५४
४०	नटवोन्ट साधारण	के.जि.	२३२.०५	२७६.१४	२७६.१४
४१	एम.एस. घ्यानल	के.जि.	१०७.१०	१२७.४५	१२७.४५
४२	भोलुइपुलको लागि स्टक्चरल स्टील				
	भोलुइपुलको लागि स्टक्चरल स्टील फोब्रिकेसन	के.जी.	१४८.५०	१५५.९३	१५५.९३
	हटाईप ग्यान्भनाईजेसन	के.जी.	४९.५०	५१.९८	५१.९८
	स्टक्चरल स्टिल	के.जि.	१०२.३०	१०७.४२	१०७.४२
	रेन्फोर्समेन्ट स्टिल	के.जि.	१०४.५०	१०९.७३	१०९.७३
	वायर मेश गेट ५०*५० मि.मि. मेश चौडाई	वर्ग मिटर	३९६.००	४१५.८०	४१५.८०

Handwritten signatures and stamps at the bottom of the page.

मोरङ जिल्लाको आ.व. ०८१/८२ को स्वीकृत जिल्ला दररेट

२. फलामजन्य निर्माण सामग्रीहरु



क्र.स.	निर्माण सामग्रीको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
	सुचनापाटी	गोटा	७१५०.००	७५०७.५०	७५०७.५०
	हट्टीप ग्यालभ्लाइन्ड नट, बोल्ट र वासर	क.जि.	४६२.००	४८५.१०	४८५.१०
	नट, बोल्ट र वासर र फोक्सन छीप	क.जि.	३९०.५०	४१०.०३	४१०.०३
४३	Steel Wire Rope				
	a. 13 mm dia	reel per m	११५.००	११५.००	११५.००
	b. 26 mm dia	reel per m	३९८.००	३९८.००	३९८.००
	c. 32 mm dia	reel per m	५८९.००	५८९.००	५८९.००
	d. 36 mm dia	reel per m	७३६.००	७३६.००	७३६.००
	e. 40 mm dia	reel per m	९४४.००	९४४.००	९४४.००
	Bulldog Grip				
	a. 13 mm dia	no	९७.००	९७.००	९७.००
	b. 26 mm dia	no	४२६.००	४२६.००	४२६.००
	c. 32 mm dia	no	४४९.००	४४९.००	४४९.००
	d. 36 mm dia	no	६०६.००	६०६.००	६०६.००
	e. 40 mm dia	no	७२६.००	७२६.००	७२६.००
४४	Concerteena wire				
	60 dia	RM	४८०.००	४८०.००	४८०.००




मोरङ जिल्लाको आ.व. ०८१/८२ को स्वीकृत जिल्ला दररेट

३. सडक र पुल संबन्धी निर्माण सामग्री

सि.न.	निर्माण सामग्रीको नाम	इकाई	मु.भ. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
१	आर.सि.सी. हयुम पाईप NP २				
	१५ से.मी. व्यास		२७५०.००	२७५०.००	२७५०.००
	२० से.मी. व्यास		३३००.००	३३००.००	३३००.००
	२५ से.मी. व्यास		४१८०.००	४१८०.००	४१८०.००
	३० से.मी. व्यास	२.५ मिटर	४८४०.००	४८४०.००	४८४०.००
	४५ से.मी. व्यास	२.५ मिटर	७८६५.००	७८६५.००	७८६५.००
	५० से.मी. व्यास	२.५ मिटर	९०७५.००	९०७५.००	९०७५.००
	६० से.मी. व्यास	२.५ मिटर	९९२२.००	९९२२.००	९९२२.००
	७५ से.मी. व्यास	२.५ मिटर	१३३१०.००	१३३१०.००	१३३१०.००
	८० से.मी. व्यास	२.५ मिटर	१५२४६.००	१५२४६.००	१५२४६.००
	९० से.मी. व्यास	२.५ मिटर	१६३३५.००	१६३३५.००	१६३३५.००
	१०० से.मी. व्यास	२.५ मिटर	२४८०५.००	२४८०५.००	२४८०५.००
	१२० से.मी. व्यास	२.५ मिटर	३०४९२.००	३०४९२.००	३०४९२.००
२	आर.सि.सी. हयुम पाईप NP ३				
	१५ से.मी. व्यास		५०६०.००	५०६०.००	५०६०.००
	२० से.मी. व्यास		६७१०.००	६७१०.००	६७१०.००
	२५ से.मी. व्यास		७९२०.००	७९२०.००	७९२०.००
	३० से.मी. व्यास	२.५ मिटर	१०२८५.००	१०२८५.००	१०२८५.००
	४५ से.मी. व्यास	२.५ मिटर	१२७०५.००	१२७०५.००	१२७०५.००
	६० से.मी. व्यास	२.५ मिटर	१६०९३.००	१६०९३.००	१६०९३.००
	७५ से.मी. व्यास	२.५ मिटर	२११७५.००	२११७५.००	२११७५.००
	९० से.मी. व्यास	२.५ मिटर	२५४१०.००	२५४१०.००	२५४१०.००
	१०० से.मी. व्यास	२.५ मिटर	३६३००.००	३६३००.००	३६३००.००
	१२० से.मी. व्यास	२.५ मिटर	४३५६०.००	४३५६०.००	४३५६०.००
	१५० से.मी. व्यास	२.५ मिटर	६९५७५.००	६९५७५.००	६९५७५.००
३	बिटुमिन				
	Bitumin 80 / 100 grade (New M.S drum packed)	के.जी.		बिटुमिन व्यारेलको दररेट अनुसार	
	CRMB - DIGO 55 (New M.S drum packed)	के.जी.		बिटुमिन व्यारेलको दररेट अनुसार	
४	Cationic bitumin emulsion (himalsion)				
	himalsion - R/1 rapid strength with 60% bitumin	के.जी.	६३.६०	६३.६०	६३.६०
	himalsion - R/2 rapid strength with 65% bitumin	के.जी.	६७.६०	६७.६०	६७.६०
	himalsion - R/3 rapid strength with 70% bitumin	के.जी.	७१.६०	७१.६०	७१.६०
	himalsion - M/1 Medium setting with 60% bitumin	के.जी.	६४.१५	६४.१५	६४.१५
	himalsion - M/2 Medium setting with 65% bitumin	के.जी.	६८.१५	६८.१५	६८.१५

Handwritten signatures and stamps at the bottom of the page.






४. स्थानीय तथा विविध निर्माण सामग्री



क्र.स	निर्माण सामग्रीको नाम	इकाई	म.अ. कर बाहेकको स्वीकृत दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
१	चिमिन भट्टाको ईटा				
	चिमिन भट्टाको प्रथम श्रेणी	प्रति हजार	२०५००.००	२०५००.००	२०५००.००
	पिकेट ईटा	प्रति हजार	१८०००.००	१८०००.००	१८०००.००
	चिमिन भट्टाको २ नं. ईटा	प्रति हजार	१८०००.००	१८०००.००	१८०००.००
	टुका ईटा	घ.मी.	३१००.००	३१००.००	३१००.००
	फायर पुफ ईटा	प्रति गोटा	१२५.००	१२५.००	१२५.००
	तेलिया ईटा 6"x6"	प्रति गोटा	१५.००	१५.००	१५.००
२	गिट्टी, बालुवा तथा ढुंगा (कारखानाको मुल्य ढुवानी बाहेक)				
	५ देखि १० मि.मि. सम्मको क्रसरको गिट्टी	घ.मी.	१२००.००	१३९०.००	१३९०.००
	१० देखि २० मि.मि. सम्मको क्रसरको गिट्टी	घ.मी.	१२५०.००	१४५०.००	१४५०.००
	२० देखि ४० मि.मि. सम्मको क्रसरको गिट्टी	घ.मी.	११५०.००	१३३५.००	१३३५.००
	बेसको लागि ४० मि.मि.डाउन	घ.मी.	१२००.००	१३५०.००	१३५०.००
	क्रसरको स्टोनडस्ट	घ.मी.	१०००.००	११५०.००	११५०.००
	६३ मिमी डाउन क्रसररन/चालेको तयारी सबवेस ग्राभेल	घ.मी.	८००.००	८७५.००	८७५.००
	१० मि.मि.सम्मको कूटेको सिल्कन गिट्टी चालेको	घ.मी.	११५०.००	११५०.००	११५०.००
	६-२० मी.मी. को चालेको नेचुरल गिट्टि	घ.मी.	१२००.००	१२००.००	१२००.००
	मेसिनबाट धुलाएको बालुवा	घ.मी.	११५०.००	११५०.००	११५०.००
	खोलाको चालेको बालुवा	घ.मी.	८५०.००	८५०.००	८५०.००
	६ मि.मि. सम्मको क्रसड सिल्कन गीटी	घ.मी.	११५०.००	११५०.००	११५०.००
	खोलाको मिक्स गिट्टी (RBM)	घ.मी.	४५०.००	४५०.००	४५०.००
३	डि बि एस टि गिट्टि				
	१०-२०मी.मी. सम्मको कूटेको गिट्टि	घ.मी.	१७००.००	१७८५.००	१७८५.००
	एसफाल्ट ककूटेको क्रसड गिट्टि	घ.मी.	१७५०.००	१८३७.५०	१८३७.५०
४	माटो खरीद ढुवानी र शुल्क बाहेक	घ.मी.	१५०.००	१५७.५०	१५७.५०
५	पानी निर्माण कार्यमा प्रयोगहुने	ली.	०.५०	०.५३	०.५३
६	विभिन्न साईजको ढुंगा/बाल्डर लोड समेत ढुवानी बाहेक)	घ.मी.	१४००.००	१५००.००	१५००.००
७	पहाडी भेगहरुमा ससाना कामको लागि सबै साईजको हातले फूटाएको गिट्टिको निर्माण स्थल सम्मको मुल्य	घ.मी.	२६००.००	२७३०.००	२७३०.००
८	पहाडी भेगहरुमा ससाना कामको लागि खानीको ढुंगा निर्माण स्थलमा	घ.मी.	१६००.००	१६८०.००	१६८०.००
९	पाहाडमा पाइने खानीको बालुवा (Pit sand) संकलन	घ.मी.	१८००.००	१८९०.००	१८९०.००
१०	माटोको छाना छाउने टायल	घ.मी.	१५.००	१५.७५	१५.७५
११	सिमेन्टको छाना छाउने टायल	गोटा	३०.००	३१.५०	३१.५०



मोरङ जिल्लाको आ.व. ०८१/८२ को स्वीकृत जिल्ला दररेट

१२	कोरोगेटेड सिमेण्ट सीट	वर्ग मिटर	५००.००	५२५.००	५२५.००
१३	कोरोगेटेड सिमेण्ट धुरी	र.मि.	५००.००	५२५.००	५२५.००
१४	सिमेण्टको मगरा	गोटा	३५.००	३६.७५	३६.७५
१५	खर एक भारीको	साराई	१३००.००	१३६५.००	१३६५.००
१६	बास ३० फिट लम्बाइ	गोटा	२७५.००	२८८.७५	२८८.७५
१७	गोबर	कं.जी.	५.००	५.२५	५.२५
१८	भुसा	कं.जी.	१०.००	१०.५०	१०.५०
१९	नरिवलको डोरी	कं.जी.	१२५.००	१३१.२५	१३१.२५
२०	जुटको डोरी	कं.जी.	१२५.००	१३१.२५	१३१.२५
२१	नया ठूलो जुटको बोरा	गोटा	१००.००	१०५.००	१०५.००
२२	नया सानो जुटको बोरा	गोटा	८०.००	८४.००	८४.००
२३	५० कं.जी. पुरानो जुटको बोरा	गोटा	२७.००	२८.३५	२८.३५
२४	५० कं.जी. पुरानो प्लास्टिकको बोरा	गोटा	१०.००	१०.५०	१०.५०
२५	५० कं.जी. नया प्लास्टिकको बोरा	गोटा	२३.००	२४.१५	२४.१५
२६	पी.सी.सी.रिड				
	आर.सी.सी.रिड ३६ इन्च व्यास ३० से.मि. उचाई	प्रति गोटा	५५०.००	५७७.५०	५७७.५०
	आर.सी.सी.रिड ४२ इन्च व्यास से.मि. उचाई	प्रति गोटा	६००.००	६३०.००	६३०.००
२७	आर.सी.सी.डबकन				
	आर.सी.सी.डबकन ३६ इन्च व्यास	प्रति गोटा	५५०.००	५७७.५०	५७७.५०
	आर.सी.सी.डबकन ४० इन्च व्यास	प्रति गोटा	६००.००	६३०.००	६३०.००
२८	बास को पाइपिड गर्ने काम (बास बाहेक)	र.मी.	९५.००	९९.७५	९९.७५
२९	पक्की नाला सफा गर्ने कार्य				
	डबकन सहित	प्रति र.मि.	२३०.००	२४१.५०	२४१.५०
	डबकन बाहेक	प्रति र.मि.	१३५.००	१४१.७५	१४१.७५



किसलको अ.व. ०८१/८२ को अधिकृत किम्बा दररेट

५. भवन निर्माण संबन्धी निर्माण सामग्रीहरु

क्र.सं.	निर्माण सामग्रीको नाम	इकाई	मु.म. कर बाहेकको दररेट		
			अ.व. ००९/८०	अ.व. ०८०/८१	अ.व. ०८१/८२
१	सिमेन्ट (प्रति व्याप (५० के.जी.)				
	नेपाल गुणस्तर चिन्ह प्राप्त ओ.पि.सि. नेपाली सिमेन्ट	बोरा	७००.००	७५०.००	७५०.००
	नेपाल गुणस्तर चिन्ह प्राप्त पि.पि.सि.लयाग नेपाली सिमेन्ट	बोरा	६००.००	६५०.००	६५०.००
	फायर ब्रुक सिमेन्ट	के.जी.	७०.००	७०.००	७०.००
२	फलामको कब्जा				
	३ इन्चको	गोटा	२७.५०	२८.८८	३०.००
	४ इन्चको	गोटा	३०.५०	४०.४३	४२.००
	५ इन्चको	गोटा	३५.००	४७.७५	५०.००
	६ इन्चको	गोटा	४३.००	८०.८५	८५.००
	७ इन्चको (नेपाल गुणस्तर अनुसार)	गोटा	५३.५०	९८.९८	१०३.००
	८ इन्चको	गोटा	६५.००	१२७.७५	१३०.००
	९ इन्चको	गोटा	६९.००	१३३.३३	१३६.००
	१० इन्चको	गोटा	९३.००	१३८.६०	१४५.००
३	फलामको छिस्किनी (नेपाल गुणस्तर अनुसार)				
	३ इन्चको	गोटा	४४.००	४६.२०	४८.००
	४ इन्चको	गोटा	५५.००	५७.७५	६०.००
	५ इन्चको	गोटा	७१.५०	७५.०८	७८.००
	६ इन्चको	गोटा	८८.००	९२.४०	९५.००
	७ इन्चको	गोटा	१०४.५०	१०९.७३	११५.००
	८ इन्चको	गोटा	१२३.००	१३०.९५	१३७.००
	९ इन्चको	गोटा	१४७.००	१५६.३५	१६३.००
४	पित्तलको छिस्किनी फेन्सी				
	३ इन्चको	गोटा	१८७.००	१९६.३५	२०६.००
	४ इन्चको	गोटा	२४२.००	२५४.९०	२६६.००
	५ इन्चको	गोटा	३३०.००	३४६.५०	३६३.००
	६ इन्चको	गोटा	४३४.५०	४५६.२३	४७९.००
	७ इन्चको	गोटा	५३२.५०	५६४.९३	५९७.००
	८ इन्चको	गोटा	६३२.५०	६६४.९३	६९७.००
५	१५० गी.सी. एन्भिलेस छिस्किनी	गोटा	८८.००	९२.४०	९७.००
	२०० गी.सी. एन्भिलेस छिस्किनी	गोटा	१७६.००	१८४.८०	१९४.००
६	स्टेनलेस स्टीलको छिस्किनी फेन्सी				
	३ इन्चको	गोटा	८८.००	९२.४०	९७.००
	४ इन्चको	गोटा	१३२.००	१३८.६०	१४५.००
	५ इन्चको	गोटा	१७६.००	१८४.८०	१९४.००
	६ इन्चको	गोटा	२२०.००	२२९.००	२४२.००
	७ इन्चको	गोटा	२६४.००	२७३.२०	२९१.००
७	एल.डुप साधारण				
	८ इन्चको	गोटा	१६५.००	१७३.२५	१८१.००
	१० इन्चको	गोटा	२२०.००	२२९.००	२४२.००
	१२ इन्चको	गोटा	२४७.५०	२५९.८८	२७२.००
८	मोर्टिस लक गोल इण्डल	गोटा	१२९०.००	१२७०.५०	१३३४.००
९	मोर्टिस लक स्टीलको फेन्सी	गोटा	१६५०.००	१७२२.५०	१८१९.००
१०	मोर्टिस लक पित्तलको फेन्सी	गोटा	२७५०.००	२८८७.५०	३०३९.००
११	लकड सेट साधारण	गोटा	१७६.००	१८४.८०	१९४.००
१२	लकड सेट पित्तलको फेन्सी				
	८ इन्चको	गोटा	१०६९.००	११४३.४३	१२००.००
	१० इन्चको	गोटा	१३७२.००	१४४३.७५	१५१५.००
	१२ इन्चको	गोटा	१६९२.५०	१७८८.९३	१८६३.००
१३	लकड सेट स्टेनलेस स्टीलको फेन्सी				
	८ इन्चको	गोटा	४९२.५०	५३३.९३	५६४.००
	१० इन्चको	गोटा	६२२.५०	६४८.९३	६७६.००
	१२ इन्चको	गोटा	६२७.००	६५८.३५	६९९.००
१४	इन्डियन/ब्रिचानी स्टेनलेस स्टीलको फेन्सी				
	३ इन्चको	गोटा	४९.५०	५१.९८	५४.००
	४ इन्चको	गोटा	६०.५०	६३.५३	६६.००
	५ इन्चको	गोटा	८२.५०	८६.६३	९०.००
	६ इन्चको	गोटा	१०४.५०	१०९.७३	११५.००

Handwritten signatures and dates at the bottom of the page, including a date '२०७३/१५' and several illegible signatures.



५. भवन निर्माण संबन्धी निर्माण सामग्रीहरू

मोरङ जिल्लाको जा.नं. ०८१/८२ को शैक्षिक विद्यालय दररेट

क्र.सं.	निर्माण सामग्रीको नाम	इकाई	मु.ब. कर बाहेकको दररेट		
			०७९/८०	०८०/८१	०८१/८२
	४ इन्चको	गोटा	१६४.००	१७३.२४	१८१.००
	६ इन्चको	गोटा	२३१.००	२४२.४४	२४९.००
	८ इन्चको	गोटा	२९७.००	३११.८४	३२७.००
१६	ढोकाको स्तर	गोटा	१६४.००	१७३.२४	१८१.००
	बालको स्तर	गोटा	४९.४०	५१.९८	५४.००
१७	होल्ड फास्ट एक किसिममा ७ थान	के.जी.	१३२.००	१३८.६०	१४४.००
१८	हाइड्रोलिक डोर स्प्रिङ GP	गोटा	१६४०.००	१७३२.४०	१८१९.००
१९	साधारण डोर स्प्रिङ लोकल जी.पी.	गोटा	४४०.००	४६९.००	४८४.००
२०	मार्टिन लक (पिस्तल)	गोटा	१६४०.००	१७३२.४०	१८१९.००
२१	मार्टिन लक (स्टील नेकल)	गोटा	११००.००	११४४.००	११९२.००
२१	प्लेन सिमा (राधो खाले)				
	४ मी.मी.	ब.फि.	७३.७०	७७.३९	८१.००
	५ मी.मी.	ब.फि.	८८.००	९२.४०	९७.००
	६ मिमि	ब.फि.	१०२.००	१०७.१०	११२.००
	८ मिमि	ब.फि.	१४७.००	१५४.३४	१६२.००
	१० मिमि	ब.फि.	१८४.८४	१९४.१४	२०४.००
	१२ मिमि	ब.फि.	२२२.६०	२३३.७३	२४४.००
२२	प्रिन्ट सिमा				
	४ मी.मी.	ब.फि.	८०.००	८४.००	८८.००
	५ मिमि	ब.फि.	८४.००	८९.२४	९३.००
२३	रगोल सिमा				
	४ मी.मी.	ब.फि.	८२.४०	८६.६३	९०.००
	५ मिमि	ब.फि.	१११.००	११६.४४	१२२.००
	८ मिमि	ब.फि.	२३०.००	२४१.४०	२४३.००
	१२ मिमि	ब.फि.	३३७.००	३५३.८४	३७१.००
	५ मिमि Flint glass	ब.फि.	२३०.००	२४१.४०	२४३.००
२४	हेण्डल (साधारण खिचानी) १०० सीमी	गोटा	४६.२०	४८.४१	५०.००
२५	हेण्डल (स्पेशल डेकोरेटिभ खिचानी) १०० सीमी	"	११२.२०	११७.६१	१२३.००
२६	पदा स्टेण्ड (डेकोरेटिभ)	र.फि.	२०४.७०	२१४.९९	२२६.००
२७	पदा स्टेण्ड स्प्रिङतार	"	२२.००	२३.१०	२४.००
२८	स्टेनलेस स्टिलको फाईप रेलिङ				
	भरणको लागि ४० मिमिको हेन्डरेल फाईप, बिचमा २० मिमि व्यासको स्टेनलेस-स्टिल फाईपको लिन लाईन, ४० मिमिको ठाडो पोष्ट ८/८ फीटमा र ७५ मिमिको कालुष्टर फाईपको रेलिङ बनाई जडान गर्ने काम उचाई ९० से.मि. आवश्यक सबै फेन्सी सामान समेत	मर	२४२०.००	२४४९.००	२६६८.००
	बरणको लागि ४० मिमिको हेन्डरेल फाईप, बिचमा २० मिमि व्यासको स्टेनलेस स्टिल फाईपको लिन लाईन, ४० मिमिको ठाडो पोष्ट ८/८ फीटमा रेलिङ बनाई जडान गर्ने काम उचाई ९० से.मि. आवश्यक सबै फेन्सी सामान समेत	मर	२२४४.००	२३६७.७५	२४८६.००
	एलुमिनियमको फ्रेमको तयारी क्युपल, ढोका रील आदि				
	Sliding Window in natural 1.2 mm Aluminum section and 5 mm clear glass with all accessories and manpower complete in windows				
२९	Top or Bottom Fix With SS Flymesh Shutter				
	77 mm	ब.मि.	४४२७.००	४७२९.८२	४९०१.००
	78 mm	ब.मि.	६०१२.००	६३१२.६०	६६०१.००
	90 mm	ब.मि.	६४४६.००	६८८३.८०	७०९०.००
	101.6 mm	ब.मि.	६७७१.००	७१०९.४४	७३२२.००
३०	Top or Bottom Fix Without Flymesh Shutter				
	62 mm	ब.मि.	४४१२.००	४७३७.६०	४८७९.००
	77 mm	ब.मि.	४९९२.००	५२४१.६०	५३९८.००
	78 mm	ब.मि.	४४००.००	४६७०.००	४८४०.००
	88 mm	ब.मि.	४७८०.००	५०६९.००	५२४१.००
	90 mm	ब.मि.	४९३०.००	५२२६.४०	५४१३.००
	101.6 mm	ब.मि.	६१२०.००	६४२६.००	६६१८.००
३१	Simple Sliding Without Flymesh Shutter				
	62 mm	ब.मि.	४२२०.००	४४४९.००	४६६३.००
	77 mm	ब.मि.	४०००.००	४२४०.००	४४०७.००

Handwritten signatures and notes at the bottom of the page, including a large signature on the right and some scribbles on the left.



५. भवन निर्माण संबन्धी निर्माण सामग्रीहरु

क्र.स.	निर्माण सामग्रीको नाम	इकाई	मु.ब.का बाहेकको दररेट		
			मा.ब. ०७९/००	मा.ब. ०८०/०१	मा.ब. ०८१/०२
	78 mm	ब.मि.	२१९०.००	२४४९.४०	२६१२.००
	88 mm	ब.मि.	२४१३.००	२७२२.८४	२९६६.००
	90 mm	ब.मि.	२७३०.००	६०४८.४०	६२४०.००
	101.6 mm	ब.मि.	६०००.००	६३००.००	६४८९.००
२२	Simple Sliding With SS Flymesh Shutter				
	77 mm	ब.मि.	२३२०.००	२४८६.००	२७४३.००
	78 mm	ब.मि.	२८००.००	६०९०.००	६२७२.००
	90mm	ब.मि.	६२१०.००	६४२०.४०	६७६६.००
	101.6 mm	ब.मि.	६४००.००	६७२०.००	६९२१.००
२३	Top or Bottom Fix With Flymesh Shutter (In bronze & Black color)				
	78 mm	ब.मि.	६२१०.००	६४२०.४०	६७६६.००
	90 mm	ब.मि.	६८१०.००	७१४०.४०	७३६४.००
२४	Top or Bottom Fix Without Flymesh Shutter (In bronze & Black color)				
	78 mm	ब.मि.	२७३०.००	६०४८.४०	६२४०.००
	90 mm	ब.मि.	६३४०.००	६६४७.००	६८४६.००
२५	Simple Sliding Without Flymesh Shutter (In bronze & Black color)				
	78 mm	ब.मि.	१००.००	१०४.००	१०८.००
	90 mm	ब.मि.	२४३०.००	४८०९.४०	४९८०.००
		ब.मि.	६१३०.००	६४३६.४०	६६२९.००
२६	Simple Sliding With SS Flymesh Shutter (In bronze & Black color)				
	78 mm	ब.मि.	६१००.००	६४०४.००	६४९३.००
	90mm	ब.मि.	६६४०.००	६९८२.४०	७१९१.००
२७	Top or Bottom Fix With Flymesh Shutter (In Wood grains color & Without Gasket)				
	78 mm	ब.मि.	६७४०.००	७०७३.००	७२८९.००
	90 mm	ब.मि.	६३८०.००	६६९९.००	६८९९.००
२८	Top or Bottom Fix Without Flymesh Shutter (In Wood grains color & Without Gasket)				
	78 mm	ब.मि.	६२१०.००	६४२०.४०	६७६६.००
	90 mm	ब.मि.	६८१०.००	७२२०.४०	७४२८.००
२९	Simple Sliding Without Flymesh Shutter (In Wood grains color & Without Gasket)				
	78 mm	ब.मि.	६०४०.००	६३४२.००	६४३२.००
	90 mm	ब.मि.	६७१०.००	७०४४.४०	७२४९.००
४०	Simple Sliding With SS Flymesh Shutter (In Wood grains color & Without Gasket)				
	78 mm	ब.मि.	१००.००	१०४.००	१०८.००
	90mm	ब.मि.	६४२०.००	६८४६.००	७०४९.००
		ब.मि.	७१००.००	७४४४.००	७६७८.००
४१	Door in natural Aluminium 101x38x1.3 section and 5 mm clear glass				
	Series Hinges				
	62 mm	ब.मि.	२२३०.००	२४९१.४०	२६४६.००
	101.6 mm	ब.मि.	२६४०.००	२९२२.००	३०९९.००
४२	Series Swing				
	62 mm	ब.मि.	१००.००	१०४.००	१०८.००
		ब.मि.	६९१०.००	७२४४.४०	७४७३.००
	101.6 mm	ब.मि.	६३२०.००	६६३६.००	६८३२.००
	Partition				
४३	Natural anodizing Aluminium section 5 mm clear glass with 9 mm board 62 mm With door	ब.मि.	२३८०.००	२६४९.००	२८१८.००
४४	Natural anodizing Aluminium section 5 mm clear glass with 9 mm board Without door	ब.मि.	४८४२.००	४०९४.६०	४२४७.००
४५	Natural anodizing Aluminium section 5 mm clear glass with 9 mm board 101.6 mm With door	ब.मि.	४९३०.००	६२२६.४०	६४१३.००
४६	Natural anodizing Aluminium section 5 mm clear glass with 9 mm board 101.6 mm Without door	ब.मि.	४७१०.००	४९९४.४०	६१७४.००
	CASEMENT WINDOW in natural Aluminium section and 5 mm clear glass				
४७	Top or Bottom Fix & Single or double panel	ब.मि.	६०८४.००	६३८८.२०	६४७९.००
४८	Simple single or double panel	ब.मि.	६४९०.००	६९१९.४०	७१२७.००
४९	Aluminium Framed Sliding Windows with flymesh shutter in the section of 100 x 30 x 1.10 mm with including 5 mm thick Glass	ब.मि.	६११४.८६	६४२१.६४	६६१४.००
५०	Aluminium Framed Sliding Windows with flymesh shutter in the section of 78 x 30 x 1.10 mm with including 5 mm thick Glass	ब.मि.	२४७१.३०	२७४४.८०	२९१३.००

Handwritten signatures and notes at the bottom of the page, including names like 'S. K. Sharma' and 'S. K. Sharma'.

५. भवन निर्माण संबंधी निर्माण सामग्रीहरू

मोरङ जिल्लाको जा.ब. ०८१/८२ को नवीकृत जिल्ला दररेट

क्र.स.	निर्माण सामग्रीको नाम	इकाई	मु.ब.अन.संकेतको दररेट		
			जा.ब. ०८१/८०	जा.ब. ०८०/८१	जा.ब. ०८१/८२
५१	Aluminium Framed Sliding Windows without flymesh shutter in the section of 78 x 30 x 1.10 mm with including 5 mm thick Glass	व.मि.	४९६२.००	४२१०.१०	४३६६.००
५२	Aluminium Framed Sliding Door/cashment door with Section without mosquito net of 101 x 45 x 1.2mm with 5 mm thick Glass & 9mm Laminated board	व.मि.	७२६१.००	७६२४.०४	७८२२.००
५३	Aluminium Framed Fixed Partition with 5mm glass and 9mm laminated board in the section 101 x 45 x 1.2 mm	व.मि.	४७९०.२६	४०३०.०९	४१८०.००
५४	Aluminium Framed Fixed Partition with 5mm glass and 9mm laminated board in the section 101 x 45 x 1.1 mm	व.मि.	४७०६.८०	४९४२.१४	४०९०.००
५५	Mostly part glass fix with structural silicon sealant & some part opening shutter (aluminium section 100mm x 50mm x 2mm)	व.मि.	७५०.००	८०९४.२०	८३३८.००
५६	3mm composite panel cladding on wall available in various color for exterior and interior uses-COMPOSITE PANEL.	व.मि.	४६१०.००	४८४०.४०	४९८२.००
५७	पि.मि.सी. ढोका ३' x ६'-६" तयारी	सान	२१००.००	२३२४.००	२२१४.००
५८	False ceiling by Gypsum, Gypsum Board : 12mm thick	व.मि.	१२३२.००	१२९३.६०	१३३२.००
५९	जिपसम बोर्ड साधारण	व.मि.	१०८१.००	११४३.४२	११७७.००
६०	जिपसम बोर्ड डिजाइन	व.मि.	१४७९.२०	१४४३.४८	१६००.००
६१	जिपसम बोर्ड बाल प्यानलिन	व.मि.	१३२०.००	१३८६.००	१४२७.००
६२	जिपसम बोर्डबाट बाल पार्टिशन	व.मि.	२२७७.००	२३९०.८४	२४६२.००
६३	तयारी पार्केट	व.मि.	६०४०.००	६३२२.४०	६२४३.००
६४	पोलिथिन मिट ४०० गेज	क.जी.	२२४.४०	२३६.७८	२४३.००
६५	टार फेल्ट	व.मी.	१६.४०	१७.३३	१७.००
६६	UPVC Profile Door and Window/ Wall partition				
	Single glazing				
	a) Two slider sliding window	व.मि.	८१००.००	८२०४.००	८३६०.००
	b) Two slider sliding window with centre fixed	व.मि.	८१००.००	८२०४.००	८३६०.००
	c) Two slider sliding window with bottom fixed	व.मि.	८१००.००	८२०४.००	८३६०.००
	d) " " " " with centre & bottom fixed	व.मि.	८१००.००	८२०४.००	८३६०.००
	e) " " " " with top & bottom fixed	व.मि.	८१००.००	८२०४.००	८३६०.००
	f) " " " " with centre, top & bottom fixed	व.मि.	८१००.००	८२०४.००	८३६०.००
	g) Vertical sliding	व.मि.	८१००.००	८२०४.००	८३६०.००
	Double glazing				
	a) Two slider sliding window	व.मि.	९७२९.००	१०२१४.४२	१०४२१.००
	b) " " " " with centre fixed	व.मि.	९७२९.००	१०२१४.४२	१०४२१.००
	c) " " " " with bottom fixed	व.मि.	९७२९.००	१०२१४.४२	१०४२१.००
	d) " " " " with centre & bottom fixed	व.मि.	९७२९.००	१०२१४.४२	१०४२१.००
	e) " " " " with top & bottom fixed	व.मि.	९७२९.००	१०२१४.४२	१०४२१.००
	f) " " " " with centre, top & bottom fixed	व.मि.	९७२९.००	१०२१४.४२	१०४२१.००
	g) Vertical sliding	व.मि.	९७२९.००	१०२१४.४२	१०४२१.००
६७	Supplying and installation of UPVC Profile Sliding Door frame 80x50 mm white colour, sliding window sash 66x36 mm with galvanized steel reinforcement of 1.5 mm, 5 mm thick clear glass, insect net, patented standard hardware like: rollers, gaskets, brush etc all complete.				
	Single glazing				
	a) Balcony sliding door	व.मि.	९६४९.००	१०१३१.४४	१०४३४.००
	b) Sliding door	व.मि.	९६४९.००	१०१३१.४४	१०४३४.००
	Double glazing				
	a) Balcony sliding door	व.मि.	११७६०.००	१२३४८.००	१२७१८.००
	b) Sliding door	व.मि.	११७६०.००	१२३४८.००	१२७१८.००
६८	Supplying and installation of UPVC Profile Casement Window frame 60x60 mm, Casement window sash 78x60 mm, Casement window mullion 72x60 mm white colour with galvanized steel reinforcement of 1.5 mm, 5 mm thick clear glass, insect net, patented standard				
	Single glazing				
	a) Single casement	व.मि.	१०२००.००	१०७१०.००	११०३१.००
	b) Top hung window with bottom fixed	व.मि.	१०२००.००	१०७१०.००	११०३१.००
	c) Single casement with bottom fixed	व.मि.	१०२००.००	१०७१०.००	११०३१.००
	d) Double casement with bottom fixed	व.मि.	१०२००.००	१०७१०.००	११०३१.००
	e) Double casement window	व.मि.	१०२००.००	१०७१०.००	११०३१.००
	f) " " " " with centre fixed	व.मि.	१०२००.००	१०७१०.००	११०३१.००
	g) " " " " with centre & bottom fixed	व.मि.	१०२००.००	१०७१०.००	११०३१.००

Handwritten signatures and stamps at the bottom of the page.



५. भवन निर्माण संबन्धी निर्माण सामग्रीहरू

मोरङ जिल्लाको ज.व. ०८१/८२ को स्वीकृत विन्दा दररेट

क्र.स.	निर्माण सामग्रीको नाम	इकाई	मु.व. कर सहितको दररेट		
			ज.व. ०८१/८०	ज.व. ०८०/८१	ज.व. ०८१/८२
	h) Single casement window with side fixed	व.मि	१०२००.००	१०८५०.००	११०३१.००
	Double glazing				
	a) Single casement	व.मि	१२३२०.००	१२९३६.००	१३३२४.००
	b) Top hung window with bottom fixed	व.मि	१२३२०.००	१२९३६.००	१३३२४.००
	c) Single casement with bottom fixed	व.मि	१२३२०.००	१२९३६.००	१३३२४.००
	d) Double casement with bottom fixed	व.मि	१२३२०.००	१२९३६.००	१३३२४.००
	e) Double casement window	व.मि	१२३२०.००	१२९३६.००	१३३२४.००
	f) - - - with centre fixed	व.मि	१२३२०.००	१२९३६.००	१३३२४.००
	g) - - - with centre & bottom fixed	व.मि	१२३२०.००	१२९३६.००	१३३२४.००
	h) Single casement window with side fixed	व.मि	१२३२०.००	१२९३६.००	१३३२४.००
६९	Supplying and installation of UPVC Profile Casement Door frame 60x60 mm, Casement door sash 104x60 mm, Casement window mullion 72x60 mm, door panel 100x25 mm white colour with galvanized steel reinforcement of 1.5 mm, 5 mm thick clear glass, insect net etc all complete.				
	Single glazing				
	Casement door with half glass & panel	व.मि	१००६०.००	१०४६३.००	१०८७९.००
	Full glass casement door	व.मि	१००६०.००	१०४६३.००	१०८७९.००
	Casement door with half glass & laminated board	व.मि	१००६०.००	१०४६३.००	१०८७९.००
	Full panel casement door	व.मि	१००६०.००	१०४६३.००	१०८७९.००
	Full board casement door	व.मि	१००६०.००	१०४६३.००	१०८७९.००
	Double swing casement door with half glass & panel	व.मि	१००६०.००	१०४६३.००	१०८७९.००
	Double swing casement door with full glass	व.मि	१००६०.००	१०४६३.००	१०८७९.००
	Double swing casement door with half glass & laminated particle board	व.मि	१००६०.००	१०४६३.००	१०८७९.००
	Full panel double swing casement door	व.मि	१००६०.००	१०४६३.००	१०८७९.००
	Full laminated particle board double swing casement door	व.मि	१००६०.००	१०४६३.००	१०८७९.००
७०	Double glazing				
	Casement door with half glass & panel	व.मि	१२४६०.००	१३०८३.००	१३४७४.००
	Full glass casement door	व.मि	१२४६०.००	१३०८३.००	१३४७४.००
	Casement door with half glass & laminated board	व.मि	१२४६०.००	१३०८३.००	१३४७४.००
	Full panel casement door	व.मि	१२४६०.००	१३०८३.००	१३४७४.००
	Full board casement door	व.मि	१२४६०.००	१३०८३.००	१३४७४.००
	Double swing casement door with half glass & panel	व.मि	१२४६०.००	१३०८३.००	१३४७४.००
	Double swing casement door with full glass	व.मि	१२४६०.००	१३०८३.००	१३४७४.००
	Double swing casement door with half glass & laminated particle board	व.मि	१२४६०.००	१३०८३.००	१३४७४.००
	Full panel double swing casement door	व.मि	१२४६०.००	१३०८३.००	१३४७४.००
	Full laminated particle board double swing casement door	व.मि	१२४६०.००	१३०८३.००	१३४७४.००
७१	Supplying and installation of UPVC Bay Window frame 60x60 mm, Casement window sash 78x60 mm, sliding window sash 55x36 mm, corner connector 41x23 mm white colour with galvanized steel reinforcement of 1.5 mm, 5 mm thick clear glass, insect net etc all complete.				
	Single glazing				
	Bay window centre sliding	व.मि	९०००.००	९४४०.००	९७३३.००
	Bay window side sliding	व.मि	९०००.००	९४४०.००	९७३३.००
	Bay window with top hung	व.मि	९०००.००	९४४०.००	९७३३.००
	Bay window side casement window	व.मि	९०००.००	९४४०.००	९७३३.००
	Double glazing				
	Bay window centre sliding	व.मि	१०३६४.००	१०८८३.२४	११२०९.००
	Bay window side sliding	व.मि	१०३६४.००	१०८८३.२४	११२०९.००
	Bay window with top hung	व.मि	१०३६४.००	१०८८३.२४	११२०९.००
	Bay window side casement window	व.मि	१०३६४.००	१०८८३.२४	११२०९.००
७२	Supplying and installation of UPVC Partition frame 60x60 mm with 5 mm thick clear glass or with 9 mm thick both side laminated particle board all complete with all accessories as per specification of Korean Standard.				
	Single glazing				
	Full glass partition	व.मि	६९४४.००	६९४४.००	७१४४.००
	Full partition with half glass and laminated particle board	व.मि	७२७५.४०	७५४०.३३	७८६९.००

[Handwritten signatures and notes at the bottom of the page]



५. भवन निर्माण संबन्धी निर्माण सामग्रीहरू

क्र.स.	निर्माण सामग्रीको नाम	इकाई	मु.ब. कर बाहेकको दररेट		
			सा.व. ०७९/८०	सा.व. ०८०/८१	सा.व. ०८१/८२
	Full height partition with top and bottom laminated particle board and centre with glass	व.म.	७२७६.२०	७६४०.२३	७८६९.००
	Full height partition with top and bottom laminated particle board	व.म.	७२७६.२०	७६४०.२३	७८६९.००
७३	UPVC s[?] %ofn, 9f]s[?]yf wall partition s[?]lgl[?]of :fdFull.s? (Certified by ISO 9001:2000, ISO 14001:2004, ISO 527-2:1993, ISO 178:2001, ice 60695-2-11:2001, ASTM D4226-00, 91/338/EEC)				
७४	UPVC Casement Window 60*60 mm White Colour With 5mm Glass	व.म.	८६९०.००	९०४०.२०	९३९९.००
७५	UPVC Double Glazing Casement Window 60*60 mm Frame White Colour With 5mm Glass	व.म.	९९८६२.००	९२४५८.२५	९२८९९.००
७६	UPVC Sliding Window With 50*80 mm White Colour And 5mm Glass With Aluminium Sliding Track	व.म.	८०८५.००	८४८९.२५	८७४३.००
७७	UPVC Casement Window 60*60 mm Frame White Colour With 5mm Glass With UPVC Panel Luever Fixed	व.म.	८८२०.००	९२६९.००	९५३८.००
७८	UPVC Casement Window 60*60 mm Frame White Colour With 5mm Glass With Adjustable Glass Panel Lever	व.म.	८०८५.००	८४८९.२५	८७४३.००
७९	UPVC Sliding Window With 50*80 mm White Colour With Aluminium Sliding Track And 5mm Glass With Adjustable Glass Panel Lever	व.म.	८३०५.००	८९३०.२५	९१९८.००
८०	UPVC Sliding Window With 50*80 mm White Colour With Aluminium Sliding Track And 5mm Glass With Adjustable Glass Panel Lever	व.म.	८०८५.००	८४८९.२५	८७४३.००
८१	UPVC Door 100mm*60mm White Colour With Top Glass 5mm And Bottom UPVC Panel	व.म.	७५६०.००	७९३८.००	८१७६.००
८२	UPVC Door 100mm*60mm White Colour With Top Glass 5mm Glass And Bottom 9mm Nepal Board	व.म.	७५६०.००	७९३८.००	८१७६.००
८३	UPVC Door 100mm*60mm White Colour With Top And Bottom UPVC Panel	व.म.	७८७५.००	८२६८.७५	८५९६.००
८४	UPVC 60*60 mm Partition With Half Board 9mm And Other Half 5mm Glass	व.म.	६८२५.००	७१६६.२५	७३८९.००
८५	UPVC 100mm*60mm Swing Door With Top 5mm Glass And Bottom UPVC Panel	व.म.	९६६०.००	१०१४३.००	१०४४७.००
८६	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	व.म.	४२०.००	४४९.००	४५४.००
८७	Galvanized readymade coloured iron door with, handle and lock				
	Galvanized Metal Door Complete set Size 7ft x 5ft	घान	६५०००.००	६८२५०.००	७०२९७.००
	Galvanized Metal Door Complete set Size: 7ft x 4ft	घान	४५०००.००	४७२५०.००	४८६६७.००
	Galvanized Metal Door Complete set Size 7ft x 3.2ft	घान	२९०००.००	३०४५०.००	३१३६३.००
	Galvanized Metal Door Complete set Size 7ft x 2.10ft	घान	२७०००.००	२८३५०.००	२९२००.००
	PVC Door Ready Made complete set Size 7ft x 3ft	घान	९०००.००	९४५०.००	९७३३.००
	PVC Door Ready Made complete set Size 6.6ft x 3ft	घान	८५००.००	८९२५.००	९१९२.००
	Metal Chaukas (Galvanized)for Wooden doors Ready made Size 7ft x 3ft	घान	४०००.००	४२५०.००	४४०३.००
	Metal Chaukas(Galvanized) for Wooden doors Ready made Size 6.5ft x 3ft	घान	४५००.००	४७७५.००	४९४८.००
	Metal Window (Galvanized)including Glass Jock complete set Size 5ft X 4ft	घान	२०५००.००	२१२२५.००	२२१७०.००
	Metal Window (Galvanized)including Glass Jock complete set Size 5ft X 5ft	घान	२३५००.००	२४६७५.००	२५४९५.००
	Blockwood Door panel with formica laminated skin single side Size 7ft x 3ft	घान	१२०००.००	१२६००.००	१२९७८.००
	Plywood Door panel with formica pasting skin one side Size 7ft x 3ft	घान	७०००.००	७३५०.००	७५७०.००
	Wooden Door ReadyMade (PVC skin laminated both side) Size 7ft x 3ft	घान	९५००.००	९९७५.००	१०२७४.००
	Wooden Door ReadyMade (Skin PVC both side) Size 6.6ft x 2.6ft	घान	८५००.००	८९२५.००	९१९२.००
८८	Readymade RCC door and windows and ventilator frame of section 4"x2.75" with concrete mix 1:1:1 with 2 no 7mm dia rebar including arrangement of necessary holes and safety plates all complete	र.म.	२४७५.००	२५९.८८	२६७.००
८९	Readymade RCC door and windows with arc frame section 4"x2.75" with concrete mix 1:1:1 with 2 no 7mm dia rchar including arrangement of necessary holes and safety plates	र.म.	४९५.००	५१९.७५	५३५.००
९०	Cement pre fabricated partitions and floors with complete fitting and fixing.				
	8mm Cement Board laying with 2" channel(Both side) with Fitting	र.म.	२९२०.२५	३०६६.३३	३१५८.००
	8mm Cement Board laying with 3" channel(Both side) with Fitting	र.म.	३०९७.३५	३२५२.२९	३३४९.००

Handwritten signatures and notes at the bottom of the page, including names like 'S. K. Paudyal' and 'S. K. Paudyal'.



५. भवन निर्माण संबन्धी निर्माण सामग्रीहरू

म.क. दर पाकेको दररेट

क्र.स.	निर्माण सामग्रीको नाम	इकाई	म.क. दर पाकेको दररेट		
			म.क.	म.क.	म.क.
	10mm Cement Board laying with 2" channel(Both side) with Fitting	व.म	३०९.३३	३२४.२२	३३४.००
	10mm Cement Board laying with 3" channel(Both side) with Fitting	व.म	३२७.२४	३४३.०४	३५१.००
	12mm cement Board for flooring with fitting	व.म	१९८.१२	१७४.४१	१८१.००
	19mm cement Board for flooring with fitting	व.म	२९४.८७	२७८.९९	२८७.००
	50mm solid cement board with 2" GI channel with Fitting	व.म	३०९.३३	३२४.२२	३३४.००
	75mm solid cement board with 3" GI channel with Fitting	व.म	४०७.८०	४२७.२४	४४०.००
	100mm solid cement board with 4" GI channel with Fitting	व.म	४३०.७४	४५७.२२	४७४.००
	UPVC Roofingsheet for prefab(2mm thick) with Fitting	व.म	२२१.२९	२३२.०१	२३९.००
९१	Boundary wall (Pre Stressed Precast Wall)				
	Boundary Wall Of 6' Height/Pillar Of 6"x6"x8"/Slab Of 7x1'x50mm)	Sqm	२७०.००	२८७.५०	२९७.५०
९२	Pre-fab wall				
A	V-panel EPS (Expanded Polystyrene) and Cement Base Light Weight Sandwich Panel with 4mm thick Cement Fiber board(Non Asbestos) as face board on both sides. Size Available length: 2400mm/ 2700mm/3000mm/3300mm				
	50mm (Thickness)	sq ft	२२१.००	२४२.४४	२४२.४४
	75mm (Thickness)	sq ft	३४१.००	३५८.०४	३५८.०४
	90mm (Thickness)	sq ft	४४१.००	४७३.४४	४७३.४४
	100mm (Thickness)	sq ft	४८४.००	५०८.२०	५०८.२०
	Installation charge	sq ft	२७.५०	२८.८८	२८.८८
	other accessories	sq ft	४९.५०	४९.९८	४९.९८
B	EPS (Expanded Polystyrene) and Cement Base Light Weight Sandwich Panel with 4.5 mm thick calcium silicate board(Non Asbestos) as face board on both sides. (Size 2270*610 mm)				
	50mm (Thickness)	sq ft	२२१.००	२४२.४४	२४२.४४
	60mm (Thickness)	sq ft	३०२.५०	३१७.६६	३१७.६६
	75mm (Thickness)	sq ft	३६३.००	३८१.१४	३८१.१४
	90mm (Thickness)	sq ft	४२३.५०	४४४.६८	४४४.६८
	120mm (Thickness)	sq ft	४९१.५०	५३७.०८	५३७.०८
	Installation charge	sq ft	२७.५०	२८.८८	२८.८८
	other accessories	sq ft	४९.५०	४९.९८	४९.९८
९३	Channel for wall Erection 1.1mm thickness (EPS Cement Base Light Weight Sandwich Panel with 4mm thick Cement Fiber board(Non Asbestos) as face board on both sides)				
	Size (LxBxH)= 3000mm x 55mm x 20mm	Piece	४४०.००	४७७.५०	४७७.५०
	Size (LxBxH)= 3000mm x 80mm x 25mm	Piece	७००.००	७३४.००	७३४.००
	Size (LxBxH)= 3000mm x 95mm x 38mm	Piece	९५०.००	९९७.५०	९९७.५०
	Size (LxBxH)= 3000mm x 105mm x 38mm	Piece	११५०.००	१२०७.५०	१२०७.५०
९४	V-board (Cement fiber board)				
	4mm (2x2) false ceiling cement fiber board (including installation and required material)	Sqm	१७७.५०	१८६.१७	१८६.१७
	6mm cement fiber board (for false ceiling)	Sqm	२९१.८०	३०९.३९	३०९.३९
	8mm cement fiber board (for wall partition)	Sqm	८२८.५२	८६९.९४	८६९.९४
	18mm cement fiber board (for flooring and floor deck excluding MS Frame work)	Sqm	१७७.५०	१८६.१७	१८६.१७
	Tiles roofing with 6mm cement fiber board under-lay (excluding MS truss work)	Sqm	३४५.८०	३७२.३४	३७२.३४
९५	UPVC roofing sheet				
	3mm with fiber mash	Sqm	१८२.२०	१९२.६६	१९२.६६
	3mm without fiber mash	Sqm	१६१.००	१६९.४०	१६९.४०
९६	Steel reinforced concrete (SRC Pannel wall or slab 5" thick with bothside plastered finishing	Sqm	३७४.००	३९३.७५	३९३.७५
९७	Prefab Electricity harvesting roofing				
९८	ATUM- 10mm cement fiber board with subcell Photovoltaic (PV) cells for solar electricity generation	Sqm	१६१.५०.००	१६९.५०.००	१६९.५०.००
९९	UPVC छप्पी with Special Tile mess 2mm	per sqft	१२१.८०	१२७.८९	१२७.८९
१००	UPVC छप्पी without Special Tile mess 2mm	per sqft	११७.४४	१२३.३२	१२३.३२
१०१	UPVC छप्पी coggulated 2mm	per sqft	८२.६४	८६.७८	८६.७८
१०२	900VA INVERTOR SETS				
	a) 900VA INVERTOR SET	1set	१०४५०.००	१०९६२.००	१०९६२.००
	b) 150AH battery	per pcs	२९५८०.००	३१०४९.००	३१०४९.००
१०३	1500VA INVERTOR SETS				

Handwritten signatures and dates at the bottom of the page, including a date '२०७२/०७/०५'.



५. भवन निर्माण संबन्धी निर्माण सामग्रीहरु

क्र.सं.	निर्माण सामग्रीको नाम	इकाई	मु.ब. कर बाहेकको दररेट		
			आ.ब. ०८१/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२
	a)1500VA INVERTOR	1 set	१५६६०.००	१६४४३.००	१६४४३.००
	CGI SHEET				
१०४	Colour sheet 0.35mm (4'x8')	sqft	१५२२.५०	१५९८.६३	१५९८.६३
१०५	MS Pipe square 3/4"	kg	९३.९६	९८.६६	९८.६६
१०६	MS Pipe square 1"	kg	९३.९६	९८.६६	९८.६६
१०७	colour sheet 0.42mm (4'x8')	sqft	१९१४.००	२००९.७०	२००९.७०
	ALUMINIUM DOOR AND WINDOWS (Specified)				
१०८	Aluminium Windows	sqft	६०४.००	६३४.२५	६३४.२५
१०९	Aluminium Framed Sliding Windows with flymesh shutter in the section of 78 x 30 x 1.10 mm with including 5 mm thick Glass	sqft	४९५.००	५१९.७५	५१९.७५
११०	Aluminium Framed Sliding Windows without flymesh shutter in the section of 78 x 30 x 1.10 mm with including 5 mm thick Glass	sqft	४२१.००	४७३.५५	४७३.५५
१११	Aluminium Framed Sliding Door/cashment door with Section without mosquito net of 101 x 45 x 1.2mm with 5 mm thick Glass & 9mm Laminated board	sqft	६६०.००	६९३.००	६९३.००
११२	Aluminium Framed Fixed Partition with 5mm glass and 9mm laminated board in the section 101 x 45 x 1.2 mm	sqft	४१८.००	४३८.९०	४३८.९०
	Gas Geyser with fitting				
११३	Gas Geyser 6ltr	1pcs	७३०८.००	७६७३.४०	७६७३.४०
	Gas cylinder with all Accessories and gas	-	४११०.७५	४३१६.२९	४३१६.२९
	Geyser FITTING Charge	-	४४६.७५	४७९.५९	४७९.५९
११४	सोलिड कन्क्रीट ब्लॉक (Locally made by Vibrating machine)				
	245x127x85 mm Size	प्रति गोटा	१७.०५	१७.९०	१७.९०
	235x110x85 mm Size	प्रति गोटा	१५.९५	१६.७५	१६.७५
	230x110x70 mm Size	प्रति गोटा	१४.३०	१५.०२	१५.०२
	set :6fg (4/9 * 12 * 12)	प्रति गोटा	४९५.००	५१९.७५	५१९.७५
११५	Paving Interlocking concrete Block of different shpe (Locally made by Vibrating machine)				
	40 mm thicknee	वर्ग फिट	९४.५०	९९.२३	९९.२३
	60 mm thicknee	वर्ग फिट	१२१.२५	१२७.८१	१२७.८१
	80 mm thicknee	वर्ग फिट	१४३.८५	१५१.०४	१५१.०४
११६	Hollow Concrete Block local factory made on vibration table				
	8" Hollow block 16"x8"x8"	प्रति गोटा	१००.००	१०५.००	१०५.००
	6" Hollow block 16"x8"x6"	प्रति गोटा	८०.००	८४.००	८४.००
	4" Hollow block 16"x8"x4"	प्रति गोटा	७५.००	७८.७५	७८.७५
११७	Factory Machine Made Ready Made Civil Products				
A	Precast Concrete Bricks				
	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	cum	१३४६६.९७	१४१४०.३२	
		pcs	२३.८५	२४.०४	
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	cum	१४४६६.४०	१५१८९.७२	
		pcs	२४.६२	२६.९०	
	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	cum	१२०८४.४४	१२८३८.६६	
		pcs	२०.९९	२२.०४	
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	cum	१२७१६.८५	१३५०२.६९	
		pcs	२१.८७	२२.९६	
B	Fly Ash Hydraulically Compressed Bricks				
	Hydraulic Compress Machine Made High Density Fly Ash Bricks (230 X 110 X 70 mm) compressive strength (8 N/mm2)	pcs	१७.००	१७.८५	
C	Hydraulically Compressed Machine made hollow blocks				
	Hydraulically Compressed Machine made 16"x8"x8" High Density Hollow concrete Block (strength M7)	sqm	२००४.०५	२१०४.२५	
		pcs	१४८.५०	१५५.९३	
	Hydraulically Compressed Machine made 16"x8"x6" High Density Hollow concrete Block (strength M7)	sqm	१५९५.८२	१६७५.६१	
		pcs	११८.२५	१२४.१६	
	Hydraulically Compressed Machine made 16"x8"x4" High Density	sqm	१३८०.५७	१४४९.६०	

Handwritten signatures and stamps at the bottom of the page, including a circular official stamp on the left and several large signatures across the bottom.



५. भवन निर्माण संबन्धी निर्माण सामाग्रीहरु

क्र.स.	निर्माण सामाग्रीको नाम	इकाई	म. न. कर बाहेकको दररेट		
			आ.ब. ०८१/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२
	Hollow concrete Block (strength M7)	pcs	१०२.३०	१०३.४२	
D	Hydraulically Compressed Interlocking Pavers				
	Uni Block shape Interlock Pavers				
	Uni Block Shape Interlock Pavers Grey Color with compressive strength M25 or above. (Specification: Thickness: 40 mm, Dimension:225*112.5*40)	sqm	१०५८.००	१११०.९०	As per Rates of Section 5a. for Paver Blocks for FY2080/81
		pcs	२६.४५	२७.७७	
	Uni Block Shape Interlock Pavers Different Color with compressive strength M25 or above. (Specification: Thickness: 40 mm, Dimension:225*112.5*40)	sqm	११६५.००	१२२३.२५	
		pcs	२९.९२	३०.५८	
	Uni Block Shape Interlock Pavers Grey Color with compressive strength M40 or above. (Specification: Thickness: 60 mm, Dimension:225*112.5*60)	sqm	१२६०.००	१३२३.००	
		pcs	३१.५०	३३.०८	
	Uni Block Shape Interlock Pavers Different Color with compressive strength M40 or above. (Specification: Thickness: 60 mm, Dimension:225*112.5*60)	sqm	१३८६.००	१४५५.३०	
		pcs	३४.६५	३६.३८	
	Uni Block Shape Interlock Pavers Grey Color with compressive strength M40 or above. (Specification: Thickness: 80 mm, Dimension:225*112.5*80)	sqm	१४५८.००	१५३०.९०	
		pcs	३६.४५	३८.२७	
	Uni Block Shape Interlock Pavers Different Color with compressive strength M40 or above. (Specification: Thickness: 80 mm, Dimension:225*112.5*80)	sqm	१५८१.००	१६६०.०५	
		pcs	३९.५२	४१.५०	
	Uni Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:240*120*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१३४४.३१	१४११.५३	
		pcs	३८.८०	४०.७४	
	Uni Interlock Pavers Single specific Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:240*120*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१५१७.५५	१५९३.४२	
		pcs	४३.८०	४५.९९	
	Uni Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:240*120*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१६२१.४९	१७०२.५६	
		pcs	४६.८०	४९.१५	
	Hexagon shape Interlock Pavers				
	Hexagon Interlock Pavers Grey Color with compressive strength M30 or above. (Specification: Thickness: 50mm, Dimension:226*200*50, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	९९०.७१	१०४०.२५	
		pcs	३३.३६	३५.०३	
	Hexagon Interlock Pavers Single Specific Color with compressive strength M30 or above. (Specification: Thickness: 50mm, Dimension:226*200*50, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	११६८.९०	१२२७.३४	
		pcs	३९.३६	४१.३३	
	Hexagon Interlock Pavers Blended Color with compressive strength M30 or above. (Specification: Thickness: 50mm, Dimension:226*200*50, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१२२८.२९	१२८९.७१	
		pcs	४१.३६	४३.४३	



५. भवन निर्माण संबन्धी निर्माण सामग्रीहरू

क्र.सं.	निर्माण सामग्रीको नाम	इकाई	मु.ब. कर बाहेकको दररेट		
			आ.ब. ०८१/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:226*200*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	११८४.९३	१२४४.१८	
		pcs	३९.९०	४१.९०	
	Hexagon Interlock Pavers Single specific Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:226*200*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१३३३.४२	१४००.०९	
		pcs	४४.९०	४७.१४	
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:226*200*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१४२२.४२	१४९३.६४	
		pcs	४७.९०	४०.३०	
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. (Specification: Thickness: 70mm, Dimension:226*200*70, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१३९२.२२	१४६१.८३	
		pcs	४६.८८	४९.२२	
	Hexagon Interlock Pavers Single specific Color with compressive strength M40 or above. (Specification: Thickness: 70mm, Dimension:226*200*70, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१४७०.४१	१६४८.९३	
		pcs	४९.८८	४४.४२	
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. (Specification: Thickness: 70mm, Dimension:226*200*70, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१६४९.४०	१७४२.४८	
		pcs	४६.२०	४९.०१	
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. (Specification: Thickness: 80mm, Dimension:226*200*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१६६९.०१	१७४२.४६	
		pcs	४६.२९	४९.१०	
	Hexagon Interlock Pavers Single specific Color with compressive strength M40 or above. (Specification: Thickness: 80mm, Dimension:226*200*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१८४७.१९	१९३९.४४	
		pcs	६२.२०	६४.३१	
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. (Specification: Thickness: 80mm, Dimension:226*200*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१९०६.४९	२००१.९२	
		pcs	६४.२०	६७.४१	
Rectangular shape Interlock Pavers					
	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*100*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१४८७.०१	१५६१.३६	
		pcs	२९.७२	३१.२१	
	Rectangular Interlock Pavers Single specific Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*100*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१७८७.२१	१८७६.४८	
		pcs	३४.७२	३७.४१	

Handwritten signatures and notes at the bottom of the page, including a large signature on the right and some scribbles on the left.



५. भवन निर्माण संबन्धी निर्माण सामग्रीहरु

क्र.स.	निर्माण सामग्रीको नाम	इकाई	मु.ब. कर बाहेकको दररेट		
			मा.ब. ०८१/८०	मा.ब. ०८०/८१	मा.ब. ०८१/८२
	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*100*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१८८७.२८	१९८१.६५	
	Rectangular Interlock Pavers Grey Color with compressive Strength M50 or above.Thickness: 100 mm, Dimension : 200*100*100 (NS Standard)	sqm			
	Rectangular Interlock Pavers Single Color with compressive Strength M50 or above.Thickness: 100 mm, Dimension : 200*100*100 (NS Standard)	sqm			
	Rectangular Interlock Pavers Blended Color with compressive Strength M50 or above.Thickness: 100 mm, Dimension : 200*100*100 (NS Standard)	sqm			
		pcs	३७.७२	३९.६१	
Behaton Interlock I Shape Pavers					
	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१२१६.२०	१२७७.०१	
		pcs	३३.०४	३४.६९	
	Behaton Interlock I Pavers Single specific Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१४३७.०६	१४०८.९१	
		pcs	३९.०४	४०.९९	
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१४१०.६८	१४८६.२१	
		pcs	४१.०४	४३.०९	
	Behaton Interlock I Pavers Grey Color with compressive strength M40 or above. (Specification: Thickness: 80mm, Dimension:200*165*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१८६५.१६	१९५८.४२	
		pcs	२०.६७	२३.२०	
	Behaton Interlock I Pavers Single specific Color with compressive strength M40 or above. (Specification: Thickness: 80mm, Dimension:200*165*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	२०८६.०२	२१९०.३२	
		pcs	२६.६७	२९.२०	
	Behaton Interlock I Pavers Blended Color with compressive strength M40 or above. (Specification: Thickness: 80mm, Dimension:200*165*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	२१५९.६४	२२६७.६२	
		pcs	२८.६७	६९.६०	
Zigzag Shape Interlock Pavers					
	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१९७१.०५	२०६९.६०	
		pcs	४९.९०	५२.४०	
	Zigzag Interlock Pavers Single specific Color with compressive strength M40 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	२२०८.०५	२२९८.४५	
		pcs	५५.९०	५८.७०	

[Signature] [Stamp] [Signature] [Signature] [Signature]



५. भवन निर्माण संबन्धी निर्माण सामाग्रीहरु

क्र.स.	निर्माण सामाग्रीको नाम	इकाई	मु.ज. कर बाहेकको दर्रेट		
			मा.स. ०७९/८०	मा.स. ०८०/८१	मा.स. ०८१/८२
	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	२२८७.०२	२४०१.४०	
	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. (Specification: Thickness: 100mm, Dimension:225*112.5*100, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm			
	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. (Specification: Thickness: 100mm, Dimension:225*112.5*100, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm			
	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. (Specification: Thickness: 100mm, Dimension:225*112.5*100, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm			
	Zigzag Interlock Pavers Grey Color with compressive strength M55 or above. (Specification: Thickness: 120mm, Dimension:225*112.5*120, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm			
	Zigzag Interlock Pavers Single Color with compressive strength M55 or above. (Specification: Thickness: 120mm, Dimension:225*112.5*120, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm			
	Zigzag Interlock Pavers Blended Color with compressive strength M55 or above. (Specification: Thickness: 120mm, Dimension:225*112.5*120, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm			
		pcs	४७.९०	६०.८०	
Romba 3D Shape Interlock Pavers					
	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*173 *60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१४७२.७८	१४४६.४२	
		pcs	४९.९०	४२.४०	
	Romba 3D interlock Pavers Single specific Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*173 *60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१६४९.८७	१७७२.३६	
		pcs	४४.९०	४८.७०	
	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*173 *60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१७०८.९०	१७९४.३४	
		pcs	४७.९०	६०.८०	
Square Shape Interlock Pavers					
	Square Interlock Pavers Grey Color with compressive strength M30 or above. (Specification: Thickness: 50mm, Dimension:200*200*50, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm			
	Square Interlock Pavers Single Color with compressive strength M30 or above. (Specification: Thickness: 50mm, Dimension:200*200*50, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm			

५. भवन निर्माण संबन्धी निर्माण सामग्रीहरु

क्र.स.	निर्माण सामग्रीको नाम	इकाई	मु.ब. कर बाहेकको दर्रेट		
			आ.ब. ०८१/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२
	Square Interlock Pavers Blended Color with compressive strength M30 or above. (Specification: Thickness: 50mm, Dimension:200*200*50, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm			
	Square Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*200*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१५८०.२१	१६५९.२२	
		pcs	६३.२२	६६.३८	
	Square Interlock Pavers Single specific Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*200*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१०५५.१८	१८४२.९५	
		pcs	७०.२२	७३.७१	
	Square Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*200*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१८२०.१७	१९२१.६८	
	Cobble Shape Interlock Pavers	pcs	७३.२२	७६.८८	
	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:100*100*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१४८६.०४	१५६०.३५	
		pcs	१४.८६	१५.६०	
	Cobble Interlock Pavers Single specific Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:100*100*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१६८६.०६	१७७०.३६	
		pcs	१६.८६	१७.७०	
	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:100*100*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१८८६.०६	१९८०.३७	
	Cobble Interlock Pavers Grey Color with compressive strength M40 or above. (Specification: Thickness: 80mm, Dimension:100*100*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm			
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:100*100*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm			
	Cobble Interlock Pavers Blended Color with compressive strength M40 or above. (Specification: Thickness: 80mm, Dimension:100*100*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm			
		pcs	१८.८६	१९.८०	
	Description of Items				
	Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*200*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१४३४.७५	१६११.४८	
		pcs	४७.४६	६०.४४	
	Interlock Pavers Single specific Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*200*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१६९४.७२	१७७९.४५	
		pcs	६३.४६	६६.७४	



५. भवन निर्माण संबन्धी निर्माण सामग्रीहरु

क्र.सं.	निर्माण सामग्रीको नाम	इकाई	मु.ब. कर बाहेकको दररेट		
			भा.ब. ०७९/८०	भा.ब. ०८०/८१	भा.ब. ०८१/८२
	Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*200*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१०४८.०४	१०३४.४४	
		pcs	६४.४६	६८.८४	
	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*200*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१४१३.७३	१४८९.४१	
		pcs	६०.४६	६३.४९	
	Interlock With Cobble Pavers Single specific Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*200*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१६६३.७०	१७४६.८८	
		pcs	६६.४६	६९.८९	
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*200*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१७१३.६९	१७९९.३७	
		pcs	६८.४६	७१.९९	
	Mtrix Slab / Tiles				
	Mtrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	११३०.२८	११८६.८०	
		pcs	१८०.८०	१८९.८४	
	Mtrix Slab / Tiles Single specific Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१२२४.०६	१२८४.२६	
		pcs	१९४.८०	२०४.४९	
	Mtrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१३८०.३४	१४४९.३६	
		pcs	२२०.८०	२३१.८४	
	Mtrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm			
	Mtrix Slab / Tiles Single specific Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm			
	Mtrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm			
	Mixed Fusion Slab / Tiles				
	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	११३६.८२	११९३.६६	
		pcs	१०८९.२०	११४३.६६	
	Mixed Fusion Slab / Tiles Single specific Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१२३०.७४	१२९२.२९	
		pcs	११७९.२०	१२३८.९६	



५. भवन निर्माण संबन्धी निर्माण सामाग्रीहरु

क्र.स.	निर्माण सामाग्रीको नाम	इकाई	मु.स. कर माटेको दर्रेट		
			मा.स. ०७९/८०	मा.स. ०८०/८१	मा.स. ०८१/८२
	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१३७६.८८	१४४४.७२	
		pcs	१३१९.२०	१३८४.१६	
	Nostalgic Pavers				
	Nostalgic Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:1140x960x60mm/ Pallet, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	२४०९.७९	२४२७.१३	
		pcs	२४०३.६०	२६२८.७८	
	Nostalgic Pavers Single specific Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:1140x960x60mm/ Pallet, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	२४९९.०४	२७२९.०९	
		pcs	२७०३.६०	२८३८.७८	
	Nostalgic Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:1140x960x60mm/ Pallet, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	२६९४.९९	२८२९.९४	
		pcs	२८०३.६०	२९४३.७८	
	Grass Interlock Pavers				
	Grass Interlock Pavers Grey Color with compressive strength M40 or above. (Specification: Thickness: 80mm, Dimension:400x600x80mm, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१६३०.६७	१७१२.२०	
		pcs	३९९.६०	४९९.१८	
	Kerbstone				
	Half batterd Kerbstone Grey Color with compressive strength M20. (Specification: Thickness: 200mm, Dimension:200*350*300, Tolerance/others:±1.5 mm Variance in height)	RM	१२४८.४१	१३२१.३३	
		pcs	३७७.९०	३९६.८०	
	Half batterd Kerbstone Grey Color with compressive strength M 20. (Specification: Thickness: 200mm, Dimension:200*350*300, Tolerance/others:±1.5 mm Variance in height)	RM	१२९९.७१	१३४६.२९	
		pcs	३८७.९०	४०७.३०	
	Half batterd Kerbstone Grey Color with compressive strength M 25. (Specification: Thickness: 200mm, Dimension:200*350*300, Tolerance/others:±1.5 mm Variance in height)	RM	१३४८.३१	१४२६.२२	
		pcs	४०७.९०	४२८.३०	
	Half batterd Kerbstone Grey Color with compressive strength M 25. (Specification: Thickness: 165mm, Dimension:165*325*300, Tolerance/others:±1.5 mm Variance in height)	RM	१०४९.९४	११०४.४४	
		pcs	३९४.९०	३३१.७०	
	Half batterd Kerbstone Grey Color with compressive strength M 20. (Specification: Thickness: 165mm, Dimension:300*165*325, Tolerance/others:±1.5 mm Variance in height)	RM	१११८.४४	११७४.४७	
		pcs	३३४.९०	३४२.७०	
	Half batterd Kerbstone Grey Color with compressive strength M 25. (Specification: Thickness: 165mm, Dimension:165*325*300, Tolerance/others:±1.5 mm Variance in height)	RM	११८४.१४	१२४४.४०	
		pcs	३४४.९०	३७३.७०	
	Half batterd Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension:250*200*380, Tolerance/others:±1.5 mm Variance in height)	RM	१४८०.८०	१४४४.८४	
		pcs	३७०.२०	३८८.७१	
	Half batterd Kerbstone Grey Color with compressive strength M 20. (Specification: Thickness: 200mm, Dimension:250*200*380, Tolerance/others:±1.5 mm Variance in height)	RM	१४२०.८०	१४९६.८४	
		pcs	३८०.२०	३९९.२१	

५. भवन निर्माण संबन्धी निर्माण सामग्रीहरु

क्र.स.	निर्माण सामग्रीको नाम	इकाई	मु.प्र. कर बाहेकको दररेट		
			आ.ब. ०८१/०२	आ.ब. ०८०/८१	आ.ब. ०८१/८२
	Half batterd Kerbstone Grey Color with compressive strength M 25. (Specification: Thickness: 200mm, Dimension:380*200*250, Tolerance/others:±1.5 mm Variance in height)	RM	१६००.००	१६८०.८४	
		pcs	४००.२०	४२०.२१	
	Bullnose Kerbstone Grey Color with compressive strength M 15. (Specification: Thickness: 200mm, Dimension:200*350*300, Tolerance/others:±1.5 mm Variance in height)	RM	१३६४.३०	१४३३.४७	
		pcs	४१०.००	४३०.४०	
	Bullnose Kerbstone Grey Color with compressive strength M 20. (Specification: Thickness: 200mm, Dimension:200*350*300, Tolerance/others:±1.5 mm Variance in height)	RM	१४४८.४४	१४२०.९८	
		pcs	४३४.००	४२६.७४	
	Bullnose Kerbstone Grey Color with compressive strength M 25. (Specification: Thickness: 200mm, Dimension:200*350*300, Tolerance/others:±1.5 mm Variance in height)	RM	१४९८.४०	१४७३.४३	
		pcs	४४०.००	४३२.४०	
११८	Aero Bricks or equivalent LITE ACC Block				
	600X200X100 (.012 CBM/block)	cum	११०८४.००	११६३८.२०	
		piece	१३३.००	१३९.६४	
	600X200X150 (.018 CBM/block)	cum	११०८४.००	११६३८.२०	
		piece	१९९.४०	२०९.४८	
	600X200X200 (.024 CBM/block)	cum	११०८४.००	११६३८.२०	
		piece	२६६.९९	२८०.३४	
११९	Ready mix Concrete of Different Grade (Rate with labour)				
	M10	cum	११०००.००	११४४०.००	As per Rates of Section 24 BMC
	M15	cum	११७००.००	१२२८४.००	
	M20	cum	१२४००.००	१३१२४.००	
	M25	cum	१३६००.००	१४२८०.००	
	M30	cum	१४०००.००	१४७४०.००	
	M35	cum	१६०००.००	१६८००.००	
	M40	cum	१७०००.००	१७८४०.००	
	M45	cum	१८०००.००	१८९००.००	
	M50	cum	१९०००.००	१९९४०.००	
१२०	Factory Machine Made Ready Made Civil Products				
	Precast Concrete				
1	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	sqm	२००४.०४	२१०४.२४	As per Rates of Section 5a, for Pavse Blocks for FY2080/81
		pcs	१४८.४०	१४४.९३	
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	sqm	२२७३.९४	२३८७.६४	
		pcs	१६८.४०	१७६.९३	"
S.No	Description of Items				"
2	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	sqm	१४९४.८२	१६७४.९९	"
		pcs	११८.२४	१२४.९६	"
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	sqm	१८२४.२४	१९९६.४०	"
		pcs	१३४.२४	१४२.०१	"
S.No	Description of Items				"
3	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	sqm	१३८०.४७	१४४९.६०	"
		pcs	१०२.३०	१०७.४२	"
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	sqm	१४२९.०१	१६०४.४७	"
		pcs	११३.३०	११८.९७	"
S.No	Description of Items				"

५. भवन निर्माण संबन्धी निर्माण सामग्रीहरु

क्र.स.	निर्माण सामग्रीको नाम	इकाई	मु.ब. का माटेको दररेट		
			आ.ब. ०८१/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२
4	Hexagon Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	sqm	१०४०.२५	१०९२.२६	"
		pcs	३५.०३	३६.७८	"
	Hexagon Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	sqm	१२२७.३४	१२८८.७१	"
		pcs	४१.३३	४३.४०	"
	Hexagon Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	sqm	१२८९.७१	१३५४.२०	"
		pcs	४३.४३	४५.६०	"
5	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	sqm	१२४४.१८	१३०६.३९	"
		pcs	४१.९०	४४.००	"
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	sqm	१४००.०९	१४७०.०९	"
		pcs	४७.१५	४९.५१	"
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	sqm	१४९३.६४	१५६८.३२	"
		pcs	५०.३०	५२.८२	"
6	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	sqm	१४६१.८३	१५३४.९२	"
		pcs	४९.२२	५१.६८	"
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	sqm	१६४८.९३	१७२१.३८	"
		pcs	५४.५२	५८.३०	"
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	sqm	१७४२.४८	१८२९.६०	"
		pcs	६०.६७	६१.६०	"
7	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	sqm	१७५२.४६	१८४०.०८	"
		pcs	६९.०१	६९.९६	"
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	sqm	१९३९.५५	२०३६.५३	"
		pcs	६५.७१	६८.५८	"
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	sqm	२००९.९२	२१०२.०२	"
		pcs	६४.४१	६७.६३	"
S.No	Description of Items				
8	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60 (NS Standard)	sqm	१२६९.३६	१६३९.४३	"
		pcs	३१.२१	३२.७७	"
	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60 (NS Standard)	sqm	१८७६.५८	१९७०.४१	"
		pcs	३७.५१	३९.३९	"
	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60 (NS Standard)	sqm	१९८१.६५	२०८०.७७	"
		pcs	३९.६१	४१.५९	"
Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100*100 (NS Standard)	sqm	३५३९.२८	३७१६.२४	"	
	pcs	७०.७४	७४.३८	"	



५. भवन निर्माण संबन्धी निर्माण सामग्रीहरु

क्र.सं.	निर्माण सामग्रीको नाम	इकाई	मु.ब. कर पाउनेको दररेट		
			आ.ब. ०८१/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२
9	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	sqm	३८७३.८८	४०६७.५७	"
		pcs	७७.४३	८१.३०	"
	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	sqm	४००७.७२	४२०८.११	"
		pcs	८०.१०	८४.११	"
S.No	Description of Items				
10	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	sqm	१२७७.०१	१३४०.८६	"
		pcs	३४.६९	३६.४२	"
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	sqm	१४०८.९१	१४८४.३६	"
		pcs	४०.९९	४३.०४	"
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	sqm	१४८६.२१	१६६४.४२	"
		pcs	४३.०९	४४.२४	"
11	Behaton Interlock I Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	sqm	१९४८.४२	२०४६.३४	"
		pcs	४३.२०	४४.८६	"
	Behaton Interlock I Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	sqm	२१९०.३२	२२९९.८४	"
		pcs	४९.४०	६२.४८	"
	Behaton Interlock I Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	sqm	२२६७.६२	२३८१.००	"
		pcs	६१.६०	६४.६८	"
S.No	Description of Items				
12	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	sqm	४१११.४३	४२१७.११	"
		pcs	४०.७४	४२.७८	"
	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	sqm	१४९३.४२	१६७३.०९	"
		pcs	४४.९९	४८.२९	"
	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	sqm	१७०२.४६	१७८७.६९	"
		pcs	४९.१४	४९.६०	"
13	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	sqm	२०६९.६०	२१७३.०८	"
		pcs	४२.४०	४४.०२	"
	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	sqm	२३१८.४४	२४३४.३७	"
		pcs	४८.७०	६१.६४	"
	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	sqm	२४०१.४०	२४९१.४७	"
		pcs	६०.८०	६३.८४	"
14	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	sqm	३४३४.३२	३७१२.०९	"
		pcs	८९.४०	९३.९८	"
	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	sqm	३७९९.४८	३९८९.४२	"
		pcs	९६.१९	१०१.००	"
	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	sqm	३९०४.१४	४१००.४०	"
		pcs	९८.८६	१०३.८०	"
S.No	Description of Items				

Handwritten signatures and notes at the bottom of the page, including a large signature and some illegible text.



५. भवन निर्माण संबन्धी निर्माण सामग्रीहरू

मोरङ जिल्लाको मा.नं. ०८१/८२ को सीकन जिल्ला दररेट

क्र.सं.	निर्माण सामग्रीको नाम	इकाई	मु.भ. कर बाहेकको दररेट		
			मा.नं. ०८१/८०	मा.नं. ०८०/८१	मा.नं. ०८१/८२
15	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	sqm	१४४६.४२	१६२३.७४	"
		pcs	४२.४०	४४.०२	"
	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	sqm	१०३२.३६	१०१८.९८	"
		pcs	४८.७०	६१.६४	"
	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	sqm	१०९४.३४	१०८४.०६	"
		pcs	६०.८०	६३.८४	"
S.No	Description of Items				
16	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	sqm	१६४९.२२	१७४२.१८	"
		pcs	६६.३८	६९.७०	"
	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	sqm	१८४२.९४	१९३४.०९	"
		pcs	७३.७३	७७.४२	"
	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	sqm	१९२१.६८	२०१७.७६	"
		pcs	७६.८८	८०.७२	"
S.No	Description of Items				
17	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	sqm	१४६०.३४	१६३८.३७	"
		pcs	१४.६०	१६.३८	"
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	sqm	१७७०.३६	१८४८.८८	"
		pcs	१७.७०	१८.४९	"
	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	sqm	१९८०.३७	२०७९.३९	"
		pcs	१९.८०	२०.७९	"
S.No	Description of Items				
18	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	sqm	१६९१.४८	१६९२.०४	"
		pcs	६०.४४	६३.४९	"
	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	sqm	१७७९.४४	१८६८.४२	"
		pcs	६६.७४	७०.०८	"
	Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	sqm	१८३४.४४	१९२७.२२	"
		pcs	६८.८४	७२.२८	"
S.No	Description of Items				
19	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	sqm	१४८९.४१	१६६८.८८	"
		pcs	६३.४९	६६.७०	"
	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	sqm	१७४६.८८	१८३४.२२	"
		pcs	६९.८९	७३.३८	"
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	sqm	१७९९.३७	१८८९.३४	"
		pcs	७१.९९	७४.४९	"
S.No	Description of Items				
	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	११८६.८०	१२४६.१४	"
		pcs	१८९.८४	१९९.३३	"



५. भवन निर्माण संबन्धी निर्माण सामग्रीहरु

क्र.स.	निर्माण सामग्रीको नाम	इकाई	मु.प्र. कर बाहेकको दररेट		
			आ.ब. ०७१/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२
20	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१२८५.२६	१३४१.५२	"
		pcs	२०५.५१	२१५.८७	"
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१४४१.३६	१५२१.८३	"
		pcs	२३१.८४	२४३.४३	"
S.No	Description of Items				"
21	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	११९३.६६	१२५३.३४	"
		pcs	११४३.६६	१२००.८४	"
	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१२९२.२९	१३५६.९०	"
		pcs	१२३८.१६	१३००.०७	"
	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	sqm	१४४५.७२	१५१८.०१	"
		pcs	१३८५.१६	१४५४.४२	"
S.No	Description of Items				"
22	Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	sqm	२५२७.१३	२६५३.४९	"
		pcs	२६२८.७८	२७६०.२२	"
	Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	sqm	२७२९.०१	२८६५.४६	"
		pcs	२८३८.७८	२९८०.७२	"
	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	sqm	२८२९.९५	२९७१.४५	"
		pcs	२९४३.७८	३०९०.९७	"
S.No	Description of Items				"
23	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension 400x600x80mm (NS Standard)	sqm	१७१२.२०	१७७७.८१	"
		pcs	४११.१८	४३१.७४	"
S.No	Description of Items				"
24	Half battered Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	RM	१३२९.३३	१३८७.४०	"
		pcs	३९६.८०	४१६.६४	"
	Half battered Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	RM	१३५६.२९	१४२४.१०	"
		pcs	४०७.३०	४२७.६७	"
	Half battered Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	RM	१४२६.२२	१४९७.५३	"
		pcs	४२८.३०	४४९.७२	"
25	Half battered Kerbstone Grey Color with compressive strength M20. Thickness: 165mm, Dimension:300*165*325 (LxBxH) (NS Standard)	RM	११०.५४	११६.०७	"
		pcs	३३१.७०	३४८.२९	"
	Half battered Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH) (NS Standard)	RM	११७४.४७	१२३३.१९	"
		pcs	३५२.७०	३७०.३४	"
	Half battered Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH) (NS Standard)	RM	१२४४.४०	१३०६.६२	"

Handwritten signatures and stamps at the bottom of the page, including a large signature on the right and several smaller ones on the left.



५. भवन निर्माण संबन्धी निर्माण सामग्रीहरु

क्र.सं.	निर्माण सामग्रीको नाम	इकाई	मु.प्र. कर बाहेकको दररेट		
			मा.सं. ०८१/८०	मा.सं. ०८०/८१	मा.सं. ०८१/८२
		pcs	३७१.७०	३९२.३९	"
S.No	Description of Items				"
26	Half battered Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	RM	१४४४.८४	१६३२.४८	"
		pcs	३८८.७१	४०८.१४	"
	Half battered Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	RM	१४९६.८४	१६७६.६८	"
		pcs	३९९.२१	४१९.१०	"
	Half battered Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	RM	१६८०.८४	१७९४.८८	"
		pcs	४२०.२१	४४१.२२	"
S.No	Description of Items				"
27	Bullnose Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension: 300*200*350 (LxBxH)	RM	१४३३.४०	१४०४.२४	"
		pcs	४३०.४०	४४२.०३	"
	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 300*200*350 (LxBxH) (NS Standard)	RM	१४२०.९८	१४९०.०३	"
		pcs	४२६.७४	४७९.४९	"
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 300*200*350 (LxBxH) (NS Standard)	RM	१४७३.४३	१६४२.१०	"
		pcs	४३२.४०	४९६.१३	"
S.No	Description of Items				"
28	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	RM	१६९९.९२	१७०४.९२	"
29		pcs	४१०.४९	४३६.०१	"
30	Permeable Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 228*158*60 (NS Standard)				"
	Permeable Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 228*158*60 (NS Standard)				"
	Permeable Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 228*158*60 (NS Standard)				"
31	Permeable Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 228*158*80 (NS Standard)				"
	Permeable Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 228*158*80 (NS Standard)				"
	Permeable Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 228*158*80 (NS Standard)				"
32	Permeable Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 228*158*100 (NS Standard)				"
	Permeable Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 228*158*100 (NS Standard)				"
	Permeable Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 228*158*100 (NS Standard)				"
33	Porus Permeable Matrix Tiles Grey Color with compressive strength M35 or above. Thickness: 40mm, Dimension: 400*400*40				"
	Porus Permeable Matrix Tiles Single Color with compressive strength M35 or above. Thickness: 40mm, Dimension: 400*400*40				"
34	Porus Permeable Interlock Matrix Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 400*400*60				"
	Porus Permeable Matrix Tiles Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 400*400*60				"
क	इन्टरलकिंग कंक्रीट ब्लक				"
	युनी ब्लक				"



५. भवन निर्माण संबन्धी निर्माण सामग्रीहरु







क्र.स.	निर्माण सामग्रीको नाम	इकाई	मु.व. कर बाहेकको दररेट		
			आ.व. ०८१/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
	४० मिमि युनी ब्लक हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी २५N/MM२ युनी ब्लक इन्टरलकिंग कंक्रीट ब्लक (सादा)	व.मि.	१०५८.००	१११०.९०	"
	४० मिमि युनी ब्लक हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी २५N/MM२ युनी ब्लक इन्टरलकिंग कंक्रीट ब्लक (रङ्गीन)	व.मि.	११६४.००	१२२३.२५	"
	६० मिमि युनी ब्लक हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी ४०N/MM२ युनी ब्लक इन्टरलकिंग कंक्रीट ब्लक (सादा)	व.मि.	१२६०.००	१३२३.००	"
	६० मिमि युनी ब्लक हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी ४०N/MM२ युनी ब्लक इन्टरलकिंग कंक्रीट ब्लक (रङ्गीन)	व.मि.	१३८६.००	१४४४.३०	"
	८० मिमि युनी ब्लक हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी ४०N/MM२ युनी ब्लक इन्टरलकिंग कंक्रीट ब्लक (सादा)	व.मि.	१४४४.००	१४२६.००	"
	८० मिमि युनी ब्लक हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी ४०N/MM२ युनी ब्लक इन्टरलकिंग कंक्रीट ब्लक (रङ्गीन)	व.मि.	१५८१.००	१६६०.०५	"
	होल्याण्ड				"
	६० मिमि हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी ३०N/MM२ होल्याण्ड इन्टरलकिंग कंक्रीट ब्लक (सादा)	व.मि.	११८२.००	१२४४.२५	"
	६० मिमि हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी ३०N/MM२ होल्याण्ड इन्टरलकिंग कंक्रीट ब्लक (रङ्गीन)	व.मि.	१३०५.००	१३७०.२५	"
	हेक्सागन				"
	६० मिमि हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी २५N/MM२ हेक्सागन इन्टरलकिंग कंक्रीट ब्लक (सादा)	व.मि.	११८४.००	१२४४.२५	"
	६० मिमि हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी २५N/MM२ हेक्सागन इन्टरलकिंग कंक्रीट ब्लक (रङ्गीन)	व.मि.	१३०५.००	१३७०.२५	"
ब.	इन्टरलकिंग कंक्रीट ब्लक (नेपाल मुगस्तर चिन्ह प्राप्त)				"
	युनी ब्लक				"
	६० मिमि युनी ब्लक हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी युनी ब्लक इन्टरलकिंग कंक्रीट ब्लक (सादा)	व.मि.	१३२३.००	१३८९.१५	"
	६० मिमि युनी ब्लक हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी युनी ब्लक इन्टरलकिंग कंक्रीट ब्लक (रङ्गीन)	व.मि.	१४४४.००	१४१७.२५	"
	८० मिमि युनी ब्लक हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी युनी ब्लक इन्टरलकिंग कंक्रीट ब्लक (सादा)	व.मि.	१५३१.००	१६०७.४५	"
	८० मिमि युनी ब्लक हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी युनी ब्लक इन्टरलकिंग कंक्रीट ब्लक (रङ्गीन)	व.मि.	१६६०.००	१७४३.००	"
	होल्याण्ड				"
	६० मिमि हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी होल्याण्ड इन्टरलकिंग कंक्रीट ब्लक (सादा)	व.मि.	१२२४.००	१२८२.२०	"
	६० मिमि हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी होल्याण्ड इन्टरलकिंग कंक्रीट ब्लक (रङ्गीन)	व.मि.	१३७०.००	१४३८.५०	"
	हेक्सागन				"
	६० मिमि हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी हेक्सागन इन्टरलकिंग कंक्रीट ब्लक (सादा)	व.मि.	१२४४.००	१३०७.२५	"
	६० मिमि हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी हेक्सागन इन्टरलकिंग कंक्रीट ब्लक (रङ्गीन)	व.मि.	१३७०.००	१४३८.५०	"
ग.	हाफ ब्याटर्ड कर्बस्टोन				"
	हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी हाफ ब्याटर्ड कर्बस्टोन M१५ (नाप : ३८० X २०० X २५०)	प्रति गोटा	३७०.००	३८८.५०	"
	हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी हाफ ब्याटर्ड कर्बस्टोन M२० (नाप : ३८० X २०० X २५०)	प्रति गोटा	३८०.००	३९९.००	"
	हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी हाफ ब्याटर्ड कर्बस्टोन M२५ (नाप : ३८० X २०० X २५०)	प्रति गोटा	४००.००	४२०.००	"
	हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी हाफ ब्याटर्ड कर्बस्टोन M१५ (नाप : ३५० X २०० X २५०)	प्रति गोटा	३३०.००	३४६.५०	"




(Handwritten signatures and notes at the bottom of the page)



५. भवन निर्माण संबन्धी निर्माण सामाग्रीहरु

क्र.स.	निर्माण सामाग्रीको नाम	इकाई	मु.व. कर बाहेकको दररेट		
			मा.प. ०८१/८०	मा.प. ०८०/८१	मा.प. ०८१/८२
	हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी हाफ ब्याटर्ड कब्रिस्टोन M20 (माप : ३२० X २०० X २२०)	प्रति गोटा	३२०.००	३५७.२०	"
	हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी हाफ ब्याटर्ड कब्रिस्टोन M25 (माप : ३२० X २०० X २२०)	प्रति गोटा	३७०.००	३८८.२०	"
घ.	हाईड्रोलिक कम्प्रेस्ड मशीन मेड हाई डेनसिटी होलो कंक्रीट ब्लक				"
	हाईड्रोलिक कम्प्रेस्ड मशीन मेड हाई डेनसिटी होलो कंक्रीट ब्लक ४००X२०० X २०० मिमि (Strength : M7)	प्रति गोटा	१००.००	१०५.००	"
	हाईड्रोलिक कम्प्रेस्ड मशीन मेड हाई डेनसिटी होलो कंक्रीट ब्लक ३९०X१५० X १९० मिमि (Strength : M7)	प्रति गोटा	८०.००	८५.००	"
	हाईड्रोलिक कम्प्रेस्ड मशीन मेड हाई डेनसिटी होलो कंक्रीट ब्लक ३९०X१०० X १९० मिमि (Strength : M7)	प्रति गोटा	७५.००	७८.७५	"
ङ.	हाईड्रोलिक कम्प्रेस्ड मशीन मेड हाई डेनसिटी फ्लाइ एस ईटा				"
	हाईड्रोलिक कम्प्रेस्ड मशीन मेड हाई डेनसिटी फ्लाइ एस ईटा २३०X११० X ७० मिमि (Strength : M8)	प्रति गोटा	१९.००	१९.९५	"
	CSEB इन्टरलिक ईट्टा र डस्ट ईट्टा				"
	INTERLOCK BRICK(CSEB 300x150x100)	गोटा	४०.००	४२.००	"














5.a NS Standard Pavers/ Kerbstone Etc.

		2081/082	
S.No.	Description of Items	MRP Per Pes (Ex VAT)	MRP Per Cubic Meter (Ex VAT)
1	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	28.22	15,934.50
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	30.22	17,063.81
2	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	25.63	18,422.21
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	26.67	19,166.37
S.No.	Description of Items	Per Pes	Per Sq. Meter
3	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	178.25	2,405.48
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	201.75	2,722.62
4	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	144.13	1,944.97
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	158.88	2,144.02
5	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	123.65	1,668.66
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	136.65	1,844.09
6	Hexagon Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	46.87	1,399.09
	Hexagon Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	54.48	1,626.36
	Hexagon Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	58.48	1,745.63

(Handwritten signatures and initials)







7	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	65.37	1,951.27
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	68.95	2,058.18
8	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	71.40	2,131.19
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	76.29	2,277.38
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	80.47	2,402.10
9	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	77.59	2,316.10
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	87.16	2,601.69
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	91.93	2,744.24
10	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60 (NS Standard)	44.96	2,248.00
	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60 (NS Standard)	50.96	2,548.00
	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60 (NS Standard)	58.52	2,926.01
11	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100*100 (NS Standard)	93.16	4,658.00
	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100*100 (NS Standard)	101.16	5,058.00
	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100*100 (NS Standard)	104.16	5,208.00
12	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 200*165*50 (NS Standard)	58.05	2,103.19
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 200*165*50 (NS Standard)	56.31	2,040.15
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 200*165*50 (NS Standard)	60.32	2,185.41
	Behaton Interlock I Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*165*80 (NS Standard)	76.94	2,787.72




13	Behaton Interlock I Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	85.09	3,082.72
	Behaton Interlock I Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	90.47	3,277.76
14	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	55.40	1,923.49
	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	63.40	2,201.25
	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	71.05	2,466.82
15	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	75.20	2,948.59
	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	83.20	3,262.27
	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	87.75	3,440.71
16	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	122.68	4,810.28
	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	139.68	5,476.85
	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	144.68	5,672.90
17	Zigzag Interlock Pavers Grey Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)	145.46	5,703.38
	Zigzag Interlock Pavers Single Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)	155.53	6,098.38
	Zigzag Interlock Pavers Blended Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)	167.20	6,555.91
18	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173*60 (NS Standard)	72.87	2,106.05
	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173*60 (NS Standard)	81.04	2,342.05
	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173*60 (NS Standard)	84.12	2,431.05
	Square Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	83.07	2,076.66



 म.नं. १०८१/८२ को स्वीकृत विन्या इले
 म.नं. १०८१/८२ को स्वीकृत विन्या इले





19	Square Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	94.36	2,359.11
	Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	112.83	2,820.74
20	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	87.96	2,199.00
	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	103.96	2,599.00
	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	113.96	2,848.98
21	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	21.48	2,148.00
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	24.48	2,448.00
	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	29.48	2,948.00
22	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	87.08	2,321.55
	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	98.08	2,614.81
	Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	103.08	2,748.11
23	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	95.08	2,377.00
	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	103.08	2,577.00
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	114.08	2,852.00
24	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	307.40	1,921.25
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	334.40	2,090.00



 (मौर्य जिल्लाको आ.नं. २०८१/८२ को स्वीकृत विज्ञापन दररे)











	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	366.40	2,290.00
	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	432.20	2,701.25
25	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	498.21	3,113.82
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	532.22	3,326.40
	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	2,155.45	2,069.24
26	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	2,467.49	2,368.79
	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	2,782.78	2,671.47
	Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	3,394.80	3,700.33
27	Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	3,694.80	4,027.33
	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	3,844.80	4,190.83
28	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:400x600x80mm (NS Standard)	544.95	2,266.97
29	Half batted Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	481.20	1,602.40
	Half batted Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	506.20	1,685.65



30	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH) (NS Standard)	405.20	1,349.32
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH) (NS Standard)	425.20	1,415.92
31	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	506.89	2,027.57
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	534.64	2,138.56
32	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	540.00	1,798.20
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	565.00	1,881.45
33	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	746.60	2,486.18
34	Cobble Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:100*100*80 (NS Standard)	26.75	2,675.20
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 80mm, Dimension:100*100*80 (NS Standard)	29.92	2,992.00
	Cobble Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:100*100*80 (NS Standard)	33.47	3,346.82
35	Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)	95.09	2,535.19
	Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)	109.16	2,910.19
	Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 60mm, Dimension:200*200*80 (NS Standard)	119.47	3,185.19
36	Interlock With Cobble Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)	113.41	2,835.20
	Interlock With Cobble Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)	126.01	3,150.20
	Interlock With Cobble Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)	135.41	3,385.20



37	Grass Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:400x600x100mm (NS Standard)	652.19	2,713.12
38	Rectangular Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension:200*100*70 (NS Standard)	51.42	2,570.80
	Rectangular Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension:200*100*70 (NS Standard)	59.22	2,960.80
	Rectangular Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension:200*100*70 (NS Standard)	64.62	3,230.80
39	Rectangular Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*100*80 (NS Standard)	56.50	2,825.20
	Rectangular Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*100*80 (NS Standard)	65.10	3,255.20
	Rectangular Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*100*80 (NS Standard)	70.70	3,535.20
40	Permeable Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:228*158*60 (NS Standard)	85.59	2,375.82
	Permeable Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:228*158*60 (NS Standard)	102.30	2,839.82
	Permeable Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:228*158*60 (NS Standard)	114.47	3,177.50
41	Permeable Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:228*158*80 (NS Standard)	103.91	2,884.42
	Permeable Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:228*158*80 (NS Standard)	123.43	3,426.42
	Permeable Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:228*158*80 (NS Standard)	138.10	3,833.46
42	Permeable Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:228*158*100 (NS Standard)	142.80	3,964.03
	Permeable Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:228*158*100 (NS Standard)	167.91	4,661.03
	Permeable Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:228*158*100 (NS Standard)	187.87	5,215.19
43	Porus Permeable Matrix Tiles Grey Color with compressive strength M35 or above. Thickness: 40mm, Dimension:400*400*40	338.62	2,116.40



 (सं. १-२२११३) 








	Porus Permeable Matrix Tiles Single Color with compressive strength M35 or above. Thickness: 40mm. Dimension:400*400*40	405.82	2,536.40
44	Porus Permeable Interlock Matrix Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:400*400*60	424.04	2,650.26
	Porus Permeable Matrix Tiles Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:400*400*60	529.07	3,306.67

क्र.सं.	समाधीको विवरण	ईकाई	दररेट आ.व २०८१/०८२
क.	इन्टरलकिंग कंक्रीट ब्लक		
	इन्टरलकिंग कंक्रीट ब्लक (नेपाल गुणस्तर चिन्ह प्राप्त)		
	६० मिमि युनी ब्लक हाइड्रोलिक कम्प्रेस्ड हाइ डेनसिटी 40N/MM2 युनी पेवर्स इन्टरलकिंग कंक्रीट ब्लक (सादा)।नाप : २२५X११२.५ X६० mm (NS Certified)	व.मि.	१,३७३-
	६० मिमि युनी ब्लक हाइड्रोलिक कम्प्रेस्ड हाइ डेनसिटी 40N/MM2 युनी पेवर्स इन्टरलकिंग कंक्रीट ब्लक (रङ्गिन)।नाप : २२५X११२.५ X६० mm (NS Certified)	व.मि.	१,४५५-
	६० मिमि युनी ब्लक हाइड्रोलिक कम्प्रेस्ड हाइ डेनसिटी 40N/MM2 युनी पेवर्स इन्टरलकिंग कंक्रीट ब्लक (Blended)।नाप : २२५X११२.५ X६० mm (NS Certified)	व.मि.	१,६७३-
	८० मिमि युनी ब्लक हाइड्रोलिक कम्प्रेस्ड हाइ डेनसिटी 40N/MM2 युनी पेवर्स इन्टरलकिंग कंक्रीट ब्लक (सादा)।नाप : २२५X११२.५ X६० mm	व.मि.	१,४२१-
	८० मिमि युनी ब्लक हाइड्रोलिक कम्प्रेस्ड हाइ डेनसिटी 40N/MM2 युनी पेवर्स इन्टरलकिंग कंक्रीट ब्लक (रङ्गिन)।नाप : २२५X११२.५ X६० mm (NS Certified)	व.मि.	१,६५३-
	८० मिमि युनी ब्लक हाइड्रोलिक कम्प्रेस्ड हाइ डेनसिटी 40N/MM2 युनी पेवर्स इन्टरलकिंग कंक्रीट ब्लक (Blended)।नाप : २२५X११२.५ X६० mm (NS Certified)	व.मि.	१,९२४-
	१०० मिमि युनी ब्लक हाइड्रोलिक कम्प्रेस्ड हाइ डेनसिटी 50N/MM2 युनी पेवर्स इन्टरलकिंग कंक्रीट ब्लक (सादा)।नाप : २२५X११२.५ X१०० mm (NS Certified)	व.मि.	२,४८०-
	१०० मिमि युनी ब्लक हाइड्रोलिक कम्प्रेस्ड हाइ डेनसिटी 50N/MM2 युनी पेवर्स इन्टरलकिंग कंक्रीट ब्लक (रङ्गिन)।नाप : २२५X११२.५ X१०० mm	व.मि.	२,६०४-
	१०० मिमि युनी ब्लक हाइड्रोलिक कम्प्रेस्ड हाइ डेनसिटी 50N/MM2 युनी पेवर्स इन्टरलकिंग कंक्रीट ब्लक (Blended)।नाप : २२५X११२.५ X१०० mm (NS Certified)	व.मि.	३,१११-
ख.	होल्याण्ड (रेक्टेङ्गल)		
	६० मिमि हाइड्रोलिक कम्प्रेस्ड हाइ डेनसिटी 35N/MM2 होल्याण्ड इन्टरलकिंग कंक्रीट ब्लक (सादा)।नाप : २००X१००X६० mm (NS Certified)	व.मि.	१,३७३-
	६० मिमि हाइड्रोलिक कम्प्रेस्ड हाइ डेनसिटी 35N/MM2 होल्याण्ड इन्टरलकिंग कंक्रीट ब्लक (रङ्गिन)।नाप : २००X१००X६० mm (NS Certified)	व.मि.	१,४५५-
	६० मिमि हाइड्रोलिक कम्प्रेस्ड हाइ डेनसिटी 35N/MM2 होल्याण्ड इन्टरलकिंग कंक्रीट ब्लक (Blended)।नाप : २००X१००X६० mm (NS Certified)	व.मि.	१,६७३-
	८० मिमि हाइड्रोलिक कम्प्रेस्ड हाइ डेनसिटी 40N/MM2 होल्याण्ड इन्टरलकिंग कंक्रीट ब्लक (सादा)।नाप : २००X१००X६० mm (NS Certified)	व.मि.	१,४२१-
	८० मिमि हाइड्रोलिक कम्प्रेस्ड हाइ डेनसिटी 40N/MM2 होल्याण्ड इन्टरलकिंग कंक्रीट ब्लक (रङ्गिन)।नाप : २००X१००X६० mm (NS Certified)	व.मि.	१,६५३-




	६० मिमि हाइड्रोलिक कम्प्रेस्ड हाई डेनसिटी 35N/MM2 एन सेप इन्टरलकिंग कंक्रीट ब्लक (Blended) (नाप : २०० X२०० X६० mm) (NS Certified)	व.मि.	१,६७३-
छ.	कोबल पेवर्स		
	६० मिमि हाइड्रोलिक कम्प्रेस्ड हाई डेनसिटी 35N/MM2 कोबल इन्टरलकिंग कंक्रीट ब्लक (सादा) (नाप : १०० X१०० X६० mm) (NS Certified)	व.मि.	१,३७३-
	६० मिमि हाइड्रोलिक कम्प्रेस्ड हाई डेनसिटी 35N/MM2 कोबल इन्टरलकिंग कंक्रीट ब्लक (रङ्गिन) (नाप : १०० X१०० X६० mm) (NS Certified)	व.मि.	१,४२४-
	६० मिमि हाइड्रोलिक कम्प्रेस्ड हाई डेनसिटी 35N/MM2 कोबल इन्टरलकिंग कंक्रीट ब्लक (Blended) (नाप : १०० X१०० X६० mm) (NS Certified)	व.मि.	१,६७३-
ज.	टेकटाईल पेवर्स		
	६० मिमि हाइड्रोलिक कम्प्रेस्ड हाई डेनसिटी 35N/MM2 टेकटाईल इन्टरलकिंग कंक्रीट ब्लक (रङ्गिन) (नाप : २०० X२०० X६० mm) (NS Certified)	व.मि.	१,४९४-
	६० मिमि हाइड्रोलिक कम्प्रेस्ड हाई डेनसिटी 35N/MM2 टेकटाईल इन्टरलकिंग कंक्रीट ब्लक (रङ्गिन) (नाप : ४०० X४०० X६० mm) (NS Certified)	व.मि.	१,४९४-
झ.	मेटरिक्स स्लाब पेवर्स		
	६० मिमि हाइड्रोलिक कम्प्रेस्ड हाई डेनसिटी 35N/MM2 मेटरिक्स स्लाब इन्टरलकिंग कंक्रीट ब्लक (सादा) (नाप : ४०० X४०० X६० mm) (NS Certified)	व.मि.	१,४९४-
	६० मिमि हाइड्रोलिक कम्प्रेस्ड हाई डेनसिटी 35N/MM2 मेटरिक्स स्लाब इन्टरलकिंग कंक्रीट ब्लक (रङ्गिन) (नाप : ४०० X४०० X६० mm) (NS Certified)	व.मि.	१,७४४-
	६० मिमि हाइड्रोलिक कम्प्रेस्ड हाई डेनसिटी 35N/MM2 मेटरिक्स स्लाब इन्टरलकिंग कंक्रीट ब्लक (Blended) (नाप : ४०० X४०० X६० mm) (NS Certified)	व.मि.	१,७४४-
ञ.	हाइड्रोलिक कम्प्रेस्ड मशीन मेड हाई डेनसिटी होलो कंक्रीट ब्लक		
	हाइड्रोलिक कम्प्रेस्ड मशीन मेड हाई डेनसिटी होलो कंक्रीट ब्लक ३९०X२०० X१९० मिमि (Strength : M7) 8"	प्रति गोटा	१००-
	हाइड्रोलिक कम्प्रेस्ड मशीन मेड हाई डेनसिटी होलो कंक्रीट ब्लक ३९०X१२० X१९० मिमि (Strength : M7) 6"	प्रति गोटा	६०-
	हाइड्रोलिक कम्प्रेस्ड मशीन मेड हाई डेनसिटी होलो कंक्रीट ब्लक ३९०X१०० X१९० मिमि (Strength : M7) 4"	प्रति गोटा	७०-
ट.	हाइड्रोलिक कम्प्रेस्ड मशीन मेड हाई डेनसिटी फ्लाई एस ईटा		
	हाइड्रोलिक कम्प्रेस्ड मशीन मेड हाई डेनसिटी फ्लाई एस ईटा २३०X११० X७० मिमि (Strength : M8)	प्रति गोटा	१६-
ड.	हाफ ब्याटर्ड कर्बस्टोन		
	हाइड्रोलिक कम्प्रेस्ड हाई डेनसिटी हाफ ब्याटर्ड कर्बस्टोन		
	M20 (नाप : ३६० X२०० X२२० mm) (HxBxL) (NS Certified)	प्रति गोटा	३७०-
	हाइड्रोलिक कम्प्रेस्ड हाई डेनसिटी हाफ ब्याटर्ड कर्बस्टोन		
	M25 (नाप : ३६० X२०० X२२० mm) (HxBxL) (NS Certified)	प्रति गोटा	३९०-



	हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी ग्राफ ब्याटर्ड कर्बस्टोन		
	M20 (नाप : ३५० X २०० X २५० mm)(HxBxL)(NS Certified)	प्रति गोटा	३४०१-
	हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी ग्राफ ब्याटर्ड कर्बस्टोन		
	M25 (नाप : ३५० X २०० X २५० mm)(HxBxL)(NS Certified)	प्रति गोटा	३५०१-
	हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी ग्राफ ब्याटर्ड कर्बस्टोन		
	M20 (नाप : ३२५ X १५५ X ३०० mm)(HxBxL)(NS Certified)	प्रति गोटा	३१५१-
	हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी ग्राफ ब्याटर्ड कर्बस्टोन		
	M25 (नाप : ३२५ X १५५ X ३०० mm)(HxBxL)(NS Certified)	प्रति गोटा	३३५१-
ड.	फुल ब्याटर्ड कर्बस्टोन		
	हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी फुल ब्याटर्ड कर्बस्टोन		
	M20 (नाप : ३६० X २०० X २५० mm)(HxBxL)(NS Certified)	प्रति गोटा	३६०१-
	हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी फुल ब्याटर्ड कर्बस्टोन		
	M25 (नाप : ३६० X २०० X २५० mm)(HxBxL)(NS Certified)	प्रति गोटा	४००१-
	हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी फुल ब्याटर्ड कर्बस्टोन		
	M20 (नाप : ३५० X २०० X २५० mm)(HxBxL)(NS Certified)	प्रति गोटा	३५०१-
	हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी फुल ब्याटर्ड कर्बस्टोन		
	M25 (नाप : ३५० X २०० X २५० mm)(HxBxL)(NS Certified)	प्रति गोटा	३७०१-
	हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी फुल ब्याटर्ड कर्बस्टोन		
	M20 (नाप : ३२५ X १५५ X ३०० mm)(HxBxL)(NS Certified)	प्रति गोटा	३२५१-
	हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी फुल ब्याटर्ड कर्बस्टोन		
	M25 (नाप : ३२५ X १५५ X ३०० mm)(HxBxL)(NS Certified)	प्रति गोटा	३४५१-
ड.	बुलनोज कर्बस्टोन		
	हाईड्रोलिक कम्प्रेस्ड हाई डेनसिटी ग्राफ ब्याटर्ड कर्बस्टोन		
	M20 (नाप : ३२५ X १५५ X ३०० mm)(HxBxL)(NS Certified)	प्रति गोटा	३१५१-

सौरजिल्लाको आ व २०६१-६२ को स्वीकृत तालिका छरे

६. वाटर प्रूफिङ तथा कंकट एडमिक्सर सम्बन्धि सामग्रीहरू




मौरह जिल्लाको आ.व. २०८१/८२ को स्वीकृत जिल्ला दररेट

क्र.स.	निर्माण सामग्रीको नाम	इकाई	मु.व. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
कंकट एडमिक्सर सम्बन्धी सामग्रीहरू					
1	Cement Admixture (Mix 5% by weight of cement)	kg	320.00	320.00	325.00
2	Fosroc Conplast WL Xtra	ltr.	275.00	275.00	280.00
3	Concrete Admixture Fosroc Sp 430 G8	ltr.	400.00	400.00	405.00
4	Silical Fume	kg.	140.00	140.00	145.00
5	Form Oil Fosroc	ltr.	150.00	150.00	155.00
6	Silika Cement Admixture	kg	320.00	320.00	325.00
7	Admixture Curing agent Fosroc (Concure WB)	kg	600.00	600.00	605.00
8	Epoxy Bonding Agent for old and new construction	kg	2200.00	2200.00	2205.00
9	Self compacting agent for concrete FOSROC Cemtop 250T	kg	300.00	300.00	305.00
10	Polymer for M35, M 40 or higher concrete (Fosroc Auramix)	kg	380.00	380.00	385.00
11	Admixture for Mortar (Fosroc Conplast Sp 430 G8)	kg	750.00	750.00	755.00
12	Super Plasticizer (FOSROC Conplast WL Xtra)	kg	275.00	275.00	280.00
13	Damp proof, Anti Termit, Anti Fungal, Anti Saltpetre and benefit of High Comprehensive Strength				
14	Waterproofing of Coating with Fosroc Nitobond SBR Latex	kg	385.00	385.00	390.00
15 A	Waterproofing coating with Polymer (Fosroc Nitobond AR)	kg	480.00	480.00	485.00
15 B	Silica Cement Admixture	kg	350.00	350.00	355.00
वाटर प्रूफिङका काम सम्बन्धी					
JOINT SEALANTS AND SYSTEMS					
16	Crack Repair	ft.	1000.00	1000.00	1005.00
17	Concrete Grouting (Per Nozzal)	nos.	750.00	750.00	755.00
18	Waterproofing treatment by injection and pressure Grouting system using Fosroc Cebex 100/200 with mixing fresh grey cement slurry all complete	sq. ft.	250.00		255.00
19	Two Component Gun Grade Polysulphide Sealant for vertical surface - Fosroc Thioflex 600	kg	1900.00	1900.00	1900.00
20	Two Component Pour Grade Polysulphide Sealant for horizontal surface - Fosroc Thioflex 600 / Colpor	kg	1900.00	1900.00	1900.00
21	One Component Low Viscosity Primer for Fosroc Polysulfide Sealant	kg	3000.00	3000.00	3005.00
22	Low Viscosity Primer for Fosroc Thioflex 600	kg	3000.00	3000.00	3005.00
ENGINEERING GROUTS					
23	Ultra High Strength free following, Non shrink cementitious Grout (m70) - Fosroc Conbextra GP2/GPN	kg	150.00	150.00	150.00
24	Hardwearing, Cementitious Tile grout- Fosroc Nitotile GPX	kg	120.00	120.00	120.00
25	Super plasticizer, shrinkage compensating grout admixture Fosroc Cebex 100	kg	600.00	600.00	600.00
26	Low viscosity injection Fosroc epoxy grout - Epoxy injection grout	kg	7000.00	7000.00	7000.00
SURFACE TREATMENT					
27	Protective, Decorative carbonation coating - Fosroc Nitoguard	kg	1302.00	1302.00	1302.00
28	Protective polyurethane sealer Fosroc Primeseal	ltr.	800.00	800.00	800.00
29	High prefonance water repellent Paint	ltr.	1100.00	1100.00	1100.00
30	Concrete curing aid- Fosroc Concure WB	kg.	450.00	450.00	450.00
CONCRETE PREPAIRS					
31	Rust remover and passivator - Fosroc Reebaklens RR	ltr.	1100.00	1100.00	1100.00

Handwritten signatures and stamps at the bottom of the page, including a large 'X' mark and several names in Nepali script.

६. बाटर पूफिङ तथा कंक्रीट एडमिक्सर सम्बन्धि सामाग्रीहरु



क्र.स.	निर्माण सामाग्रीको नाम	इकाई	मु.म. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
32	Corrosion inhibitor - Fosroc Nitotile Zinc Primer	kg	1100.00	1100.00	1100.00
33	Micro Concrete (M60) for permanent repair - Fosroc Micro Concrete	kg	130.00	130.00	130.00
34	Single Component polymer modified cementitious repair mortar - Fosroc repair mortar	kg	220.00	220.00	220.00
35	Cementitious, waterproof crack repair mortar- Fosroc Nitobond SBR Latex	kg	275.00	275.00	275.00
36	Acrylic based crack filling putty-Nitobond SBR Latex	kg	1100.00	1100.00	1100.00
PREPACKED MORTARS					
37	Tile, Marble, granite etc adhesive - Nitotile GPX, GTA, MPA	kg	200.00	200.00	200.00
38	High performance polymer based wall putty	kg	77.00	77.00	77.00
WATERPROOFING SYSTEM INTEGRAL					
39	Integral waterproofing additive for concrete and plaster - Fosroc Conplast WL Extra	kg	320.00	320.00	320.00
LIQUID APPLIES					
40	Single pack polymer modified fixible elastometric waterproof coating system - Fosroc Nitobond SBR Latex	sq. ft.	75.00	75.00	75.00
41	Two component polymer modified flexible elastomeric waterproof coating system - Fosroc Brushbond	sq. ft.	85.00	85.00	85.00
42	Two component high performance polymer modified cementitious membrane for swimming pool and basement- Fosroc Nitocote CM 210	sq. ft.	125.00	125.00	125.00
43	Crystalline based waterproofing system- Fosroc krystaline	sq. ft.	55.00	55.00	55.00
44	Heavy duty rainforce elastomeric acrylic waterproofing coating for terrace with primer (primeseal) Fosroc Brushbond RFX	sq. ft.	175.00	175.00	175.00
45	Acrylic elastomeric exterior waterproof coating for exterior Wall - Fosroc Brushbond Roofguard	sq. ft.	55.00	55.00	55.00
PERFORMED					
	Fiber reinforced polymer modified bituminous membrane (3 mm mineral) Fosroc torchseal 3PI	sq. ft.	200.00	200.00	200.00
46	Fiber reinforced polymer modified bituminous membrane (4 mm mineral / sand finish) Fosroc torchseal 4PI	sq. ft.	225.00	225.00	225.00
Cement admixture For M20 Grade and Below					
47	Plastering admixture FOSROC Conplast WL Xtra 200 ml per waterproofing compound with integrated water cement.	1kg	174.00	174.00	174.00
	Plastering admixture FOSROC Conplast SP 430 G8 100ml/bag of cement	1kg	174.00	174.00	174.00
	plastering admixture FOSROC Conplast SP 480 G8 100ml/bag of cement	1kg	239.25	239.25	239.25
For M25 Grade and Below					
	Mix-200(pe base and 200ltr drum pack	1kg	217.50	217.50	217.50
	Plastering admixture FOSROC Conplast SP 430(SNF BASE) Drum pack	1kg	239.25	239.25	239.25
48	Admixture for Precast Industry				

Handwritten signatures and initials at the bottom of the page.



६. वाटर प्रूफिङ तथा कंक्रीट एडमिक्सर सम्बन्धि सामग्रीहरु

आ.व. २०८१/०८२ को वीकल मिला दररेट

क्र.स.	निर्माण सामग्रीको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
	FOSROC Auracast 50	1kg	191.00	191.00	191.00
	FOSROC Auracast 100	1kg	266.20	266.20	266.20
	Admixture and Corrosion Inhibitors				
49	Under water Admixture				
	FOSROC Under water concreting UW (POWDER)	1kg	217.50	217.50	217.50
	FOSROC Concrete Curing Compound				
	FOSROC ConcreteWB. Concure OP90	1kg	478.50	478.50	478.50
	FOSROC Epoxy Bonding Agent For Old and New Concrete				
	FOSROC Nitobond Ep standard	1kg	2,500.00	2,500.00	2,500.00
50	Waterproofing Coating Compound				
	Waterproofing Coating FOSROC Nitobond SBR Latex	1kg	661.20	661.20	661.20
	Waterproofing Coating FOSROC Nitobond AR	1kg	674.25	674.25	674.25
	Acrylic Coating Compound				
	FOSROC Brushbond Brushcrete	1kg	565.50	565.50	565.50
51	Waterproofing Coating For Sunken area of under ground, Bathroom, Toilet, sewage, Tank				
	Fosroc Brushbond	Sq. ft.	217.50	217.50	217.50
	Fosroc Brushbond RFX	Sq. ft.	239.25	239.25	239.25
	Fosroc Nitocote CM 210	Sq. ft.	261.00	261.00	261.00
	FOSROC Nitocote 600 Standard	Sq. ft.	435.00	435.00	435.00
52	Waterproofing of Roof and Rafts				
	Crack sealing of Roof	Rft.	1,000.00	1,000.00	1,000.00
	Complete Waterproofing of Roof	Sq. ft.	217.50	217.50	217.50
53	Industrial Flooring Application of Nitoflor Hardtop Standard with Tri-Mix	Sq. ft.	75.00	75.00	75.00
54	Waterproof PU Coatingfor Heavy duty				
	Fosroc Trafic guard	Sq. ft.	500.00	500.00	500.00

(Handwritten signatures and notes in Nepali script)

७. छात्रा छात्राङ्ग निर्माण सामग्रीहरू

क्र.स.	निर्माण सामग्रीको नाम	इकाई	मु.अ. कर बाहेकको स्वीकृत दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
१	हेवि क्लासको सादा कर्कट पाता				
	२२ गेजको (०.६० मिमि) ९५ के.जी. औषत तौल	बण्डल	१७६०६.१६	१८१३४.३४	१८१३४.३४
	२२ गेजको (०.५५ मिमि) ८७ के.जी. औषत तौल	बण्डल	१५८९०.१६	१६३६६.८६	१६३६६.८६
	२४ गेजको (०.५२ मिमि) ८३ के.जी. औषत तौल	बण्डल	१५०८९.३६	१५५४४२.०४	१५५४४२.०४
	२६ गेज हेभी ०.४१ मि.मी. ६५ के.जी. औषत तौल	बण्डल	१२०५७.७६	१२४१९.४९	१२४१९.४९
	२६ गेज हेभी ०.३७ मि.मी. ६१ के.जी. औषत तौल	बण्डल	११३२५.६०	११६६५.३७	११६६५.३७
	२८ गेज हेभी ०.३१ मि.मी. ५० के.जी. औषत तौल	बण्डल	९४०३.६८	९६८५.७९	९६८५.७९
	३० गेज हेभी ०.२४ मि.मी. ३९ के.जी. औषत तौल	बण्डल	७७३३.४४	७९६५.४४	७९६५.४४
२	मिडियम क्लासको सादा कर्कट पाता				
	२४ गेजको (०.५० मिमि) ७९ के.जी. औषत तौल	बण्डल	१४९९७.८४	१५४४७७.७८	१५४४७७.७८
	२६ गेज मिडियम ०.३७ मि.मी. ६० के.जी. औषत तौल	बण्डल	११२९१.२८	११६३०.०२	११६३०.०२
	२८ गेज मिडियम ०.२८ मि.मी. ४५ के.जी. औषत तौल	बण्डल	८८०८.८०	९०७३.०६	९०७३.०६
	३० गेज मिडियम ०.२२ मि.मी. ३६ के.जी. औषत तौल	बण्डल	७३३३.०४	७५५३.०३	७५५३.०३
३	कमर्सियल क्लासको सादा कर्कट पाता				
	२४ गेजको (०.४५ मिमि) ७२ के.जी. औषत तौल	बण्डल	१३५५६.४०	१३९६३.०९	१३९६३.०९
	२६ गेजको लाइट ०.३५ मि.मी. ५५ के.जी. औषत तौल	बण्डल	१०७७६.४८	११०९९.७७	११०९९.७७
	२८ गेजको लाइट ०.२५ मि.मी. ४२ के.जी. औषत तौल	बण्डल	८३५१.२०	८६०१.७४	८६०१.७४
	३० गेजको लाइट ०.२० मि.मी. ३३ के.जी. औषत तौल	बण्डल	६७९१.०४	६९६३.८७	६९६३.८७
४	हेवि क्लासको रंगिन कर्कट पाता				
	२२ गेजको (०.६० मिमि) ९५ के.जी. औषत तौल	बण्डल	२००७७.२०	२०६७९.५२	२०६७९.५२
	२२ गेजको (०.५५ मिमि) ८७ के.जी. औषत तौल	बण्डल	१८३२६.८८	१८८७६.६९	१८८७६.६९
	२४ गेजको (०.५२ मिमि) ८३ के.जी. औषत तौल	बण्डल	१७४९९.७६	१८०१६.५१	१८०१६.५१
	२६ गेज हेभी ०.४१ मि.मी. ६५ के.जी. औषत तौल	बण्डल	१४२५४.२४	१४६८९.८७	१४६८९.८७
	२६ गेज हेभी ०.३९ मि.मी. के.जी. औषत तौल	बण्डल	१३३११.५८	१३७१०.९३	१३७१०.९३
	२७ गेज हेभी ०.३५ मि.मी. के.जी. औषत तौल	बण्डल	१२६८४.६७	१३०६५.२१	१३०६५.२१
	२८ गेजको हेभी ०.३१ मि.मी. ५० के.जी. औषत तौल	बण्डल	११२९१.२८	११६३०.०२	११६३०.०२
	३० गेज हेभी ०.२४ मि.मी. ३९ के.जी. औषत तौल	बण्डल	९५१८.०८	९८०३.६२	९८०३.६२
५	मिडियम क्लासको रंगिन कर्कट पाता				
	२४ गेजको (०.५० मिमि) ७९ के.जी. औषत तौल	बण्डल	१६७९३.९२	१७२९७.७४	१७२९७.७४
	२६ गेजको मिडियम ०.३८ मि.मी. ६१ के.जी. औषत तौल	बण्डल	१३०५३.०४	१३४४४.६३	१३४४४.६३
	२८ गेज मिडियम ०.२८ मि.मी. ४५ के.जी. औषत तौल	बण्डल	१०३४७.४८	१०६५७.९०	१०६५७.९०
	३० गेजको लाइट ०.२० मि.मी. ३३ के.जी. औषत तौल	बण्डल	८७४०.१६	९००२.३६	९००२.३६
६	रंगिन कर्कट पाता				
	२४ गेजको (०.४५ मिमि) ७१ के.जी. औषत तौल	बण्डल	१५३७५.३६	१५८३६.६२	१५८३६.६२
	२६ गेजको लाइट ०.३५ मि.मी. ५५ के.जी. औषत तौल	बण्डल	१२४३५.२८	१२८०८.३४	१२८०८.३४
	२८ गेजको लाइट ०.२६ मि.मी. ४२ के.जी. औषत तौल	बण्डल	९८३८.४०	१०१३३.५५	१०१३३.५५

७. छाना छाउने निर्माण सामग्रीहरु

क्र.स.	निर्माण सामग्रीको नाम	इकाई	मु.अ. कर बाहेकको स्वीकृत दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
	३० गेजको साइट ०.२० मि.मी.३३ के.जी. औषत तेल	बण्डल	८१७९.६०	८४२४.९९	८४२४.९९
	साइट क्लासको रंगिन टायल्स	बण्डल	२२८११.३६	२३४९५.७०	२३४९५.७०
७	ट्रान्सपारेन्ट फाईबर ग्लास सिट				०.००
	०.८० मि.मि.को साधा	व.फिट	१३७.५०	१३७.५०	१३७.५०
	०.८० मि.मि.को कोरुगेटेड	व.फिट	१४९.५०	१४९.५०	१४९.५०
	१.२ मि.मि.को साधा फाईबर	व.फिट	१६१.७०	१६१.७०	१६१.७०
	१.२ मि.मि.को कोरुगेटेड फाईबर	व.फिट	१८९.२०	१८९.२०	१८९.२०
	२.० मि.मि.को कोरुगेटेड फाईबर	व.फिट	२४७.५०	२४७.५०	२४७.५०
८	काबनफाईबर यू.पि.भि.सि छाना छाउने सिट २ मिमि मोटाई	व.फिट	११३.३०	११३.३०	११३.३०
९	काबनफाईबर यू.पि.भि.सि छाना छाउने सिट ३ मिमि मोटाई	व.फिट	१४१.८०	१४१.८०	१४१.८०
१०	एस्वेस्टस सिमेण्ट सिट	व.मि.	५७२.००	५७२.००	५७२.००
११	फाईबर ग्लास सीट	र.फिट	३७९.५०	३७९.५०	३७९.५०
१२	प्लेन सीट २८ गेज (3'-0" x 6'-0")	र.फिट	६९८.५०	६९८.५०	६९८.५०
१३	सि.जि.आई. सीट प्लेन धुरी (Ridge/ gutter)				०.००
	२६ गेज हेभी ०.४० मि.मी./९.७२ किलो	पाता	१७७.००	१७७.००	१७७.००
	२६ गेजको मिडियम ०.३७ मि.मी./८.९९किलो	पाता	१६१.७०	१६१.७०	१६१.७०
	२६ गेजको साइट ०.३५मि.मी./८.५२ किलो	पाता	१४६.२०	१४६.२०	१४६.२०
	२८ गेज हेभी ०.३० मि.मी./७.३६ किलो	पाता	१३६.४०	१३६.४०	१३६.४०
	२८ गेजको मिडियम ०.२८ मि.मी./६.८९ किलो	पाता	१२७.६०	१२७.६०	१२७.६०
१४	सि.जि.आई. सीट धुरी रंगिन (Ridge/ gutter)				०.००
	२६ गेज हेभी ०.४० मि.मी./९.७२ किलो	पाता	४६२०.००	४६२०.००	४६२०.००
	२६ गेजको मिडियम ०.३७ मि.मी./८.९९किलो	पाता	१९२५.००	१९२५.००	१९२५.००
	२६ गेजको साइट ०.३५मि.मी./८.५२ किलो	पाता	१८३७.००	१८३७.००	१८३७.००
	२८ गेज हेभी ०.३० मि.मी.	पाता	१६१७.००	१६१७.००	१६१७.००
	२८ गेजको मिडियम ०.२८ मि.मी.	पाता	१४४०.००	१४४०.००	१४४०.००
	८ मी. मी. नट बोल्ट	गोटा	५.५०	५.५०	५.५०
१५	सिमेण्ट धुरी	गोटा	४१८.००	४१८.००	४१८.००
१६	कर्कटपाता ठोक्ने जि.आई. किल्ला	के.जी.	२०९.००	२०९.००	२०९.००
१७	बासर (मेटल)	के.जी.	२०९.००	२०९.००	२०९.००
१८	विट्रुमेन बासर	प्याकेट	३८.५०	३८.५०	३८.५०
१९	जे हुक - यु हुक	के.जी.	१४९.५०	१४९.५०	१४९.५०
२०	Powder Coating Fixer	गोटा	१०.४५	१०.४५	१०.४५
२१	Self Tapping Screw 3"	गोटा	९.३५	९.३५	९.३५
२२	Self Tapping Screw 2.5"	गोटा	८.२५	८.२५	८.२५
२३	Self Tapping Screw 2"	गोटा	७.१५	७.१५	७.१५
२४	Self Tapping Screw 1.5"	गोटा	६.६०	६.६०	६.६०
२५	Self Tapping Screw 1"	गोटा	५.५०	५.५०	५.५०
२६	UPVC Ridge Cover (3'-7" x 2')	गोटा	११४५.००	११४५.००	११४५.००
२७	UPVC छाना with Special Tile mess 2mm	व.फिट	१३३.९८	१३३.९८	१३३.९८
२८	UPVC छाना without Special Tile mess 2mm	व.फिट	१२९.२०	१२९.२०	१२९.२०
२९	UPVC छाना coggugulated 2mm	व.फिट	९०.९२	९०.९२	९०.९२

(Handwritten signatures and stamps)



८. काठ, प्लाइवुड, बोर्डहरू सम्बन्धी

क्र.सं.	निर्माण सामग्रीको नाम	इकाई	कु.न.कर बाहेकको स्वीकृत दररेट		
			सा.सं. ०९९/६०	सा.सं. ०८०/६१	सा.सं. ०६१/६२
१	स्थानिय सानकाठ चिरान	घनफिट	६०००.००	६०००.००	६३००.००
२	विदेशी सानकाठ चिरान	घनफिट	४८००.००	४८००.००	४०४०.००
३	मिस्रो, टिक चिरान काठ	घनफिट	४८४०.००	४८४०.००	४०८२.००
४	अन्य जात चिरान, आप, कटहर, मोटघोरो	घनफिट	२२००.००	२२००.००	२३१०.००
५	अन्य जात चिरान कर्ना, जामुन, जल्ना	घनफिट	३०००.००	३०००.००	३१४०.००
६	दाउरा	के.जी.	१८.००	१८.००	१८.००
७	३२ मि.मि. मोटाईको बेगिकल्ली ट्रिटेड मेगिनमेड बाटरपुफ, चोरर फि सोनीडकोर क्लसकोर				
	द्वैतर्क टिक प्लाई राखेको	बर्ग मिटर	३४९३.३०	३०३३.३९	३९९२.००
	एकतर्क टिक प्लाई राखेको	बर्ग मिटर	३२४४.९०	३४१३.६४	३४८८.००
	दुई तर्को सादा	बर्ग मिटर	२८६३.३०	३०११.०९	३९६१.००
९	३८ मि.मि. मोटाईको बेगिकल्ली ट्रिटेड मेगिनमेड बाटरपुफ, चोरर फि सोनीडकोर क्लसकोर				
	द्वैतर्क टिक प्लाई राखेको	बर्ग मिटर	४०३१.३९	४२३३.३९	४४४४.००
	एकतर्क टिक प्लाई राखेको	बर्ग मिटर	३६२३.४८	३८०८.९६	३९९९.००
	दुई तर्को सादा	बर्ग मिटर	३२२३.०३	३३८८.४२	३४४३.००
१०	कमनियम प्लाइवुड				
	कमनियम प्लाइवुड ४ मिमि	ब.फि.	३८.३२	४०.६६	४२.००
	कमनियम प्लाइवुड ६ मिमि	ब.फि.	६६.४४	६९.८८	७३.००
	कमनियम प्लाइवुड १० मिमि	ब.फि.	९०.७४	९४.२९	९००.००
	कमनियम प्लाइवुड १२ मिमि	ब.फि.	९६.८०	१०१.६४	१०६.००
	कमनियम प्लाइवुड १८ मिमि	ब.फि.	१३३.१०	१३९.७६	१४६.००
११	बाटरपुफ प्लाइवुड				
	बाटरपुफ प्लाइवुड ४ मिमि	बर्गफिट	७१.३९	७४.९६	७८.००
	बाटरपुफ प्लाइवुड ६ मिमि	बर्गफिट	८८.३३	९२.७४	९३.००
	बाटरपुफ प्लाइवुड १२ मिमि	बर्गफिट	१३३.१०	१३९.७६	१४६.००
	बाटरपुफ प्लाइवुड १६ मिमि	बर्गफिट	१८६.३४	१९४.६६	२०४.००
१२	टिक प्लाइवुड				
	४ मी.मी. टिकप्लाई	बर्गफिट	१४१.२४	१४८.८१	१६६.००
	१२ मी.मी. बाटर पुफ टिकप्लाई	बर्गफिट	२७२.२४	२८४.८६	३००.००
१३	१२ मि.मि.को बाटर पुफ बोर्ड				
	एक साइड टिक भएको	बर्गफिट	२१३.८०	२२८.६९	२४०.००
	दुई साइड टिक भएको	बर्गफिट	२७२.२४	२८४.८६	३००.००
१४	सनमाईका	बर्गफिट	२४.४१	२६.६८	२८.००
१५	कोरमाईका	बर्गफिट	७४.०२	७८.७३	८२.००
१६	मिस्रो र सान काठको ०.७ इन्चको कोर्टेसिफ	मिटर	१४१.२४	१४८.८१	१६६.००
१७	मिस्रो र सान काठको १ इन्चको कोर्टेसिफ	मिटर	१४३.३०	१५१.१३	१७३.००
१८	मिस्रो तथा सान काठको २०X३२ मि.मि.को साधारण गिरी	मिटर	४८४.००	४०८.२०	४३३.००
१९	मिस्रो तथा सान काठको २०X३८ मि.मि.को साधारण गिरी	मिटर	४४४.४०	४७१.७३	६००.००
२०	काठको जाखी भुवाल	घ.फी.	३२६३.००	३४३०.३४	३६०१.००
२१	मिस्रो काठको कन्सी भरयाइको रोलिडर.४ x४ इन्च	र.फी.	४८४०.००	४०८२.००	४३३६.००
२२	घाटगल्लीकाठ मोलियाकाठ मोड अनलोडिड				
	लोडिड	घ.फी.	४८.४०	४०.८२	४३.००
	अनलोडिड	घ.फी.	१२.१०	१२.७१	१३.००
२३	Wallpaper				
	Wallpaper (with installation)- Grade1	per roll	4000.00	4000.00	४२००.००
	Wallpaper (with installation)- Grade2	per roll	3000.00	3000.00	३१४०.००
	Wallfoam (2x2) for seepage seal	per pcs	400.00	400.00	४२०.००
	Wallfoam (2.5x2.5) for seepage seal	per pcs	500.00	500.00	४२४.००
	Wall grass (Artificial)	per sq ft	255.00	255.00	२६३.००

९. किचन र बाथरुममा प्रयोगहुने सामग्रीहरू

क्र.सं.	निर्माण सामग्रीको नाम	इकाई	मु.म.का. मध्येमध्ये		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
१	मार्बल सादा १३ एम. एम.	ब.फि.	१७४.००	१८३.७४	१८९.००
२	मार्बल रंगीन १३ एम. एम.	ब.फि.	१६४.००	१७३.२४	१७८.००
३	ग्रेनाइट रातो १३ एम. एम.	ब.फि.	३२४.००	३४९.२४	३४९.२४
४	ग्रेनाइट कालो १३ एम. एम.	ब.फि.	३००.००	३१४.००	३१४.००
५	मार्बल टायल १०" x १०"	ब.फि.	१४०.००	१४७.४०	१४७.४०
६	मोन्याक टायल १०" x १०"	ब.फि.	७०.००	७३.४०	७३.४०
७	मार्बल चिप्स सेतो	किन्लो	२०.००	२०.००	२०.००
८	मार्बल पाउडर	किन्लो	२०.००	२०.००	२०.००
९	मोन्याक दाना	किन्लो	२४.००	२४.००	२४.००
१०	काबोरण्डम ढुगा ४० म.	गोटा	२२०.००	२२०.००	२२०.००
११	काबोरण्डम ढुगा ६० म.	गोटा	४९०.००	४९०.००	४९०.००
१२	मैन पालिस	गोटा	४४०.००	४४०.००	४४०.००
१३	अकामालिक एसिड पाउडर	किन्लो	१७०.००	१७०.००	१७०.००
पोरीसिलिन ग्लेज्ड टायल					
१४	सादा (१ फिट x १ फिट)	गोटा	८०.००	८०.००	८०.००
१५	सादा (१०इन्च x १३ इन्च)	गोटा	७४.००	७४.००	७४.००
१६	चाइनिज फ्लोर टायल (२ फी x २ फी)	ब.फि.	१००.००	१००.००	१००.००
१७	रंगीन बिभिन्न (२ फी x २ फी)	ब.फि.	९४.००	९४.००	९४.००
१८	भारतीय फ्लोर टायल (२ फी x २ फी)	ब.फि.	११०.००	११०.००	११०.००
१९	रंगीन बिभिन्न (२ फी x २ फी)	ब.फि.	१००.००	१००.००	१००.००
२०	स्पार्टक टायल सादा १x१	ब.फि.	७०.००	७०.००	७०.००
२१	स्पार्टक टायल रंगीन	ब.फि.	८४.००	८४.००	८४.००
२२	स्पार्टक टायल कालो	ब.फि.	९०.००	९०.००	९०.००
२३	टेराजो टायल	गोटा	२४.००	२४.००	२४.००
कजरिया टाइल्स					
	कजरिया टाइल्स (१२x१८)	ब.फि.	९४.००	९४.००	९४.००
	कजरिया टाइल्स (१२x२४)	ब.फि.	१२०.००	१२०.००	१२०.००
	कजरिया टाइल्स (२४x२४)	ब.फि.	१२८.००	१३०.००	१३०.००
	कजरिया टाइल्स (२४x४८)	ब.फि.	१७०.००	१७०.००	१७०.००
	कजरिया टाइल्स (३२x४४)	ब.फि.	२१४.००	२१४.००	२१४.००
	कजरिया टाइल्स (३२x६४)	ब.फि.			
सोमानी टाइल्स					
	सोमानी टाइल्स (१२x१८)	ब.फि.	१३४.००	१३४.००	१३४.००
	सोमानी टाइल्स (१२x१२)	ब.फि.	१३४.००	१३४.००	१३४.००
	सोमानी टाइल्स (२x२)	ब.फि.	१६०.००	१६०.००	१६०.००
	सोमानी टाइल्स (२x४)	ब.फि.	२२०.००	२२०.००	२२०.००
कॉन्क्रीट टायल					
२४	कॉन्क्रीट टायल रातो (१ फिट x १ फिट)	ब.फि.	६६.००	७०.००	७०.००
२५	कॉन्क्रीट टायल पहलो (१ फिट x १ फिट)	ब.फि.	६६.००	७०.००	७०.००
साधारण प्यान सेट					
२६	इन्डियन पैन सेट १८" साधारण ट्याप र फुट रेफ्ट समेत	सेट	८२४.००	८२४.००	८२४.००
२७	उडिसा पैन १८" ट्याप र फुट रेफ्ट समेत	सेट	२६४०.००	२६४०.००	२६४०.००
२८	उडिसा पैन २०" ट्याप र फुट रेफ्ट समेत	सेट	२४८४.००	२४८४.००	२४८४.००
२९	युरिनल साधारण (पुरुष) हिन्दबेयर	सेट	१८७०.००	१८७०.००	१८७०.००
२९	युरिनल साधारण (महिला)	सेट	१६४०.००	१६४०.००	१६४०.००
३०	सेरामिक लो लेभल फ्लोसिड सिस्टम	गोटा	१२३४.४०	१२४०.००	१२४०.००
३१	प्लास्टिक लो लेभल फ्लोसिड सिस्टम हिन्दबेयर	गोटा	२४२०.००	२४२०.००	२४२०.००
३२	फाइबर ग्लास लो लेभल फ्लोसिड सिस्टम हिन्दबेयर	गोटा	२४२०.००	२४२०.००	२४२०.००
कमोड सेट					
३३	हिन्दबेयर, सेरा, पौरबेयर वा लो लेभल पोसिबल ग्लेज्ड बान्डेड कमोड कम्प्लीट सेट सेतो रङ	सेट	२२०००.००	२२०००.००	२२०००.००

(Handwritten signatures and stamps)


९. किचन र बाथरूममा प्रयोगहुने सामग्रीहरू

क्र.स.	निर्माण सामग्रीको नाम	इकाई	मूल्य		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
३४	हिन्दवेयर, सेरा, परिवेयर वा सो सरहको पोसेलिन ग्लेज्ड ब्रान्डेड कम्प्रीट सेट रङगीन सेट	सेट	१७६००.००	१७६००.००	१७६००.००
३५	लोकल कम्प्रीट कभर	गोटा	११००.००	११००.००	११००.००
३६	हिन्दवेयर, सेरा, परिवेयरको कम्प्रीट कभर	गोटा	१६२०.००	१६२०.००	१६२०.००
३७	लोकल कम्प्रीट कम्प्रीट सेट	गोटा	७१२०.००	७१२०.००	७१२०.००
३८	वास बेसिन सेट NS वा IS प्रमाणित				
	पोसेलिन ग्लेज्ड वास बेसिन सेट				
	अ) १६" x १८"	सेट	२२००.००	२२००.००	२२००.००
	आ) १२" x १८"	सेट	१९८०.००	१९८०.००	१९८०.००
	इ) १८" x २४"	सेट	२७२०.००	२७२०.००	२७२०.००
	ई) कर्नेर बेसिन	सेट	१६२०.००	१६२०.००	१६२०.००
	उ) आभल बेसिन	सेट	३८२०.००	३८२०.००	३८२०.००
	उ) बेसिन १८" x २४" पोसेलिन लम सपोर्ट	सेट	४४००.००	४४००.००	४४००.००
३९	१/२" व्यास वास बेसिन कनेक्शन पाईप	गोटा	२२०.००	२२०.००	२२०.००
४०	१/२" सि.पी. डेटिडवेस्ट	गोटा	१९८.००	२००.००	२००.००
४२	१/२" सि.पी. साधारण	गोटा	२४२.००	२४२.००	२४२.००
४३	१/२" फ्लिनल पाईप	गोटा	१९८.००	२००.००	२००.००
४४	स्टील किचेन मिक्स सेट				०.००
	अ) सिंगल बेसिन ४०" x १८"	सेट	३०८०.००	३०८०.००	३०८०.००
	आ) डबल बेसिन	सेट	४२००.००	४२००.००	४२००.००
	इ) पि.भि.सि काउल ४ इन्च	गोटा	११०.००	११०.००	११०.००
	ई) पि.भि.सि काउल ३ इन्च	गोटा	८८.००	९०.००	* ९०.००
४५	१ १/२" बाक्लो बोटल टयाप				०.००
	साईट	गोटा	८८०.००	८८०.००	८८०.००
	हेभी	गोटा	११००.००	११००.००	११००.००
४६	स्टील सावर	गोटा	१२१०.००	१२१०.००	१२१०.००
४७	४" व्यासको रिभोन्ड स्टील सावर	सेट	१३२०.००	१३२०.००	१३२०.००
४८	४" टेलिफोनिक सावर	सेट	१६२०.००	१६२०.००	१६२०.००
४९	सि.पि. हेण्ड स्प्रे	सेट	१३२०.००	१३२०.००	१३२०.००
५०	बाथरूममा राख्ने एना साधारण	व.फि.	४२०.००	४२०.००	४२०.००
५१	टाबल रड साधारण	गोटा	६६०.००	६६०.००	६६०.००
५२	टाबल रड	गोटा	९३२.००	९३२.००	९३२.००
५३	टाबल रड राम्रो बालको	गोटा	२७२.००	२७२.००	२७२.००
५४	स्टील सोप कस	गोटा	२७२.००	२७२.००	२७२.००
	क्रोम प्लेटेड एसेसोरिजहरू				०.००
५५	सावर साधारण	गोटा	११००.००	११००.००	११००.००
५६	सावर फोनिम	गोटा	४२००.००	४२००.००	४२००.००
५७	१५ मि.मि. सि.पि. सामो निपल	गोटा	१९२.२०	१९२.००	१९२.००
५८	१५ मि.मि. सि.पि. छोटो निपल	गोटा	१६२.००	१६२.००	१६२.००
५९	१५ मि.मि. सि.पि. बाल मिक्सर हेवी	गोटा	१३२००.००	१३२००.००	१३२००.००
६०	१५ मि.मि. सि.पि. स्टप कम्प्रीन्ड स्टप कक हेवी	गोटा	२४२०.००	२४२०.००	२४२०.००
६१	१५ मि.मि. सि.पि. स्टप कम्प्रीन्ड स्टप कक साधारण	गोटा	१६२०.००	१६२०.००	१६२०.००
६२	१५ मि.मि. हेवी क्लानको सि.पि. बेसिन मिक्सर	गोटा	७३००.००	७३००.००	७३००.००
६३	१५ मि.मि. साधारण सि.पि. बेसिन मिक्सर	गोटा	४२००.००	४२००.००	४२००.००
६४	१५ मि.मि. सि.पि. स्टप कक हेवी	गोटा	१९९२.२०	२०००.००	२०००.००
६५	१५ मि.मि. सि.पि. स्टप कक साधारण	गोटा	७१२.००	७१२.००	७१२.००
६६	१५ मि.मि. साधारण सि.पि. विच कक लडनेक	गोटा	११००.००	११००.००	११००.००
६७	१५ मि.मि. साधारण सि.पि. विच कक सर्टनेक	गोटा	११००.००	११००.००	११००.००
६८	१५ मि.मि. सि.पि. एडल कक हेवी	गोटा	१९८०.००	१९८०.००	१९८०.००
६९	१५ मि.मि. सि.पि. एडल कक साधारण	गोटा	१३२०.००	१३२०.००	१३२०.००
७०	१५ मि.मि. सि.पि. पिलर कक हेवी	गोटा	२२००.००	२२००.००	२२००.००

[Handwritten signatures and notes at the bottom of the page]

१. किचन र बाथरुममा प्रयोगहुने सामग्रीहरू

क्र.स.	निर्माण सामग्रीको नाम	इकाई	मु.न.नं. १११/१११		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
७१	१५ मि.मि. सि.पि. पिलर कक साधारण	गोटा	११००.००	११००.००	११००.००
७२	१५ मि.मि. सि.पि. सिङ्ग कक साधारण	गोटा	२२००.००	२२००.००	२२००.००
७३	१५ मि.मि. सि.पि. सिङ्ग कक हेवी	गोटा	४४००.००	४४००.००	४४००.००
७४	सि.पि. टावेल रड ०.७५ "X १८"	गोटा	८८०.००	८८०.००	८८०.००
७५	सि.पी. ट्वाइलेट पेपर होल्डर	गोटा	८८०.००	८८०.००	८८०.००
७६	सि.पि. घेटीङ	गोटा	३३०.००	३३०.००	३३०.००
७७	स्टील घेटीङ	गोटा	४९०.००	४९०.००	४९०.००
७८	बल्मुनिडम ग्लास सेल्क	गोटा	११३१.३४	११३१.००	११३१.००
७९	फ्लोर ट्याप स्टीलको	गोटा	४१२.४४	४१२.००	४१२.००
८०	फ्लोर ट्याप कास्ट आइरन	गोटा	९०.४१	९४.००	९४.००
८१	फ्लोर ट्याप प्लाष्टिकको	गोटा	४५४.८४	४३०.००	४३०.००



 [Signature] [Signature] [Signature] [Signature] [Signature]



१०. विद्युत संबन्धि सामग्रीहरु

क्र.स.	विद्युतिय सामग्रीको नाम	इकाई	मु.ब. कर बाटैको दररेट		
			आ.ब. ०७९/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२
१	विद्युत पोल				
	क. पि.एस.सी. As Per NEA Specification				
	८ मी.	प्रति पोल	८०९०.००	८०९०.००	८६४६.००
	९ मी.	प्रति पोल	९२९०.००	९२९०.००	९९४०.००
	११ मी.	प्रति पोल	१९९२०.००	१९९२०.००	२१३१४.००
	ख. रिटन ट्युबलर				
	Steel tubuler pole 11 mtr Long (Folding / nonfolding) as per IS 2713, 410Sp - 53 with nut, bolt & washer (178 Kg)	प्रति पोल	२४७४३.७८	२४७४३.७८	२६४७५.००
	Steel tubuler pole 10 mtr Long (Folding / nonfolding) as per IS 2713, 410 Sp - 43 with nut, bolt & washer (165Kg)	प्रति पोल	१९०७०.००	१९०७०.००	२०४०४.००
	Steel tubuler pole 9 mtr Long (Folding / nonfolding) as per IS 2713, 410 Sp -31 with nut, bolt & washer (147Kg)	प्रति पोल	१८३९१.४१	१८३९१.४१	१९६७८.००
	Steel tubuler pole 8 mtr Long (Folding / nonfolding) as per IS 2713, 410 Sp -13 with nut, bolt & washer (105Kg)	प्रति पोल	१२१९०.००	१२१९०.००	१३०४३.००
२	पानी तान्ने पम्प :				
	३ फेज ३ हर्ष पावर (इन्डियन)	सेट	२७५६२.४०	२८९४०.६३	२८९४०.६३
	३ फेज २ हर्ष पावर (इन्डियन)	सेट	२२०४०.००	२३१४२.४०	२३१४२.४०
	१ हर्ष पावर (इन्डियन)	सेट	१३२३०.००	१३८९१.४०	१३८९१.४०
	१/२ हर्ष पावर इन्डियन)	सेट	९३७१.२४	९८३९.८१	९८३९.८१
	१ हर्ष पावर (चाइनिज)	सेट	६०६३.७४	६३६६.९४	६३६६.९४
	१/२ हर्ष पावर चाइनिज	सेट	४६३०.४०	४८६२.०३	४८६२.०३
३	पि.पी.सी. कपर वायर				
	१/१८ (१०मीटर स्वायल)	स्वायल	१२६४.४७	१३१६.०९	१४०८.००
	३/२२	स्वायल	१४२४.०६	१४८६.०६	१६९७.००
	३/२०	स्वायल	२४३३.६०	२४३०.९४	२७०८.००
	७/२२	स्वायल	३४०७.०४	३४४३.३२	३७९१.००
	७/२०	स्वायल	४४७०.२४	४७९३.०४	६१९८.००
	७/१८	स्वायल	८४३६.४८	८७७३.९४	९३८८.००
	७/१६	स्वायल	१७८४६.४०	१८४६०.२६	१९८४९.००
	१९/१८	स्वायल	२१४१४.६८	२२२७२.३१	२३८३१.००
	१९/१६	स्वायल	३८९३७.६०	४०४९४.१०	४३३२९.००
	२/२०	स्वायल	१८९२.८०	१९६८.४१	२१०६.००
	२/२२	स्वायल	१२९७.९२	१३४९.८४	१४४४.००
	1.00mm drop wire	र.मि.	२७.०४	२८.१२	३०.००
४	MULTISTRAN FLEXIBLE CABLE(House Wiring),650/1100 volt Grade				
	0.50 mm PVC Copper Wire	स्वायल	१२१०.००	१२१०.००	१२९४.००
	0.75 mm PVC Copper Wire	स्वायल	१६७४.००	१६७४.००	१७९२.००
	1 mm PVC Copper Wire	स्वायल	२१९०.००	२१९०.००	२३४३.००
	1.5 mm PVC Copper Wire	स्वायल	३२७४.००	३२७४.००	३४०४.००
	2.5 mm PVC Copper Wire	स्वायल	४३७०.००	४३७०.००	४७४४.००
	4 mm PVC Copper Wire	स्वायल	८२१०.००	८२१०.००	८७८४.००
	6 mm PVC Copper Wire	स्वायल	१२१२४.००	१२१२४.००	१२९७३.००
	10 mm PVC Copper Wire	स्वायल	२०७९४.००	२०७९४.००	२२२४०.००
	16 mm PVC Copper Wire	स्वायल	२००००.००	२००००.००	२१४००.००
	Flexible wire 14/0060	स्वायल	४२०.००	४२०.००	४४६.००
	Flexible wire 23/0060	स्वायल	९४०.००	९४०.००	१०१६.००
	Flexible wire 40/0060	स्वायल	१७००.००	१७००.००	१८१९.००

Handwritten signatures and stamps at the bottom of the page, including a large 'X' mark and several names.

१०. विद्युत संबंधि सामग्रीहरु

मोरङ जिल्लाको आ.व. २०८१/०८२ को स्वीकृत जिल्ला बरदे

क्र.स.	विद्युतिय सामग्रीको नाम	इकाई	बु.ब. कर बाटोको बरदे		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
५	टेलिफोनको तार ९० मिटर सम्बाइ				
	२/२०	मीटर	२९२५.००	२९२५.००	३१२९.००
	२/२२	मीटर	२९६०.००	२९६०.००	३१९९.००
६	PAIR CABLES(TELEPHONE)				
	2 Pair	मिटर	२३.००	२३.००	२४.००
	3 Pair	मिटर	३३.००	३३.००	३५.००
	5 Pair	मिटर	५५.००	५५.००	५८.००
	10 Pair	मिटर	१०५.००	१०५.००	११२.००
	15 Pair	मिटर	१६०.००	१६०.००	१७१.००
	20 Pair	मिटर	२००.००	२००.००	२१४.००
	30 Pair	मिटर	२७०.००	२७०.००	२८८.००
	50 Pair	मिटर	४६०.००	४६०.००	४९२.००
७	हाथना / सि.पि.एन. / राडी स्तरको स्विच र सकेट				
	बेल स्वीच	गोटा	७७.९८	८१.०३	८६.००
	टेलिफोन सकेट	गोटा	१८६.७६	१९६.९०	२०९.००
	टि.मि. सकेट	गोटा	१३२.३०	१३८.९२	१४८.००
	वन ग्याङ वन वे स्वीच ६ एम्पियर	गोटा	१२०.०६	१२६.०३	१३४.००
	वन ग्याङ टु वे ६ एम्पियर	गोटा	१४६.७४	१५४.०८	१६४.००
	टु ग्याङ वन वे ६ एम्पियर	गोटा	१६५.३८	१७३.६४	१८४.००
	टु ग्याङ टु वे ६ एम्पियर	गोटा	२००.९०	२१०.९९	२२४.००
	थ्रि ग्याङ वन वे ६ एम्पियर	गोटा	२०९.४८	२१९.९५	२३५.००
	फोर ग्याङ वन वे ६ एम्पियर	गोटा	२९३.४९	३०८.९६	३२९.००
	सिक्स ग्याङ वन वे ६ एम्पियर	गोटा	४५३.५७	४७६.२५	५०९.००
	आठ ग्याङ वन वे ६ एम्पियर	गोटा	४९२.६६	५३८.३०	५७५.००
	टि.पि.स्वीच १६ रेखि ३२ एम्पियर	गोटा	२४८.०६	२६०.४७	२७८.००
	प्याकिङ प्लेट मिगल	गोटा	६६.९४	६९.४६	७४.००
	पावर सकेट १६ रेखि ३२ एम्पियर	गोटा	४६६.९९	४९०.२५	५२४.००
७क	Modular switches and plates ISI				
	Modular switch 1way 6A	गोटा	२९६.०९	२२६.८९	२४२.००
	Modular switch 2way	गोटा	३०६.५०	३२९.८२	३४४.००
	Modular Bell switch	गोटा	३८०.३६	३९९.३८	४२७.००
	Modular switch 1way 16A	गोटा	३४६.९९	३६३.४९	३८८.००
	RJ-11 one gang with shutter	गोटा	३०२.०९	३१७.९९	३३९.००
	5- pin socket 6A/10A	गोटा	३४६.९९	३६३.४९	३८८.००
	6/16A 3 pin shuttered socket	गोटा	४३०.३०	४४६.८२	४९४.००
	Indicator 1M	गोटा	२३५.९४	२४७.७३	२६५.००
	Modular 5 step Fan Dimmer 400W -2M	गोटा	१०९९.४८	११४६.०४	१२२६.००
	32A DP main switch -2M	गोटा	१००२.९७	१०४२.२८	११२५.००
	Combine Plates				
	Modular Combine Plates 1M	गोटा	१९०.००	१९०.००	२०३.००
	Modular Combine Plates 2M	गोटा	१९८.००	१९८.००	२११.००
	Modular Combine Plates 3M	गोटा	२२८.००	२२८.००	२४३.००
	Modular Combine Plates 4M	गोटा	२८३.००	२८३.००	३०२.००
	Modular Combine Plates 6M	गोटा	३८३.००	३८३.००	४०९.००
	Modular Combine Plates 8M	गोटा	४८८.००	४८८.००	५२२.००
	Modular Combine Plates 12M	गोटा	६०५.००	६०५.००	६४७.००
	Modular Combine Plates 18M	गोटा	८३३.००	८३३.००	८९९.००
	Surface mounting plastic Boxes				
	Modular Surface Box 1/2 Module	गोटा	१४०.००	१४०.००	१४९.००

(Handwritten signatures and notes at the bottom of the page)



१०. विद्युत संबन्धि सामग्रीहरु

क्र.स.	विद्युतीय सामग्रीको नाम	इकाई	मु.ब. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
	Modular Surface Box 3M	गोटा	१६३.००	१६३.००	१७८.००
	Modular Surface Box 4M	गोटा	१९०.००	१९०.००	२०३.००
	Modular Surface Box 6M	गोटा	२४८.००	२४८.००	२६४.००
	Modular Surface Box 8M	गोटा	२७८.००	२७८.००	२९३.००
	Modular Surface Box 12M	गोटा	३८३.००	३८३.००	४०९.००
८	वि.मि.सि. बाघारिइ लिष्ट डबल लक सिस्टम (६फिट लामो)				
	१२ मि.मि. चौडाइ	डोल गेज	४२.९०	४२.९०	४४.००
	१६ मि.मि. चौडाइ	डोल गेज	४०.६०	४०.६०	४४.००
	२० मि.मि. चौडाइ	डोल गेज	६८.२०	६८.२०	७२.००
	२४ मि.मि. चौडाइ	डोल गेज	८२.४०	८२.४०	८८.००
	३२ मि.मि. चौडाइ	डोल गेज	१०१.२०	१०१.२०	१०८.००
	४० मि.मि. चौडाइ	डोल गेज	११४.४०	११४.४०	१२३.००
	५० मि.मि. चौडाइ	डोल गेज	२६४.००	२६४.००	२८२.००
९	तामाको तार				
	१.५० मी.मी. (१० मीटर ब्यापत)	ब्यापत	२१२९.६०	२१२९.६०	२२७८.००
	२.५० ..	ब्यापत	३४६०.६०	३४६०.६०	३७०२.००
	४.०० ..	ब्यापत	६७४४.८३	६७४४.८३	७२२३.००
	६.०० ..	ब्यापत	८२४२.२०	८२४२.२०	८८२९.००
	8/10SWG copper bare wire	थियो	१३३१.००	१३३१.००	१४२४.००
१०	Concentric Cable				
	४ बर्ग मी.मी.	मिटर	३४.००	३४.००	३७.००
	५ बर्ग मी.मी.	मिटर	३७.००	३७.००	३९.००
	६ बर्ग मी.मी.	मिटर	४४.००	४४.००	४८.००
	१० बर्ग मी.मी.	मिटर	६०.००	६०.००	६४.००
	१६ बर्ग मी.मी.	मिटर	८४.००	८४.००	९०.००
	२५ बर्ग मी.मी.	मिटर	१३०.००	१३०.००	१३९.००
११	Automatic Voltage Stabilizer for AC & Computers				
	1KVA (90V-240V)	गोटा	७८००.००	७८००.००	८३४६.००
	2KVA (90V-240V)	गोटा	९७००.००	९७००.००	१०३७९.००
	3KVA (90V-240V)	गोटा	१३६४०.००	१३६४०.००	१४६०४.००
	4KVA (90V-240V)	गोटा	१६४८०.००	१६४८०.००	१७३४०.००
	5KVA (90V-240V)	गोटा	१९४४०.००	१९४४०.००	२०९१८.००
	8KVA (90V-240V)	गोटा	३४४४०.००	३४४४०.००	३६८६९.००
१२	आइ यस आइ वा एन यस प्रमाण चिन्ह भएको वा सो सरहको विजुली कम खपत गर्नु पंखा				
	सिलिड पंखा ४८"	गोटा	३६९०.००	३६९०.००	३६९०.००
	सिलिड पंखा ३६"	गोटा	३११४.००	३११४.००	३११४.००
	बाल फेन १६"	गोटा	४१९४.००	४१९४.००	४१९४.००
	एडजस्ट फेन १२"	गोटा	८३८४.००	८३८४.००	८३८४.००
	एडजस्ट फेन ९"	गोटा	२४९४.००	२४९४.००	२४९४.००
	टेबल पंखा २४"	गोटा	४३१०.००	४३१०.००	४३१०.००
	टेबल पंखा १६"	गोटा	४३१०.००	४३१०.००	४३१०.००
१३	Lighting Accessories				
	20 Watt FTL rod	गोटा	१४०.००	१४०.००	१४०.००
	36 Watt FTL rod	गोटा	१६०.००	१६०.००	१६०.००
	40 Watt FTL rod	गोटा	२४४.००	२४४.००	२४४.००
	40 Watt FTL ballast (Chowk)	गोटा	२६०.००	२६०.००	२६०.००
	150 Watt SV bulb	गोटा	२१४४.००	२१४४.००	२१४४.००
	250 Watt SV bulb	गोटा	२३१०.००	२३१०.००	२३१०.००
१४	Dyna or Equivqlent /CPL Switch Socket				
	16 Amp Switch Indicator	गोटा	१७३.२४	१७३.२४	१७३.२४
	6 Amp Uni Socket Switch Combined With S	गोटा	१४९.३९	१४९.३९	१४९.३९



१०. विद्युत संबन्धि सामग्रीहरु

क्र.स.	विद्युतिय सामग्रीको नाम	इकाई	मु.ब. कर बाहेकको दररेट		
			आ.ब. ०७९/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२
	Dimmer Single 400 Watt	गोटा	४९६.६४	४९६.६४	४९६.६४
	Dimmer Single 800 Watt	गोटा	४४८.४४	४४८.४४	४४८.४४
	16/6 Amp Combined S/Socket With Shutter	गोटा	१९०.४८	१९०.४८	१९०.४८
१४	Pannel Board Doubled door type with locking arrangement with two coat of red oxide metal primer and final coats enamel paints with TPNE CU Busbar and Acc.				
	60/100 Amp Panel Board 9" x 36" x 48"	सेट	१८९.७४.००	१८९.७४.००	१९९.२३.००
	60/100 Panel Board 12" x 36" x 48"	सेट	१८९.७४.००	१८९.७४.००	१९९.२३.००
	60/100 Panel Board 9" x 48" x 60"	सेट	१८९.७४.००	१८९.७४.००	१९९.२३.००
	60/100 Panel Board 12" x 48" x 60"	सेट	१८९.७४.००	१८९.७४.००	१९९.२३.००
	150/200 Panel Board 9" x 38" x 52"	सेट	३७९.४०.००	३७९.४०.००	३९८.४७.००
	150/200 Panel Board 12" x 38" x 52"	सेट	३७९.४०.००	३७९.४०.००	३९८.४७.००
	150/200 Panel Board 9" x 42" x 56"	सेट	३७९.४०.००	३७९.४०.००	३९८.४७.००
	16A/63 Amp MCCB , 10KA	सेट	७८.७४.००	७८.७४.००	८२.६८.००
	16A/63 Amp MCCB , 18KA	सेट	१२२.८४.००	१२२.८४.००	१२८.९९.००
	25A/100 Amp MCCB (25KA)	सेट	१०७.७०.००	१०७.७०.००	११२.४४.००
	125A/250 Amp MCCB (25KA)	सेट	२१४.२४.००	२१४.२४.००	२२६.०९.००
	25A/125 Amp MCCB (35KA)	सेट	१३०.२०.००	१३०.२०.००	१३६.७१.००
	125A/200 Amp MCCB (35KA)	सेट	२४१.४०.००	२४१.४०.००	२४३.४७.००
	250 Amp MCCB (35KA)	सेट	३३६.००.००	३३६.००.००	३४२.८०.००
	320A/400 Amp MCCB (35KA)	सेट	४३०.४०.००	४३०.४०.००	४४२.०३.००
	500 Amp MCCB (35KA)	सेट	४९८.७४.००	४९८.७४.००	५२३.६८.००
१६	Join Box Metal / PVC				
	4" x 4" Junction Box Metal	गोटा	४८.००	४८.००	६०.००
	4" x 6" Junction Box Metal	गोटा	७०.००	७०.००	७३.००
	6" x 8" Junction Box Metal	गोटा	११४.००	११४.००	१२०.००
	8" x 10" Junction Box Metal	गोटा	१६४.००	१६४.००	१७३.००
	10" x 12" Junction Box Metal	गोटा	२४२.००	२४२.००	२४४.००
	4" x 4" Junction Box PVC	गोटा	२३.००	२३.००	२४.००
	4" x 6" Junction Box PVC	गोटा	३६.००	३६.००	३७.००
	6" x 8" Junction Box PVC	गोटा	४०.००	४०.००	४२.००
	8" x 10" Junction Box PVC	गोटा	७४.००	७४.००	७७.००
१७	General Fittings.				
	Dome light 6" Decorative	गोटा	४८७.४०	४८७.४०	४९९.००
	Dome light 6" Decorative Brass	गोटा	४०६.२४	४०६.२४	४३९.००
	Dome light 8" Decorative	गोटा	८४४.००	८४४.००	८९७.००
	Dome light 8" Decorative Brace	गोटा	१३७४.००	१३७४.००	१४४३.००
	40-60 Watt Down Light	गोटा	४६२.४०	४६२.४०	४८४.००
	Dome light 6" Decorative with 10W led Bulb	गोटा	४८७.४०	४८७.४०	४९९.००
	10-15w Led Watt Down Light	गोटा	४६२.४०	४६२.४०	४८४.००
१८	Power Cable Copper Conductor Un- Armored 3 core				
	4mm ²	मिटर	३७०.००	३७०.००	३८८.००
	6mm ²	मिटर	४०४.००	४०४.००	४३०.००
	10mm ²	मिटर	८२४.००	८२४.००	८६६.००
	16mm ²	मिटर	१२४०.००	१२४०.००	१३१२.००
	25mm ²	मिटर	१९४४.००	१९४४.००	२०४२.००
	35mm ²	मिटर	२६४४.००	२६४४.००	२७७७.००
	25mm ² 2 core	मिटर	१३२४.००	१३२४.००	१३९९.००
	35mm ² 2 core	मिटर	१७९०.००	१७९०.००	१८७९.००
	Pin Insulator	मिटर	२४४.००	२४४.००	२६७.००

Handwritten signatures and notes at the bottom of the page, including names like 'Sanku' and 'S. P. Singh'.



१०. विद्युत संबन्धि सामग्रीहरू

क्र.स.	विद्युतिय सामग्रीको नाम	इकाई	मु.ब. कर भाडेको दररेट		
			आ.ब. ०७९/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२
	35mm ² Cable Socket	गोटा	३०.००	३०.००	३१.००
	H.T.Tape	गोटा	१५०.००	१५०.००	१५३.००
	Buzzer	गोटा	७५.००	७५.००	७८.००
	Musical Bell	गोटा	४००.००	४००.००	४२०.००
१९	Power Cable Almunium Conductor Armored				
	10mm ² x 4 Core	मिटर	३१०.००	३१०.००	३२२.००
	16mm ² 4 Core	मिटर	४३०.००	४३०.००	४४१.००
	25mm ² 4 Core	मिटर	५९०.००	५९०.००	६१९.००
	35mm ² 4 Core	मिटर	७२०.००	७२०.००	७५६.००
	50mm ² 4 core	मिटर	९८०.००	९८०.००	१०२९.००
	70mm ² 4core	मिटर	१२५०.००	१२५०.००	१३१२.००
	95mm ² 4core	मिटर	१६४०.००	१६४०.००	१७२२.००
	120mm ² 4core	मिटर	२१००.००	२१००.००	२२०५.००
२०	Power Cable Almunium Conductor Un-Armored				
	10mm ² x 4 Core	मिटर	२००.००	२००.००	२१०.००
	16mm ² 4 Core	मिटर	३४५.००	३४५.००	३६२.००
	25mm ² 4 Core	मिटर	४९०.००	४९०.००	५१४.००
	35mm ² 4 Core	मिटर	६१०.००	६१०.००	६४०.००
	50mm ² 4 core	मिटर	८७०.००	८७०.००	९१३.००
	70mm ² 4core	मिटर	११५०.००	११५०.००	१२०३.००
	95mm ² 4core	मिटर	१५५५.००	१५५५.००	१६३२.००
	120mm ² 4core	मिटर	१९१५.००	१९१५.००	२०१०.००
२१	Power Cable Copper Conductor Un- Armored 4 core				
	10mm ² x 4 Core	मिटर	१०६०.००	१०६०.००	१११३.००
	16mm ² 4 Core	मिटर	१६८५.००	१६८५.००	१७६९.००
	25mm ² 4 Core	मिटर	२५५०.००	२५५०.००	२६३७.००
	35mm ² 4 Core	मिटर	३५५५.००	३५५५.००	३७३२.००
	50mm ² 4 core	मिटर	५०३०.००	५०३०.००	५२८१.००
	70mm ² 4core	मिटर	७१३०.००	७१३०.००	७४८६.००
	95mm ² 4core	मिटर	९८४०.००	९८४०.००	१०३४२.००
	120mm ² 4core	मिटर	१२४५०.००	१२४५०.००	१३०७२.००
२२	Power Cable Copper Conductor Armored 4 core				
	1mm ²	मिटर	८५.००	८५.००	८९.००
	2.5mm ²	मिटर	४१०.००	४१०.००	४३०.००
	4mm ² 4 core	मिटर	४९५.००	४९५.००	६२४.००
	6mm ² 4 core	मिटर	८००.००	८००.००	८४०.००
	10mm ² 4 core	मिटर	११८०.००	११८०.००	१२३९.००
	16mm ² 4 core	मिटर	१७८०.००	१७८०.००	१८६९.००
	25mm ² 4 core	मिटर	२६२५.००	२६२५.००	२७५६.००
	35mm ² 4 core	मिटर	३६६०.००	३६६०.००	३८४३.००
	50mm ² 4 core	मिटर	५१५०.००	५१५०.००	५४०३.००
	70mm ² 4 core	मिटर	७२३५.००	७२३५.००	७५९६.००
	95mm ² 4 core	मिटर	९९५०.००	९९५०.००	१०४४३.००
	120mm ² 4core	मिटर	१२५७५.००	१२५७५.००	१३२०३.००
२३	Cable Shoe				
	16 sq mm Cable Shoe	गोटा	२०.००	२०.००	२१.००
	25 sq mm Cable Shoe	गोटा	३०.००	३०.००	३१.००
	35 sq mm Cable Shoe	गोटा	३३.००	३३.००	३४.००



मोरङ जिल्लाको आ.च. २०८१/०८२ को स्वीकृत जिल्हा दररेट






१०. विद्युत संबन्धि सामग्रीहरु

क्र.स.	विद्युतिय सामग्रीको नाम	इकाई	मु.ब. कर बाहेकको दररेट		
			आ.ब. ०७९/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२
	50 Sq mm Cable Shoe	गोटा	४५.००	४५.००	४७.००
२४	Switch Gears (ISI) Mark				
	16 Amp 415 Volt DP Main Switch S	गोटा	१२१०.००	१२१०.००	१२७०.००
	32 Amp 415 Volt DP Main Switch S	गोटा	२७५०.००	२७५०.००	२८८७.००
	63 Amp 415 Volt DP Main Switch S	गोटा	७४४४.८०	७४४४.८०	७८१७.००
	100 Amp 415 Volt DP Main Switch	गोटा	१४१८०.००	१४१८०.००	१४९३९.००
	16 Amp 415 Volt TP Main Switch	गोटा	३३००.००	३३००.००	३४६५.००
	32 Amp 415 Volt TP Main Switch	गोटा	४५७६.००	४५७६.००	४८०४.००
	63 Amp 415 Volt TP Main Switch	गोटा	१०४४४.६०	१०४४४.६०	१०९६७.००
	100 Amp 415 Volt TP Main Switch	गोटा	१९६३२.८०	१९६३२.८०	२०६१४.००
	200 Amp 415 Volt TP Main Switch	गोटा	२९१४५.६०	२९१४५.६०	३०६०२.००
	16 Amp 415 Volt Change over Switch	गोटा	४४००.००	४४००.००	४६२०.००
	32 Amp 415 Volt Change over Switch	गोटा	४५००.००	४५००.००	४७७५.००
	63 Amp 415 Volt Change over Switch	गोटा	११४२०.२०	११४२०.२०	११९९१.००
	100 Amp 415 Volt Change over Switch	गोटा	२२६६८.८०	२२६६८.८०	२३८०२.००
	200 Amp 415 Volt Change over Switch	गोटा	३४००३.२०	३४००३.२०	३५७०३.००
	300 Amp 415 Volt Change over Switch	गोटा	४५३३७.६०	४५३३७.६०	४७६०४.००
	63 Amp Bus Bar Chamber	गोटा	७७७७.००	७७७७.००	८१६५.००
	100 Amp Bus Bar Chamber	गोटा	१३३४८.४०	१३३४८.४०	१४०२६.००
	200 Amp Bus Bar Chamber	गोटा	१७६००.००	१७६००.००	१८४८०.००
	300 Amp Bus Bar Chamber	गोटा	२४०८५.६०	२४०८५.६०	२४२८९.००
२५	MCB and Distribution Board Geco. ISI Or NS & Eqv.				
	6-32 Amp SP MCB	गोटा	२४८.००	२४८.००	२६०.००
	6-32 Amp DP MCB	गोटा	८४८.००	८४८.००	८९०.००
	6-32 Amp TP MCB	गोटा	१३६९.००	१३६९.००	१४२९.००
	6-32 Amp TPN MCB	गोटा	१७८५.००	१७८५.००	१८७४.००
	40-60 Amp SP MCB	गोटा	२००२.००	२००२.००	२१०२.००
	40-60 Amp DP MCB	गोटा	१७०५.००	१७०५.००	१७९०.००
	40-60 Amp TP MCB	गोटा	२४२०.००	२४२०.००	२४४९.००
	40-60 Amp TPN MCB	गोटा	३०३६.००	३०३६.००	३१८७.००
	4/8/12/16 Way SPN DB Double Cover	गोटा	१४९५.००	१४९५.००	१६७४.००
	4 Way SPN DB Double Cover	गोटा	४२५७.००	४२५७.००	४४६९.००
	6 Way SPN DB Double Cover	गोटा	४२८०.००	४२८०.००	४४४४.००
	8 Way SPN DB Double Cover	गोटा	६६००.००	६६००.००	६९३०.००
	12 Way SPN DB Double Cover	गोटा	९२०७.००	९२०७.००	९६६७.००
	3 Way TPN DB Double Cover	गोटा	४४३८.४०	४४३८.४०	४८१२.००
	4 Way TPN DB Double Cover	गोटा	३४१४.४०	३४१४.४०	३६९०.००
	6 Way TPN DB Double Cover	गोटा	४३०१.००	४३०१.००	४४९६.००
	8 Way TPN DB Double Cover	गोटा	४४३८.४०	४४३८.४०	४८१२.००
	2 Pole PVC MCB Box	गोटा	८२.४०	८२.४०	८६.००
	4 Pole PVC MCB Box	गोटा	२४७.४०	२४७.४०	२५९.००
२६	Tube Light Set				
	1 x 18/20 W FTL, Chok type	गोटा	६४०.००	६४०.००	६४०.००
	1 x 36/40 W FTL, Chok type	गोटा	६४०.००	६४०.००	६४०.००
	1 x 36 W FTL, Decorative Luminaire Chok type	गोटा	१६४०.००	१६४०.००	१६४०.००
	1 x 18/20 W FTL, Electronic Ballast Type	गोटा	७९०.००	७९०.००	७९०.००
	1 x 36/40 W FTL, Electronic Ballast Type	गोटा	७५०.००	७५०.००	७५०.००
	2 x 18/36W FP-L, Electronic Ballast Type	गोटा	२६४४.००	२६४४.००	२६४४.००
	2 x 36W FP-L, Electronic Ballast Type	गोटा	३१९०.००	३१९०.००	३१९०.००



१०. विद्युत संबन्धि सामग्रीहरु

क्र.स.	विद्युतिय सामग्रीको नाम	इकाई	मु.ब. कर बाहेकको दररेट		
			आ.ब. ०७९/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२
	Titan Globe 200mm in PMMA With wall bracket	गोटा	८४०.००	८४०.००	८४०.००
	Opel Sun ceiling Mounting 01 PMMA with ceiling Bracket	गोटा	१३३४.००	१३३४.००	१३३४.००
	Ceiling Dome Decorative type	गोटा	१२७०.००	१२७०.००	१२७०.००
२६	LED Tube Light Set (6500K)				
	LED Tubelight 18W	गोटा	३०८.००	३०८.००	३०८.००
	LED Tubelight with Holder 18W	गोटा	४८६.००	४८६.००	४८६.००
२७	Surface mounting Downlight(3000K/6500K)				
	Downlight Square 6watt	गोटा	४१०.००	४१०.००	४१०.००
	Downlight Square 12watt	गोटा	७२२.००	७२२.००	७२२.००
	Downlight Square 18watt	गोटा	८९४.००	८९४.००	८९४.००
	Downlight Round 6watt	गोटा	४१०.००	४१०.००	४१०.००
	Downlight Round 12watt	गोटा	७२२.००	७२२.००	७२२.००
	Downlight Round 18watt	गोटा	९००.००	९००.००	९००.००
२८	Recess Mounting Downlight(3000K/6500K)				
	Downlight Square 6watt	गोटा	४८६.००	४८६.००	४८६.००
	Downlight Square 12watt	गोटा	६४०.००	६४०.००	६४०.००
	Downlight Square 18watt	गोटा	८४८.००	८४८.००	८४८.००
	Downlight Round 6watt	गोटा	४८६.००	४८६.००	४८६.००
	Downlight Round 12watt	गोटा	६४०.००	६४०.००	६४०.००
	Downlight Round 18watt	गोटा	८४८.००	८४८.००	८४८.००
	LED Panel Light(Slim) 2ftx2ft.38W	गोटा	४४७२.००	४४७२.००	४४७२.००
	LED Panel cover (Surface/Recess) 2ftx2ft.	गोटा	८४८.००	८४८.००	८४८.००
२९	Flood Light(6500K)				
	Flood Lights 20W	गोटा	१४०८.००	१४०८.००	१४०८.००
	Flood Lights 30W	गोटा	१८०८.००	१८०८.००	१८०८.००
	Flood Lights 50W	गोटा	२६२९.००	२६२९.००	२६२९.००
	Flood Lights 100W	गोटा	४०७२.००	४०७२.००	४०७२.००
	Titan Globe 200mm in PMMA With wall bracket	गोटा	८४०.००	८४०.००	८४०.००
	Opel Sun ceiling Mounting 01 PMMA with ceiling Bracket	गोटा	१३३४.००	१३३४.००	१३३४.००
	Ceiling Dome Decorative type	गोटा	१२७०.००	१२७०.००	१२७०.००
	LED Footlight-4M	गोटा	१२४०.००	१२४०.००	१२४०.००
	LED Footlight-2M	गोटा	११८८.००	११८८.००	११८८.००
	LED Streetlight 100w, IP66, ISI/ISO/NS	गोटा	९४००.००	९४००.००	९४००.००
	LED Streetlight 50w, IP66, ISI/ISO/NS	गोटा	८०००.००	८०००.००	८०००.००
	LED 40W ,12V Sincere System for Solar	गोटा	१८०८०.००	१८०८०.००	१८०८०.००
३०	General Board type switch accessories(ISO/ISI)				
	1 way switch	गोटा	३०.००	३०.००	३१.००
	2 way switch	गोटा	३६.००	३६.००	३७.००
	Kitkat Fuse 10A	गोटा	४४.००	४४.००	४७.००
	Indicator	गोटा	३६.००	३६.००	३७.००
	5-pin Socket	गोटा	४२.००	४२.००	४४.००
	2-pin Socket	गोटा	४४.००	४४.००	४७.००
	Bell switch	गोटा	३४.००	३४.००	३६.००
	Pipering paintent holder	गोटा	३०.००	३०.००	३१.००
	Batten Holder	गोटा			
	Angle Holder	गोटा	४०.८०	४०.८०	४२.००
	Ceiling Rose	गोटा	३६.००	३६.००	३७.००



१०. विद्युत संबन्धि सामग्रीहरु

क्र.स.	विद्युति सामग्रीको नाम	इकाई	मु.म. कर माहको दररेट		
			आ.ब. ०७९/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२
	TV socket	गोटा	३८.४०	३८.४०	४०.००
	Telephone Socket	गोटा	३८.४०	३८.४०	४०.००
	Step regulator	गोटा	४०८.००	४०८.००	४२८.००
	Dimmer 400w sw type	गोटा	३३०.००	३३०.००	३४६.००
	6 & 16A socket	गोटा	१४४.००	१४४.००	१४९.००
	5-in- one power socket	गोटा	२८२.००	२८२.००	२९६.००
	S.S combined Power socket	गोटा	४२९.०८	४२९.०८	४४२.००
	32A DP mainswitch	गोटा	६६०.००	६६०.००	६९३.००
	6A multi plug Bakelite	गोटा	४२.००	४२.००	४४.००
	16A multi plug Bakelite	गोटा	१४०.००	१४०.००	१४७.००
	2 pin top plug 6A	गोटा	४६.८०	४६.८०	४९.००
	3 pin top plug 6A	गोटा	६८.४०	६८.४०	७१.००
	3 pin top plug 16A	गोटा	१४४.००	१४४.००	१४९.००
	Electric Bell(Buzer)	गोटा	१२६.००	१२६.००	१३२.००
	Electric Bell(ding dong)	गोटा	३२४.००	३२४.००	३४०.००
	Electric Bell(BulBul)	गोटा	४३२.००	४३२.००	४४३.००
	Electric Bell(musical)	गोटा	४६८.००	४६८.००	४९१.००
	Tube side holder	गोटा	३०.००	३०.००	३१.००
	19mm Saddle	गोटा	३.००	३.००	३.००
	19mm Elbow	गोटा	२.४०	२.४०	२.००
	19mm Tee	गोटा	३.६०	३.६०	३.००
	19mm J.Box	गोटा	१४.४०	१४.४०	१४.००
	25mm Saddle	गोटा	६.००	६.००	६.००
	25mm Elbow	गोटा	३.६०	३.६०	३.००
	25mm Tee	गोटा	३.६०	३.६०	३.००
	25mm J.Box	गोटा	१९.२०	१९.२०	२०.००
	Round plate	गोटा	१२.००	१२.००	१२.००
	Mounting Box 3" x 3"	गोटा	२०.००	२०.००	२१.००
	Mounting Box 5" x 3"	गोटा	६०.००	६०.००	६३.००
	Plastic Board 4" x 4"	गोटा	२२.००	२२.००	२३.००
	Plastic Board 7" x 4"	गोटा	४२.६०	४२.६०	४७.००
	Plastic Board 8" x 8"	गोटा	६०.००	६०.००	६३.००
	Plastic Board 8" x 10"	गोटा	६४.००	६४.००	६८.००
	S/S Box	गोटा	२४.००	२४.००	२६.००
	5 in 1 Box	गोटा	२७.००	२७.००	२८.००
३१	Supply, delivery, embedding and installation of (600 x 600 x 3)mm electrolytically pure copper plate at least 3m below the ground level surrounded by alternate layer of charcoal and common salt to thickness of 300mm around the electrode effectively grounded by means of 8SWG bare copper conductor running from earth plate to MPB and to all FDB's including the necessary connecting, fixing and jointing materials as well as excavation and backfilling works as per drawing, specification, electricity rules and instruction all complete.	गोटा	२००००.००	२००००.००	२१०००.००
३२	Copper wound Distribution Outdoor Transformer With First Filling Of Oil Ex -factory				
	11/0.4kv 15 KVA 3 Phase , 50Hz ONAN	गोटा	१९९०००.००	१९९०००.००	२०८९४०.००
	11/0.4kv 25 KVA 3 Phase , 50Hz ONAN	गोटा	२६१४००.००	२६१४००.००	२७४४७०.००
	11/0.4kv 50 KVA 3 Phase , 50Hz ONAN	गोटा	३७३०००.००	३७३०००.००	३९१६४०.००
	11/0.4kv 75 KVA 3 Phase , 50Hz ONAN	गोटा	४८१०००.००	४८१०००.००	५०४०४०.००
	11/0.41s, 100 KVA 3 Phase , 50Hz ONAN	गोटा	५९०६००.००	५९०६००.००	६२०१३०.००
	11/0.41s, 125 KVA 3 Phase , 50Hz ONAN	गोटा	७०००००.००	७०००००.००	७३४०००.००

Handwritten signatures and initials at the bottom of the page, including names like 'Suman', 'S.K.', and others.



१०. विद्युत संबन्धि सामग्रीहरू

क्र.स.	विद्युत सामग्रीको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
	11/0.41s, 150 KVA 3 Phase , 50Hz ONAN	गोटा	६०००००.००	६०००००.००	६४००००.००
	11/0.410/ 200 KVA 3 Phase , 50Hz ONAN	गोटा	१०२३९००.००	१०२३९००.००	१०७५०९५.००
	11/0.410/ 250 KVA 3 Phase , 50Hz ONAN	गोटा	१०९७४००.००	१०९७४००.००	११५२२७०.००
	11/0.410/ 300 KVA 3 Phase , 50Hz ONAN	गोटा	११७०९००.००	११७०९००.००	१२२९४४५.००
३३	Indian low loss Transformer				
	No load- 75, Loadless 460 (25 KVA)	गोटा	२२००००.००	२२००००.००	२३१०००.००
	No load- 120, Loadless 750 (50 KVA)	गोटा	३२००००.००	३२००००.००	३३६०००.००
	No load- 220 Loadless 1210 (100 KVA)	गोटा	४२००००.००	४२००००.००	४४१०००.००
३४	ACSR Conductor Wire				
	0.10 sq Inch (DOG)	र.मि.	११५.६८	११५.६८	१२१.००
	0.05 sq Inch (Rabbit)	र.मि.	६१.०१	६१.०१	६४.००
	0.03 sq Inch (Weasel)	र.मि.	४०.००	४०.००	४२.००
	0.02 Sqinch	र.मि.	२४.००	२४.००	२५.००
	0.03 Sqinch	र.मि.	३४.००	३४.००	३५.००
	0.05 Sqinch	र.मि.	६०.००	६०.००	६३.००
३५	LT/HT Accessories (DTH/ SB/Bhell or equ. ISI NEEK				
	11 kv Disc insulator with grapher (3 Bolt)	सेट	१४५०.००	१४५०.००	१५२२.००
	11 kv Pin insulator with Spindel	सेट	२५५.००	२५५.००	२६७.००
	11 KVA Drop out fuse	सेट	१२०७५.००	१२०७५.००	१२६७८.००
	D - iron det with shakle insulator	सेट	१५०.००	१५०.००	१५७.००
	Stay Assembly complete set	सेट	१४५०.००	१४५०.००	१५२२.००
	Stay wire (NS 7/12 Gauge	के.जि.	१०२.००	१०२.००	१०७.००
	Lighting Arrester	सेट	६३२५.००	६३२५.००	६६४१.००
	Earthing Set	सेट	२८००.००	२८००.००	२९४०.००
	H.T.Tape	यान	१७०.००	१७०.००	१७८.००
३६	स्टे बाबर ७/१२	के.जि.	१२०.००	१२०.००	१२६.००
३७	स्टे एलेमी सेट १२x१२, ६ मिमि सेट	सेट	१६००.००	१६००.००	१६८०.००
३८	Supplying and fixing AC set with all accessories and fitting				
	Split type 1.5 ton AC18000BTU automatic degital controll hot and cold dust and rust free with automatic power stabilizer complete	सेट	११८६००.००	११८६००.००	१२४५३०.००
	Split type 1.2 ton AC12000BTU (120 Sqft) automatic degital controll hot and cold dust and rust free with automatic power stabilizer complete	सेट	८४०००.००	८४०००.००	८८२००.००
३९	Supplying and fixing electric gizer set with all accessories and fitting				
	Split type 1.5 ton AC18000BTU automatic degital controll hot and cold dust and rust free with automatic power stabilizer complete	सेट	११८६००.००	११८६००.००	१२४५३०.००
	Split type 1.2 ton AC12000BTU (120 Sqft) automatic degital controll hot and cold dust and rust free with automatic power stabilizer complete	सेट	८४०००.००	८४०००.००	८८२००.००
४०	Power inverter				
	900VA inverter		१२०००.००	१२०००.००	१२६००.००
	1500VA inverter		१८०००.००	१८०००.००	१८९००.००
४१	100 AH GEL Tubelor Battery for Solar 12V DC		३६१६०.००	३६१६०.००	३६९६०.००
४१	150 AH Tubelor battery		३४५००.००	३४५००.००	३५५००.००
४२	200 AH Tubelor battery		४४५००.००	४४५००.००	४५५००.००
	For CCTV CAMERA				
४३	ZKTEco bullet ip camera 2MP H 265 real time coding,3D DNR,DWDR,IR-CUT FILTER ,day and night,poE power supply, lighting protection up to 6kv,IP67, ingress protection, support ios/Android phone/ pad,remote monitoring, video linkage with access control system(Bio security 3.0)	8pcs	९१३५.००	९१३५.००	९१३५.००



१०. विद्युत संबन्धि सामग्रीहरु






क्र.स.	विद्युतिय सामग्रीको नाम	इकाई	मु.ब. कर बाहेकको बरदेत		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
४४	ZKTEco NVR 8CHH/H.264 compression NVR support VGA maximum 1080p output, HDMI upto 4k output, Adopt standard H.265 high profile compression to get high quality video at much lower bitrate,multi mode recording	1pcs	१०८७५.००	१०८७५.००	१०८७५.००
	POE switch 8+1	2 pcs	१०८७५.००	१०८७५.००	१०८७५.००
	cat5 cable(pro link)	700mtr	३०.४५	३०.४५	३०.४५
	HDD 4 TB	1pcs	१९१४०.००	१९१४०.००	१९१४०.००
	HDMI CABLE 2MTR	1pcs	४३५.००	४३५.००	४३५.००
	Power cable 1.5"	300mtr	२६.१०	२६.१०	२६.१०
	LED TV 39" smart	1pcs	४५२४०.००	४५२४०.००	४५२४०.००
	Other ACCESSORIES	-	८७००.००	८७००.००	८७००.००
	installation charge	-	१३०५०.००	१३०५०.००	१३०५०.००
	900 VA invertor	1pcs	१०४४०.००	१०४४०.००	१०४४०.००
	Exide battery 100AH	1pcs	१९१४०.००	१९१४०.००	१९१४०.००
	Vpanel 50mm	per sqft	२४२.३०	२४२.३०	२४२.३०
	Vpanel 75 mm	per sqft	३३९.३०	३३९.३०	३३९.३०
	Vpanel 90mm	per sqft	४६९.८०	४६९.८०	४६९.८०
	Vpanel 100mm	per sqft	५४८.१०	५४८.१०	५४८.१०
४५	Wall Bracket/Spot Light/Mirror Light Bulk head Single Direct Ord. Prince or equivalent	Set	४६६.४०	४६६.४०	४६६.४०
४६	Dinning Lamp Decorative Med	Set	२३१०.००	२३१०.००	२३१०.००
४७	Chandlers Lamp 3-5 Lamp Med	Set	४६१०.००	४६१०.००	४६१०.००
४८	Chandlers Lamp 6-8 Lamp Med	Set	८१४०.००	८१४०.००	८१४०.००
४९	IS. 3043 Copper Plate 80x80x3.15	Set	३६३०.००	३६३०.००	३६३०.००
५०	IS. 3043 Copper Plate 65x65x3.15	Set	१९८०.००	१९८०.००	१९८०.००
५१	G.No. 10 Plastic Coated Cu. Wire	Set	२१५०.५०	२१५०.५०	२१५०.५०
५२	G.No. 12 Plastic Coated Cu. Wire	Set	२१५०.५०	२१५०.५०	२१५०.५०
५३	0-100 Watt Bulb(ISI)	NO	२६.४०	२६.४०	२६.४०
५४	5-25 Watt CFL(Energy Saver Lamp)	NO	१८७.००	१८७.००	१८७.००
Other Material List of NEA					
	Distribution Transformer 50 KVA	Nos	२७५३०८.०८	२७५३०८.०८	२८९१४६.००
	Distribution Transformer 100 KVA	Nos	३३५९०४.१०	३३५९०४.१०	३५२६९९.००
	Distribution Transformer 200 KVA	Nos	४७९१७०.४६	४७९१७०.४६	५०३१२८.००
	Distribution Transformer 300 KVA	Nos	५८६५९९.३५	५८६५९९.३५	६१५९२०.००
	11 KV Lightening Arrestor	Nos	१३०७.४६	१३०७.४६	१३०७.४६
	11 KV Drop Out Fuse Cut Out	Nos	१७७९.१७	१७७९.१७	१७७९.१७
	11 KV Drop Out Fuse Barrel	Set	२४४२.४०	२४४२.४०	२४४२.४०
	11 KV Disc Insulator Tension Ded-End Clamp	Nos	९६९.२९	९६९.२९	९६९.२९
	33 KV Disc Insulator with Tension Set.	Set	१२३८.४९	१२३८.४९	१२३८.४९
	11 KV Pin Insulator with Spindle	Set	२४८.७८	२४८.७८	२४८.७८
	33 KV Pin Insulator with Spindle	Set	८२९.४४	८२९.४४	८२९.४४
	Diron with Shackle Insulator	Nos	९९.८१	९९.८१	९९.८१
	100 sq mm XLPE Cable	Meter	१५०.२२	१५०.२२	१५०.२२
	ABC Cable 95 Sq mm	Meter	४५१.३८	४५१.३८	४५१.३८
	ABC Cable 50 Sq mm	Meter	२४१.५९	२४१.५९	२४१.५९
	95 Sq mm 4c Ancher Clamp	Nos	४०२.३३	४०२.३३	४०२.३३
	50 Sq mm 4c Ancher Clamp	Nos	३४७.६१	३४७.६१	३४७.६१
	Power Cable Single Core 300 Sq mm	Meter	१५८२.००	१५८२.००	१५८२.००
	Stay Set LT with Complete Set	Set	१५२१.९७	१५२१.९७	१५२१.९७
	Stay Set HT with Complete Set	Set	३५३३.८९	३५३३.८९	३५३३.८९
	Stay Wire	Kg	११८.१२	११८.१२	११८.१२
	Stay Insulator	Nos	६०.४०	६०.४०	६०.४०
	33 KV Stay Insulator	Nos	६७.८०	६७.८०	६७.८०
	Copper Earthing Rod	Nos	३३२५.१९	३३२५.१९	३३२५.१९



मोरङ जिल्लाको आ.ब. २०८१/०८२ को स्वीकृत बिल्ला दररेट

१०. विद्युत संबन्धि सामग्रीहरु

क्र.सं.	विद्युतिय सामग्रीको नाम	इकाई	मु.ब. कर बाहेकको दररेट		
			आ.ब. ०७९/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२
	Copper Earthing Wire	Kg	२१५७.९६	२१५७.९६	२१५७.९६
	Earthing Pipe HD	Meter	८०.२३	८०.२३	८०.२३
	Cable Socket Copper 95 Sq mm	Nos	६३८.३६	६३८.३६	६३८.३६
	Cable Socket Copper 120 Sq mm	Nos	५८९.६६	५८९.६६	५८९.६६
	Cable Socket Copper 150 Sq mm	Nos	११५८.२५	११५८.२५	११५८.२५
	Cable Socket Copper 185 Sq mm	Nos	१३३७.६०	१३३७.६०	१३३७.६०
	Cable Socket Copper 240 Sq mm	Nos	१५३५.३३	१५३५.३३	१५३५.३३
	Cable Socket Copper 300 Sq mm	Nos	२२६०.००	२२६०.००	२२६०.००
	MCCB 50 Amp.	Nos	१७९०.६७	१७९०.६७	१७९०.६७
	MCCB 80 to 100 Amp, 500 Volt	Nos	८२४९.८८	८२४९.८८	८२४९.८८
	MCCB 150 Amp	Nos	१५९५०.००	१५९५०.००	१५९५०.००
	MCCB 160 Amp, 440 Volt	Nos	८०८१.४२	८०८१.४२	८०८१.४२
	MCCB 200 Amp	Nos	१७९२१.३९	१७९२१.३९	१७९२१.३९
	MCCB 250 Amp	Nos	४१३५.०७	४१३५.०७	४१३५.०७
	MCCB 300 Amp	Nos	११५२०.३९	११५२०.३९	११५२०.३९
	Kit Cut Fuse 200 Amp	Nos	१५०.००	१५०.००	१५०.००
	Kit Cut Fuse 300 Amp	Nos	२६८.२३	२६८.२३	२६८.२३
	GI Crossarm Channel 2500 mm (25 kg)	Nos	३२९९.२५	३२९९.२५	३२९९.२५
	GI Crossarm Channel 1200 mm (12 kg)	Nos	१५४८.१२	१५४८.१२	१५४८.१२
	GI Crossarm Channel 600 mm (6 Kg)	Nos	७९८.४८	७९८.४८	७९८.४८
	GI Crossarm Channel 300 mm (3 Kg)	Nos	३८९.३७	३८९.३७	३८९.३७
	Long ' T ' Channel (26.10 Kg)	Nos	३३६७.१६	३३६७.१६	३३६७.१६
	Short ' T ' Channel (17 Kg)	Nos	२१४३.१९	२१४३.१९	२१४३.१९
	Nut Bolt 4 Sq mm 12" Half Thread	Kg	३१०.४२	३१०.४२	३१०.४२
	Nut Bolt 4 Sq mm 8" Full Therad	Kg	२०१.७३	२०१.७३	२०१.७३
	Nut Bolt 4 Sq mm 7"× 8" Half Thread	Kg	२९०.०३	२९०.०३	२९०.०३
	Nut Bolt 2 Sq mm 4×8×2" Full Thread	Nos	४.५६	४.५६	४.५६
	Nut Bolt 5 Sutta 3 Inch	Kg	२२०.००	२२०.००	२२०.००
	Nut Bolt 5 Sutta 9 Inch	Kg	२२०.००	२२०.००	२२०.००
	Nut Bolt 5 Sutta 7 Inch	Kg	२२०.००	२२०.००	२२०.००
	Nut Bolt 2.5 Inch	Kg	१४२.६८	१४२.६८	१४२.६८



 मू.ब. वि. - 





१०. विद्युत संबन्धि सामग्रीहरू

क्र.स.	विद्युतिय सामग्रीको नाम	इकाई	मु.भ. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
	Nut Bolt 5 Inch	Kg	१६४.२०	१६४.२०	१६४.२०
	Nut Bolt 6 Inch	Kg	१९४.४३	१९४.४३	१९४.४३
	Pole Clamp (1.4 Kg)	Nos	२१३.४७	२१३.४७	२१३.४७
	LT CT 50/5 Amp	Nos	३४३.२७	३४३.२७	३४३.२७
	LT CT 100/5 Amp	Nos	३२७.०४	३२७.०४	३२७.०४
	LT CT 200/5 Amp	Nos	३२४.९७	३२४.९७	३२४.९७
	LT CT 300/5 Amp	Nos	४०७.४३	४०७.४३	४०७.४३
	LT CT 400/5 Amp	Nos	३९४.७२	३९४.७२	३९४.७२
	Wire Cutter 18 Inch	Nos	१०७३४.००	१०७३४.००	१०७३४.००
	Girmit	Nos	२४.३४	२४.३४	२४.३४
	Slide Wrench 8 Inch	Nos	९६०.४०	९६०.४०	९६०.४०
	Slide Wrench 12 Inch	Nos	९०४.००	९०४.००	९०४.००
	Tester	Nos	१२४.४६	१२४.४६	१२४.४६
	Nose Plier Medium	Nos	४६३.३०	४६३.३०	४६३.३०
	Earth Resistance Tester	Nos	९०४००.००	९०४००.००	९०४००.००
	5000 Volt High Voltage Insulation Tester	Nos	९९४४०.००	९९४४०.००	९९४४०.००
55	हाउस बाइरिङ तार (नर्मल)				
1	0.75 एम एम	प्रति काइल	१४१९.४६	१४१९.४६	१४१९.४६
2	1.0 एम एम	प्रति काइल	१८४६.०२	१८४६.०२	१८४६.०२
3	1.5 एम एम	प्रति काइल	२७७४.४६	२७७४.४६	२७७४.४६
4	2.5 एम एम	प्रति काइल	४४४१.०७	४४४१.०७	४४४१.०७
5	4.0 एम एम	प्रति काइल	६९४७.९७	६९४७.९७	६९४७.९७
6	6.0 एम एम	प्रति काइल	१०२७४.९३	१०२७४.९३	१०२७४.९३
7	10.0 एम एम	प्रति काइल	१७६२३.७६	१७६२३.७६	१७६२३.७६
56	लिडबल्व- चाईनिज				
1	३ वाट	प्रति थान	९३.७४	९३.७४	९३.७४
2	५ वाट	प्रति थान	१२३.७४	१२३.७४	१२३.७४
3	७ वाट	प्रति थान	१४३.७४	१४३.७४	१४३.७४
4	९ वाट	प्रति थान	१७६.२४	१७६.२४	१७६.२४
5	१२ वाट	प्रति थान	२१०.००	२१०.००	२१०.००
6	१५ वाट	प्रति थान	२७७.४०	२७७.४०	२७७.४०
7	२० वाट	प्रति थान	३८२.४०	३८२.४०	३८२.४०
8	३० वाट	प्रति थान	७१२.४०	७१२.४०	७१२.४०
9	४० वाट	प्रति थान	११२४.००	११२४.००	११२४.००
10	५० वाट	प्रति थान	१४००.००	१४००.००	१४००.००
57	एम सि बी				
1	एस पि	प्रति थान	२१४.००	२१४.००	२१४.००
2	डि पि	प्रति थान	११७३.७४	११७३.७४	११७३.७४
3	टि पि	प्रति थान	१८३९.००	१८३९.००	१८३९.००
4	टि पि एन	प्रति थान	२३४४.७४	२३४४.७४	२३४४.७४
5	४० amp आईसोलेटर	प्रति थान	७२०.७४	७२०.७४	७२०.७४
6	Solar PV Module	Per watt			९२.००
7	Solar Lithium ion Battery 100 ah, Dc 12 V	Nos			३७८०१.००
8	Solar Lithium ion Battery 80 ah, Dc 12 V	Nos			३३४७८.००
9	Charge controller 15 amp, 12v	Nos			४०४७.००
10	Led Street light 100w With sensor Or Dual sensor IP66, ISI/ISO/NS	Nos			१००००.००
11	Led Streetlight 50w with sensor Or dual sensor IP66, ISI/ISO/NS	Nos			८४००.००
12	Battery Box	Nos			४६३४.००
13	Battery Stand	Nos			४६३४.००
14	Cable 1.5mm Multi-Stand	coil			३२७४.००
15	Aluminium wire 1.5mm	coil			३०००.००
16	PVC copper wire 7/22	coil			३४४६.००
17	Big Sewing Machine with Stand and Table	Nos			१६४००.००
53	८८ amp आईसोलेटर	प्रति थान	७२०.७४	७२०.७४	७२०.७४

Handwritten signatures and stamps at the bottom of the page, including a circular official stamp on the left and several signatures across the bottom.



भोरङ जिल्लाको आ.व. २०८१/८२ को स्वीकृत जिल्ला दररेट

११. रंगरोगन संबन्धि सामग्रीहरू

क्र.स.	विभांग सामग्रीको नाम	इकाई	मु.ब. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
१	मेटल प्राईमर रेड अक्साईड	लिट्र	३२२.००	३२२.००	३२२.००
२	उडेन प्राईमर	लिट्र	४००.००	४००.००	४००.००
३	सिमेण्ट प्राईमर White	लिट्र	४१८.००	४१८.००	४१८.००
४	सिमेण्ट प्राईमर Pink	लिट्र	४८०.००	४८०.००	४८०.००
५	ईनामेल थिनर	लिट्र	३००.००	३००.००	३००.००
६	तयारी ईनामेल पेण्ट	लिट्र	५६६.००	५६६.००	५६६.००
७	प्लास्टिक इमल्सन पेण्ट	लिट्र	१०४०.००	१०४०.००	१०४०.००
८	एक्सटेरियर वेदर कोट	लिट्र	८३९.००	८३९.००	८३९.००
९	एपेक्स प्राईमर	लिट्र	४६६.००	४६६.००	४६६.००
	एक्सटेरियर इमल्सन प्राइमर	लिट्र	५८६.००	५८६.००	५८६.००
	एक्सटेरियर इमल्सन पेण्ट (7 years)	लिट्र	१२६२.००	१२६२.००	१२६२.००
१०	डिस्टेम्पर एकेलिक वासेबल	के.जी.	२७०.००	२७०.००	२७०.००
	डिस्टेम्पर पाउडर	के.जी.	६५.००	६५.००	६५.००
११	रोड मार्किड पेण्ट	लिट्र	७७०.००	७७०.००	७७०.००
१२	रोड मार्किड थर्मोप्लास्टिक पेण्ट	लिट्र	६५७.००	६५७.००	६५७.००
१३	फिरमिन्ची रंग	के.जी.	१६०.००	१६०.००	१६०.००
१४	तयारी गेह रंग	के.जी.	३५.००	३५.००	३५.००
१५	Cement Paint (स्मोसिम पेण्ट)	के.जी.	५५.००	५५.००	५५.००
१६	फेबिकेल	के.जी.	२८०.००	२८०.००	२८०.००
१७	जिक अक्साईड	के.जी.	३००.००	३००.००	३००.००
१८	इपोक्सी प्राईमर	लिट्र	५२५.००	५२५.००	५२५.००
१९	प्लाष्टर अफ पेरिस	के.जी.	३०.००	३०.००	३०.००
२०	चप्रा	के.जी.	१४५०.००	१४५०.००	१४५०.००
२१	स्पीट	लिट्र	१३५.००	१३५.००	१३५.००
२२	वार्नेस	के.जी.	३८९.००	३८९.००	३८९.००
२३	आल्मुनियम पेण्ट	लिट्र	५६९.००	५६९.००	५६९.००
२४	रेड अक्साईड कोटिड गाई	लिट्र	४१२.००	४१२.००	४१२.००
२५	टर्पेनटाएल आयल	लिट्र	२१०.००	२१०.००	२१०.००
२६	अक्जालिक एसिड	लिट्र	१६५.००	१६५.००	१६५.००
२७	मेनपोलिस	के.जी.	४५०.००	४५०.००	४५०.००
२८	स्टेनर रंग	१००ग्राम	२००.००	२००.००	२००.००
२९	टेराकोटा	के.जी.	९५.००	९५.००	९५.००
३०	फ्रन्च पाउडर	के.जी.	२०.००	२०.००	२०.००
	लिनसीड आयल	लिट्र	३००.००	३००.००	३००.००
३१	नीर (डब्बा)	के.जी.	११०.००	११०.००	११०.००
३२	चूना (टीनको)	के.जी.	२५.००	२५.००	२५.००
	सूखी	घ.मी.	१६३२.००	१६३२.००	१६३२.००
३३	वाल पुष्टी (Wall Putty)	के.जी.	६८.००	६८.००	६८.००
३४	सेतो सिमेण्ट ५० के.जी	प्रति बोरा	१४५०.००	१४५०.००	१४५०.००

Handwritten signatures and stamps at the bottom of the page, including a circular stamp on the left and several signatures across the bottom.



मोरङ जिल्लाको आ.व. २०८१/८२ को स्वीकृत जिल्ला दररेट

११. रंगरोगन संबन्धि सामग्रीहरु

क्र.सं.	निर्माण सामग्रीको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
३५	खाक्सी साधारण	पिस	१०.००	१०.००	१०.००
३६	मेटल खाक्सी	पिस	२०.००	२०.००	२०.००
३७	अलकना पेन्ट (Black Japan)	लि.	३३०.००	३३०.००	३३०.००
३८	काठको पुटिड	के.जी.	८०.००	८०.००	८०.००
३९	१" चौडा पेन्ट ब्रस	गोटा	८०.००	८०.००	८०.००
४०	२" चौडा पेन्ट ब्रस	गोटा	१५५.००	१५५.००	१५५.००
४१	३" चौडा पेन्ट ब्रस	गोटा	२३०.००	२३०.००	२३०.००
४२	४" चौडा पेन्ट ब्रस	गोटा	३१०.००	३१०.००	३१०.००
४३	तारको मेटल ब्रस	गोटा	४५.००	४५.००	४५.००
४४	रंग लगाउने रोलर	गोटा	१६०.००	१६०.००	१६०.००
४५	जुत्ता ब्रस	गोटा	६५.००	६५.००	६५.००

(म.स.स.)

१२. सिंचाई तथा नदी नियन्त्रण सम्बन्धी

क्र.स.	निर्माण सामग्रीको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			मा.व. ०७१/८०	मा.व. ०८०/८१	मा.व. ०८१/८२
१	Bentonite	किलो	३०.००	३०.००	३०.००
२	Geo Bags (1x0.70m) 300 GSM	गोटा	३८०.००	३८०.००	३८०.००
३	Geo textile made of heavy quality of 150GSM	व मी	७५.००	७८.७५	७८.७५
४	Geo textile made of heavy quality of 120GSM to 130GSM	व मी	६५.००	६८.२५	६८.२५
५	Geo textile made of heavy quality of 200GSM	व मी	८५.००	८९.२५	८९.२५
६	Rubber seal 6" black	गोटा	४२५.००	४२५.००	४२५.००
७	Rubber seal 6" white	गोटा	४७५.००	४७५.००	४७५.००
८	Rubber seal 9" black	गोटा	६२५.००	६२५.००	६२५.००
९	Rubber seal 9" white	गोटा	७००.००	७००.००	७००.००
१०	joint filler 10mm	गोटा	१,२००.००	१,२००.००	१,२००.००
११	joint filler 20mm	गोटा	२,०००.००	२,०००.००	२,०००.००
१२	Barite	किलो	३५.००	३५.००	३५.००
१३	Bush housing	गोटा	६,५५०.२०	६,५५०.२०	६,५५०.२०
१४	Top cover including installation	गोटा	१,५१२.००	१,५१२.००	१,५१२.००
१५	Supply and fitting of check nut	गोटा	१,५६६.००	१,५६६.००	१,५६६.००
१६	Supply and fitting of thrust bearings	सेट	१,६२०.००	१,६२०.००	१,६२०.००
१७	Supply and fitting of ball bearings	सेट	१,५१२.००	१,५१२.००	१,५१२.००
१८	Supply and fitting of shaft MS pin	गोटा	३४५.६०	३४५.६०	३४५.६०
१९	Supply and fitting of MS pin of gate plate	गोटा	४३२.००	४३२.००	४३२.००
२०	Supply and fitting of gate handle	गोटा	१,५६६.००	१,५६६.००	१,५६६.००
२१	Supply and fitting of 1.5" dia MS shaft	फिट	१,५६६.००	१,५६६.००	१,५६६.००
२२	Supply and fitting of 2" dia MS shaft	फिट	२,१६०.००	२,१६०.००	२,१६०.००
२३	Bush housing repairing	सेट	१,५१२.००	१,५१२.००	१,५१२.००
२४	Gate handle repairing	गोटा	१,४०४.००	१,४०४.००	१,४०४.००
२५	Old shaft teeth facing and rethreading	फिट	६४८.००	६४८.००	६४८.००
२६	Gate servicing charge	सेट	१,२९६.००	१,२९६.००	१,२९६.००
२७	Gate opening and fitting charge	सेट	१,०८०.००	१,०८०.००	१,०८०.००
२८	Supply and fitting of GM bush big size	गोटा	७,५६०.००	७,५६०.००	७,५६०.००
२९	Supply and fitting of GM bush medium size	गोटा	७,०२०.००	७,०२०.००	७,०२०.००
३०	Supply and fitting of GM bush small size	गोटा	६,४८०.००	६,४८०.००	६,४८०.००
३१	Supply and fitting of MS bush big size	गोटा	२,४८४.००	२,४८४.००	२,४८४.००
३२	Supply and fitting of MS bush medium size	गोटा	२,३६४.२०	२,३६४.२०	२,३६४.२०
३३	Supply and fitting of MS bush small size	गोटा	२,२६८.००	२,२६८.००	२,२६८.००
३४	Old shaft bend straighting	फिट	३२४.००	३२४.००	३२४.००
३५	Supply and fitting of 8 mm dia MS chain	मिटर	६४८.००	६४८.००	६४८.००
३६	Supply and Fitting of 7 lever indian padlock	सेट	४३२.००	४३२.००	४३२.००
३७	Supply and fitting of Top and base plate	सेट	४,१०४.००	४,१०४.००	४,१०४.००
३८	Supply and fitting of Base plate	गोटा	२,०२५.००	२,०२५.००	२,०२५.००
३९	Gate assembly and installation charge	सेट	१२,४२०.००	१२,४२०.००	१२,४२०.००
४०	Supply and fitting of double lock system of top cover	सेट	४८६.००	४८६.००	४८६.००
४१	4mm thick MS casing pipe		-	-	-
४२	a) having 2" dia	फिट	३८३.४०	४१४.००	४१४.००
४३	b) having 2.5" dia	फिट	३७८.००	४०८.२४	४०८.२४
४४	c) having 3" dia	फिट	४३२.००	४६६.५६	४६६.५६
४५	d) having 4" dia	फिट	४९४.००	६४९.५२	६४९.५२
४६	Supply and fitting of casing pipe joint plate	सेट	७५६.००	८१६.४८	८१६.४८
४७	Welding charge				
४८	a) Arc weding	रड	१०.००	१०.००	१०.००
४९	b) Gas welding	रड	२५.००	२५.००	२५.००
५०	c) Oxygan gas cutting	परफिट	१९०.००	१९०.००	१९०.००
५१	Rubber seal 6"	र.मी	३५५.००	३५५.००	३५५.००

Handwritten signatures and notes at the bottom of the page, including names like 'Suman' and 'Suman' and some illegible text.



१२. सिंचाई तथा नदी नियन्त्रण सम्बन्धी

क्र.स.	निर्माण सामग्रीको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
४२	Rubber seal 9"	र.मी.	४१५.००	४१५.००	४१५.००
४३	Z Type Sheet pile	के.जि.	१६२.००	१६२.००	१६२.००
४४	Nut/bolt 2"-6"	सेट	४०.००	४०.००	४०.००
४५	४" डायको एच डी.पी. फिल्टर	र.मी.	९३५.००	९३५.००	९३५.००
४६	बाक्ला ४" डायको एम.एस. पाइप मॉडियम ड्युटी	र.मी.	९५०.००	९५०.००	९५०.००
४७	एम.एस. पाइप ल्याथ भेसिनमा काट्न काम	गोटा	३३०.००	३३०.००	३३०.००
४८	टी बोटल (४"x३"x१.५")	गोटा	८५०.००	८५०.००	८५०.००
४९	टी बोटल (४"x४"x१.५")	गोटा	९००.००	९००.००	९००.००
५०	जिआई. थेक भन्ज ४"x४" साइजको	गोटा	८२५.००	८२५.००	८२५.००
५१	पि.भि.सि फिल्टर ४" डायको (स्किन रिन्ड)	र.मी.	७२५.००	७२५.००	७२५.००
५२	पि.भि.सि फिल्टर ४" डायको (स्किन प्लेन)	र.मी.	३७५.००	३७५.००	३७५.००
५३	पि.भि.सि फिल्टर ४" डायको	र.मी.	३३०.००	३३०.००	३३०.००
५४	यु.पि.भि.सि. पाइप ६" डायको ४ के.जी. से.मी.	र.मी.	६५०.००	६५०.००	६५०.००
५५	यु.पि.भि.सि. पाइप ६" डायको ६ के.जी. से.मी.	र.मी.	८५०.००	८५०.००	८५०.००
५६	यु.पि.भि.सि. स्प्राइड टयाप ४" डायको	र.मी.	६६०.००	६६०.००	६६०.००
५७	यु.पि.भि.सि.कोन ४" डायको	र.मी.	१२०.००	१२०.००	१२०.००
५८	४"/३"/२" डायको डेलिभरी पाइप	के.जि.	२२५.००	२२५.००	२२५.००
५९	३" डायको लुज सक्सन पाइप	र.मी.	४००.००	४००.००	४००.००
७०	१० मि.मी. क्ल्याक केवल वायर	र.मी.	५०.००	५०.००	५०.००
७१	कन्सोन्टिक तार	र.मी.	४५.००	४५.००	४५.००
७२	श्री फेज एल्युमिनियम कोर वायर	र.मी.	१७०.००	१७०.००	१७०.००
७३	४" डायको एन.एस.वेण्ड पाइप ९०°	र.मी.	१,१००.००	१,१००.००	१,१००.००
७४	३" डायको एन.एस.वेण्ड पाइप ९०°	र.मी.	८२५.००	८२५.००	८२५.००
७५	२" डायको एन.एस.वेण्ड पाइप ९०°	र.मी.	३८५.००	३८५.००	३८५.००
७६	सोल्नेन्ट सिमेन्ट (१०० मि.ली. बेटल)	बेटल	१००.००	१००.००	१००.००
७७	२ अश्व शक्तिको इलेक्ट्रिक मोटर सहित पम्प सेट कम्पटन पीस वा सो सरह	गोटा	१९,८००.००	१९,८००.००	१९,८००.००
७८	२ अश्व शक्तिको इलेक्ट्रिक मोटर सहित पम्प सेट उषा वा सो सरह	गोटा	२६,०००.००	२६,०००.००	२६,०००.००
७९	३ अश्व शक्तिको महिले मोटर सहित पम्प सेट उषा वा सो सरह	गोटा	३५,०००.००	३५,०००.००	३५,०००.००
८०	३ अश्व शक्तिको महिले मोटर सहित पम्प सेट कम्पटन पीस वा सो सरह	गोटा	३१,०००.००	३१,०००.००	३१,०००.००
८१	५ अश्व शक्तिको डिजल मोटर सहित पम्प सेट उषा वा सो सरह	गोटा	३३,०००.००	३३,०००.००	३३,०००.००
८२	५ अश्व शक्तिको डिजल मोटर सहित पम्प सेट चार्डिनज वा सो सरह	गोटा	२६,०००.००	२६,०००.००	२६,०००.००
८३	नाइलन कंट (१*१*१ मी. वक्स साइज)	थान	२२५.००	२२५.००	२२५.००
८४	४ मि.मि नाइलन डोरी	फिलो	३००.००	३००.००	३००.००
८५	Hydraulic Ram				
	25 to 40mm outlet including all fittings and fixing	सेट	४५,०००.००	४५,०००.००	४५,०००.००
	50 to 63 mm outlet including all fittings and fixing	सेट	६५,०००.००	६५,०००.००	६५,०००.००
	63 to 90mm outlet including all fittings and fixing	सेट	११०,०००.००	११०,०००.००	११०,०००.००
८६	Supplying & fitting of New Sluice Gate Screen Plate and Gate Sliding nFrame made ofr 75x40mm to 200x75mm Channels and different suitable size of chanel and angle for dracing and 6 to 8mm thick ms sheet for gate screen plate with fabrication.	किलो	३५०.००	३५०.००	३५०.००
भूमिगत सिंचाई सम्बन्धी सामग्रीहरूको दररेट					

Handwritten signatures and initials at the bottom of the page, including names like 'Ramesh', 'Suresh', and others.




१२. सिंचाई तथा नदी नियन्त्रण सम्बन्धी

क्र.स.	निर्माण सामग्रीको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			भा.व. ०७९/८०	भा.व. ०८०/८१	भा.व. ०८१/८२
1	10" MS ERW Casing pipe 7.0mm	Rm	८,१४०.००	९,०००.००	९,०००.००
2	8" MS ERW Casing pipe 6.3 mm	Rm	६,३६०.००	७,०००.००	७,०००.००
3	6" MS ERW Casing pipe 5.4mm	Rm	२,६६०.००	३,४००.००	३,४००.००
4	5" MS Column pipe 4.8mm	Rm	२,४२०.००	२,६६०.००	२,६६०.००
5	4" MS Column pipe 4 mm	Rm	१,९६०.००	२,२००.००	२,२००.००
6	3" MS Column pipe 4mm	Rm	१,३२०.००	१,४४०.००	१,४४०.००
7	6" MS Slotted screen	Rm	६,०४०.००	६,६४०.००	७,३१४.००
8	8" MS Slotted screen	Rm	७,६६४.००	८,६४०.००	९,४१४.००
9	6" Stainless steel continous Slot Screen	Rm		१२,०००.००	१२,०००.००
10	6" LCG Screen	Rm	८,६००.००	८,६००.००	८,६००.००
11	MS Flange 10"	Nos	४,४००.००	४,४००.००	४,४००.००
12	MS Flange 8"	Nos	३,३००.००	३,३००.००	३,३००.००
13	MS Bend 6"	Nos	४,९४०.००	४,९४०.००	४,९४०.००
14	MS Bend 5"	Nos	४,४००.००	४,४००.००	४,४००.००
15	MS Bend 4"	Nos	३,६४०.००	३,६४०.००	३,६४०.००
16	MS Bend 3"	Nos	३,३००.००	३,३००.००	३,३००.००
17	Well cover 10"	Nos	७,१४०.००	७,१४०.००	७,१४०.००
18	Well cover 8"	Nos	६,०४०.००	६,०४०.००	६,०४०.००
19	Well cover 6"	Nos	४,४००.००	४,४००.००	४,४००.००
20	MS Hevy clamp 6"	Nos	६,६२०.००	६,६२०.००	६,६२०.००
21	MS Hevy clamp 5"	Nos	६,६००.००	६,६००.००	६,६००.००
22	MS Hevy clamp 4"	Nos	४,९७६.३०	४,९७६.३०	४,९७६.३०
23	MS Hevy clamp 3"	Nos	४,०१८.२०	४,०१८.२०	४,०१८.२०
24	MS Heavy Clamp 2.5"	Nos		३,४००.००	३,४००.००
25	Reducer 10/6"	Nos	८,६००.००	८,६००.००	८,६००.००
26	Reducer 8/6"	Nos	७,७००.००	७,७००.००	७,७००.००
27	Reducer 6/5"	Nos	४,१६०.००	४,१६०.००	४,१६०.००
28	Reducer 6/4"	Nos	४,१६०.००	४,१६०.००	४,१६०.००
29	Bentonite	Ton		३०,०००.००	३०,०००.००
30	Barite	Ton		३४,०००.००	३४,०००.००
31	Mono Block Submersible Pump(1.5 HP)	Set		७८,०००.००	७८,०००.००
32	Mono Block Submersible Pump(2 HP)	Set		८४,०००.००	८४,०००.००
33	Mono Block Submersible Pump(3 HP)	Set		९४,०००.००	९४,०००.००
	Submersible pump and accessories equivalent to KSB				
34	Star delta pannel board(1-2HP)	Set	२७,४००.००	३०,०००.००	३०,०००.००
35	Star delta pannel board(3-5HP)	Set	३३,०००.००	३४,०००.००	३४,०००.००
36	Star delta pannel board(7.5-12.5HP)	Set	४९,४००.००	४४,०००.००	४४,०००.००
37	Star delta pannel board(15-20HP)	Set	७४,९००.००	८०,०००.००	८०,०००.००
38	Star delta pannel board(25-30HP)	Set	८६,९००.००	९०,०००.००	९०,०००.००
39	Star delta pannel board(35-40HP)	Set	९३,४००.००	१००,०००.००	१००,०००.००
40	Submersible pump 2HP for 4" Bore	set		११४,४००.००	११४,४००.००
41	Submersible pump 3HP for 4" Bore	set		१२१,०००.००	१२१,०००.००
42	Submersible pump 5HP for 4" Bore	set		१२६,४००.००	१२६,४००.००
43	Submersible pump 7.5HP for 4" Bore	set		१२९,६००.००	१२९,६००.००
44	Sumersible Pump 2HP for 6" bore	Set	११४,४००.००	१२४,०००.००	१२४,०००.००
45	Sumersible Pump 3HP for 6" bore	Set	१२१,०००.००	१३२,०००.००	१३२,०००.००
46	Sumersible Pump 4HP for 6" bore	Set	१२६,४००.००	१४०,०००.००	१४०,०००.००
47	Sumersible Pump 5HP for 6" bore	Set	१२९,६००.००	१४२,०००.००	१४२,०००.००
48	Sumersible Pump 7.5HP for 6" bore	Set	१४६,४००.००	१६०,०००.००	१६०,०००.००
49	Sumersible Pump 10HP	Set	१४४,०००.००	१७०,०००.००	१७०,०००.००
50	Sumersible Pump 12.5HP	Set	१४९,४००.००	१७४,०००.००	१७४,०००.००
51	Sumersible Pump 15HP	Set	१६१,४००.००	२००,०००.००	२००,०००.००
52	Sumersible Pump 20HP	Set	२१७,६००.००	२४०,०००.००	२४०,०००.००

Handwritten signatures and stamps at the bottom of the page.

१२. सिंचाई तथा नदी नियन्त्रण सम्बन्धी

क्र.स.	निर्माण सामग्रीको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
53	Submersible Pump 25HP	Set	२५४,९००.००	२८०,०००.००	२८०,०००.००
54	Submersible flat cabel 2.5 mm2	Rm		२८०.००	२८०.००
55	Submersible flat cabel 4mm2	Rm	४४०.००	४८४.००	४८४.००
56	Submersible flat cabel 6mm2	Rm		६६०.००	६६०.००
57	Submersible Pump Netting work with material	Nos		८,२००.००	८,२००.००
58	uPVC pipe of dia 160 mm 2.5kg/cm2	Rm	६७२.३८	६७२.३८	
59	UPVC Column pipe standard duty 2.0"	Rm	९,७६०.००	९,८००.००	९,८००.००
60	UPVC Column pipe standard duty 2.5"	Rm	२,६४०.००	२,८००.००	२,८००.००
61	UPVC Column pipe standard duty 3.0"	Rm	३,३००.००	३,८००.००	३,८००.००
62	UPVC Column pipe standard duty 4.0"	Rm		४,२००.००	४,२००.००
63	uPVC pipe of dia 160 mm 2.5 kg/cm2	Rm		६८९.३४	६८९.३४
64	uPVC pipe of dia 160 mm 4 kg/cm2	Rm	९,०४६.२४	९,०६०.२०	९,०६०.२०
65	uPVC pipe of dia 200 mm 2.5 kg/cm2	Rm	९,०४३.००	९,०४३.००	९,०४३.००
66	uPVC pipe of dia 200 mm 4 kg/cm2	Rm	९,६९३.००	९,६९३.००	९,६९३.००
67	Solvent cement	kg	९,९००.००	९,९००.००	९,९००.००
68	Supply of CI Sluice (Gate) Valve of dia. 160 mm.	Nos	३२,४४०.००	३२,४४०.००	३२,४४०.००
69	Supply of CI Non Return Valve of dia. 160 mm.	Nos	३३,०००.००	३३,०००.००	३३,०००.००
70	Supply of MS Flange of dia. 160 mm & 10 mm Thick	Nos	२,९२४.००	२,९२०.००	२,९२०.००
71	Supply of MS Elbow of dia. 150 mm	Nos	४,९६०.००	४,०००.००	४,०००.००
72	Supply of MS Tee of dia. 160 mm	Nos	४,९६०.००	४,४००.००	४,४००.००


 The bottom section of the document contains several handwritten signatures and stamps. On the left, there is a signature that appears to be 'मुर-९'. In the center, there is a large, stylized signature that looks like 'सुभाष' or similar. To the right of this, there are more signatures and some illegible text. The overall appearance is that of a formal document with multiple approvals or signatures.



१२. सिंचाई तथा नदी नियन्त्रण सम्बन्धी

क्र.स.	निर्माण सामग्रीको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			भा.व. ०७९/८०	भा.व. ०८०/८१	भा.व. ०८१/८२
73	Supply of Nut and bolts Full Thread (3" Length)	Kg	२२०.००	२७५.००	२७५.००
74	Supply of Nut and bolts Full Thread (4" Length)	Kg	२२०.००	२७५.००	२७५.००
75	Supply of Rubber Gasket	Nos	१६५.००	१७५.००	१७५.००
76	Supply of Butterfly Valve 160 mm dia	Nos	८,२५०.००	९,०००.००	९,९००.००
77	Alfa- Alfa Valve	Nos	५,५००.००	६,०५०.००	६,०५०.००
78	Supply of Rubber Gasket (6 inch Dia)	Nos	१७५.००	१७५.००	
79	UPVC Bend 87.5 Deg of dia 160 mm 4kg/cm2/Nos	Nos	९९०.००	१,०८९.००	१,०८९.००
80	UPVC Bend 45 Deg of dia 160 mm 4kg/cm2/Nos	Nos	९९०.००	१,०८९.००	१,०८९.००
81	UPVC Bend 87.5 Deg of dia 200 mm 4kg/cm2/Nos	Nos	१,६५०.००	१,८१५.००	१,८१५.००
82	UPVC Bend 45 Deg of dia 200 mm 4kg/cm2/Nos	Nos	१,६५०.००	१,८१५.००	१,८१५.००
83	UPVC Single Tee of dia 160 mm 4kg/cm2/Nos	Nos	१,१००.००	१,२१०.००	१,२१०.००
84	UPVC Single Tee of dia 200 mm 4kg/cm2/Nos	Nos	१,६५०.००	१,८१५.००	१,८१५.००
85	UPVC Double Tee of dia 160 mm 4kg/cm2/Nos	Nos	१,६५०.००	१,८१५.००	१,८१५.००
86	UPVC Double Tee of dia 200 mm 4kg/cm2/Nos	Nos	२,२००.००	२,४२०.००	२,४२०.००
87	UPVC Socket of dia 160 mm 4kg/cm2/Nos	Nos	७७५.००	७७५.००	७७५.००
88	UPVC Socket of dia 200 mm 4kg/cm2/Nos	Nos	१,०३५.००	१,१३७.००	१,१३७.००
89	UPVC End Cap of dia 160 mm 4kg/cm2/Nos	Nos	४४०.००	४८५.००	४८५.००
90	UPVC End Cap of dia 200 mm 4kg/cm2/Nos	Nos	६६०.००	७२६.००	७२६.००
91	110 mm dia Sprinkler Pipe HD PN 2.5 (as per IS 14151, Class 1); with Quick coupling accessories, 6 m piece each	set	३,७९५.००	४,१७५.५०	४,१७५.५०
92	75 mm dia Sprinkler Pipe HD PN 2.5 (as per IS 14151, Class 1); with Quick coupling accessories, 6 m piece each	set	१,८९७.५०	२,०८७.२५	२,०८७.२५
93	Brass Sprinkler Nozzle of 5mm x 2.5 mm nozzle size (3 kg/cm2 pressure, 2110 lph discharge, 32 m coverage diameter, 12x18 m spacing)	set	१,४६८.५०	१,६१५.३५	१,६१५.३५
94	75 mm dia Saddle	Set	१,२६५.००	१,३९१.५०	१,३९१.५०
95	Standard Riser Pipe, 1.5 m height, suitable for the standard Sprinkler	Nos	६३२.५०	६९५.००	६९५.००
96	75 mm dia end cap	Nos	६३२.५०	६९५.०५	६९५.०५
97	110 mm dia end cap	Nos	८१९.५०	९०१.५०	९०१.५०
98	75 mm dia control valve	Nos	१,८९७.५०	२,०८७.२५	२,०८७.२५
99	110 mm to 75 mm dia Tee with easy coupling accessories	Nos	१,२६५.००	१,३९१.५०	१,३९१.५०
100	160 mm to 110 mm dia Tee with suitable quick coupling accessories	Nos	१,५७८.५०	१,७३६.३५	१,७३६.३५
101	Supply and fitting of Pressure Gauge on 6 inch dia MS pipe all complete	job	११,०००.००	१२,१००.००	१२,१००.००
102	Suitable Rubber Ring (Extra), 75 mm and 110 mm dia. Pipe	Nos	७७.००	८५.००	८५.००
C	स्पलाई टयुबवेल निर्माण संग सम्बन्धित				
106	100 mm dia PVC Casing Pipe (Class C)	m			८९९.५६
107	100mm dia PVC Ribbed screen (OD 114 mm). (Class C)	m			१,२००.००
108	109mm dia MS Casing Pipe 4 mm thick	m			२,२००.००
109	100 mm MS Socket heavy welded with iron strips at both ends	Nos			१,०५०.००

Handwritten signatures and notes at the bottom of the page.






१२. सिंचाई तथा नदी नियन्त्रण सम्बन्धी

क्र.स.	निर्माण सामग्रीको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
110	100 mm dia CI Check Valve	Nos.			३,०००.००
111	100 mm dia, Brass Inline Check Valve	Nos.			७५००.००
112	100 mm dia perforated 4 mm thick MS screen 3m piece with Knoke	Set			८,५००.००
113	100 mm dia CI flange	No.			४५०.००
114	Rubber Gasket/Packing	No.			१००.००
115	100mm dia CI Bend	Nos.			१,३५०.००
116	Genuine Nutbolts	Kg			२५०.००
117	4" Ø Bottle T (Well Head T) with 4" Nipple	Nos.			१,०५०.००
118	Hand Pump (4 No.)	Nos.			१,७००.००
119	4" CI Cap	Nos.			२५०.००
120	4" CI Flange	Nos.			६००.००
121	4" CI Bend with Flange at both end	Nos.			१,८५०.००
122	4 Inch CI Nipple with Flange ar one End	Nos.			८००.००
123	1.5" CI Cap	Nos.			८०.००
124	Nylon Net	Mtr.			६०.००
125	PVC Sand Trap of 100 mm dia. (Class C)	rm			१,१००.००
126	PVC Cone of 100 mm dia. (Class C)	No.			२००.००
D	विद्युतीय मोटर तथा डिजल पम्पसेट				
127	5 Hp Diesel Pump set (Fieldmarsel or Equivalent)	set			५५,०००.००
128	5 Hp Diesel Pump set (Usha or Equivalent)	set			५५,०००.००
129	8 Hp Diesel Pump set (Fieldmarsel or Equivalent)	set			६५,०००.००
130	2 Hp Electric motor Pump (Crompton or Equivalent)	set			२९,९००.००
131	2 Hp Electric motor Pump (Usha, Singla or Equivalent)	set			२२,७३०.००
S.N	Description	unit			
1	Metal gate ready with fabrication (5-6 mm thick)	kg			425.00
2	Gate Servicing Charge	Set			1500.00
3	Gate Opening & Fitting Charge	Set			1400.00
4	Bush Housing Repair Charge	Set			3000.00
5	Supply & fitting of Bush Housing	Set			9500.00
6	Supply & fitting of thrust bearing	Set			2500.00
7	Supply & fitting of ball bearing	Set			1800.00
8	Supply and Fitting of Check nut	no.			2050.00
9	Supply & Fitting of Top Cover	no.			1750.00
10	Supply & Fitting of base plate	no.			2800.00
11	Supply & Fitting of MS Bush (Big)	no.			4000.00
12	Supply & Fitting of MS Bush (medium)	no.			3200.00
13	Supply & Fitting of MS Bush (small)	no.			2500.00
14	Supply & Fitting of MS Pin of gate plate	no.			700.00
15	Supply & Fitting of G.M. Bush big size	no.			9500.00
16	Supply & Fitting of G.M. Bush medium size	no.			8500.00
17	Supply & Fitting of G.M. Bush small size	no.			7500.00
18	Supply & Fitting of. Shaft MS pin	no.			500.00
19	Supply & Fitting of 2" Dia Casing Pipe (4mm)	ft.			550.00
20	Supply & Fitting of 2.5" Dia. Casing Pipe(4mm)	Ft.			600.00
21	Supply & Fitting of 3" Dia. Casing Pipe(4mm)	Ft.			675.00
22	Supply & Fitting of 2" Dia. MS Shaft	Ft.			2500.00
23	Supply & Fitting of 1.5" Dia. MS Shaft	Ft.			2000.00
24	Supply & Fitting of top and base plate	Set			5200.00
25	Supply & Fitting of casing Pipe joint plate	Set			1560.00
26	Old Shaft teeth facing and rethreading	ft.			700.00
27	Old Shaft bend straightening	ft.			350.00
28	Suppy & Fitting of Nut bolt	Set			45.00
29	Supply & Fitting of gate handle	no.			2500.00
30	Gate assembly and Installation charge	Set			15000.00
31	gate handle repair	no.			1500.00

(Handwritten signatures and notes at the bottom of the page)

१२. सिंचाई तथा नदी नियन्त्रण सम्बन्धी

क्र.सं.	निर्माण सामग्रीको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			सा.व. ०७९/८०	सा.व. ०८०/८१	सा.व. ०८१/८२
32	Water stop rubber seal : 8mm thick & 150mm width	m			350.00
33	Gate sliding channel repair	set			3200.00
34	Shaft collar making	no.			3400.00
35	Gate Frame & Plate cleaning by emery paper, wire brush, scraper etc and painting by application of metal primer & Enamel Paint	set			3500.00
36	lock system of top cover	no.			650.00
37	lock & key	no.			450.00
38	supply & fitting of new sluice gate screen plate & gate sliding frame made of 75x40 mm to 200x75 mm chanel and different suitable size of chanel and angle for bracing and 6 to 8 mm thick ms sheet for gate plate with fabrication	Kg			425.00

१३. खानेपानी तथा सरसफाई संबन्धि सामग्री

क्र.स.	सामानको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			भा.ब. ०७९/८०	भा.ब. ०८०/८१	भा.ब. ०८१/८२
१	एच.डी.पी. पाईप कारखानाको मुन्च (नेपाल गुणस्तर-४०)	किलो	३१९.००	३१९.००	३१९.००
२	एच.डि.पि. पोलिथिन टर्वाक बर्माकोस	लिट्र	१४.८५	१४.८५	१४.८५
३	एच.डि.पि. पोलिथिन टर्वाक एक्सट्रा हेवी	लिट्र	१३.२०	१३.२०	१३.२०
४	एच.डि.पि. पोलिथिन टर्वाक एक्सट्रा हेवी टिपल मिक्चर		१३.७५	१३.७५	१३.७५
५	स्टेनलेस स्टील टर्वाक (नेपालमा बनेको)	लिट्र	२३.६५	२३.६५	२३.६५
६	एल.डि.पि. LDP पाइपहरू मेडियम क्लासको				
	50mm dia	मिटर	१४३.००	१४३.००	१४३.००
	63mm	मिटर	२४२.००	२४२.००	२४२.००
	90 mm	मिटर	२६४.००	२६४.००	२६४.००
	110mm	मिटर	२९९.५०	२९९.५०	२९९.५०
७	१५ मि.मि. जि.एम. ब्रास फरोल	गोटा	१३२०.००	१३२०.००	१३२०.००
८	२० मि.मि. व्यास जि.एम. ब्रास फरोल	गोटा	२७५०.००	२७५०.००	२७५०.००
९	२५ मि.मि. व्यास जि.एम. ब्रास फरोल	गोटा	३८५०.००	३८५०.००	३८५०.००
१०	१५ मी.मि ब्रास विव कक (४००ग्राम)	गोटा	७३०.००	७३०.००	७३०.००
११	पि.भि.सि. पाईप				
	१/२ इन्च 00.11 Kg 10kg /cm2	मिटर	३५.२०	३५.२०	३५.२०
	३/४ इन्च 00.168Kg 10kg /cm2	मिटर	५३.९०	५३.९०	५३.९०
	१ इन्च 00.269 Kg 10kg /cm2	मिटर	८६.९०	८६.९०	८६.९०
	१.२५ इन्च 0.412Kg 10kg /cm2	मिटर	१३२.००	१३२.००	१३२.००
	१.५ इन्च Class E 0.68 Kg	मिटर	२२०.००	२२०.००	२२०.००
	२ इन्च Class E 1.052 Kg	मिटर	३३०.००	३३०.००	३३०.००
	३ इन्च Class E 2.179 Kg	मिटर	३३०.००	३३०.००	३३०.००
	४ इन्च Class E 3.724 Kg	मिटर	४००.००	४००.००	४००.००
१२	पि.भि.सि. रिब्ड स्टेनर ४ इन्च	मिटर	१३७५.००	१३७५.००	१३७५.००
१३	पि.भि.सि. प्लेन स्टेनर ४ इन्च	मिटर	१४०८.००	१४०८.००	१४०८.००
१४	पि.भि.सि. Sand Trap ४ इन्च	मिटर	९०२.००	९०२.००	९०२.००
१५	पि.भि.सि. रोबो/प्लेन स्टेनर १.५ इन्च	मिटर	६६०.००	६६०.००	६६०.००
१६	पि.भि.सि. Sand Trap १.५ इन्च	मिटर	३३०.००	३३०.००	३३०.००
१७	एच.डि. पि. फिटिङ				
	HDP Socket 4"	गोटा	७३.००	७३.००	७३.००
	HDP Socket 3"	गोटा	६६.००	६६.००	६६.००
	HDP Socket 2"	गोटा	५५.००	५५.००	५५.००
	HDP T 4"	गोटा	१७०.५०	१७०.५०	१७०.५०
	HDP T 3"	गोटा	१४५.४८	१४५.४८	१४५.४८
	HDP Elbow 2"	गोटा	६९.३०	६९.३०	६९.३०
	HDP Elbow 3"	गोटा	११०.००	११०.००	११०.००
	HDP Elbow 4"	गोटा	१३८.६०	१३८.६०	१३८.६०
१८	जि.आई. पाईप Medium duty				
	१५ मि.मि. व्यास	मिटर	२१४.००	२१४.००	२२०.००
	२० मि.मि. व्यास	मिटर	२७०.००	२७०.००	२७८.००
	२५ मि.मि. व्यास	मिटर	४१२.००	४१२.००	४२४.००
	३२ मि.मि. व्यास	मिटर	५३५.००	५३५.००	५५१.००
	४० मि.मि. व्यास	मिटर	६१४.००	६१४.००	६३२.००
	५० मि.मि. व्यास	मिटर	८४०.००	८४०.००	८६५.००
	६५ मि.मि. व्यास	मिटर	१०७३.००	१०७३.००	११०५.००
	८० मि.मि. व्यास	मिटर	१३३०.००	१३३०.००	१३६९.००
	१०० मि.मि. व्यास	मिटर	१९७५.००	१९७५.००	२०३४.००
	१२५ मि.मि. व्यास	मिटर	२७०२.००	२७०२.००	२७८३.००
	१५० मि.मि. व्यास	मिटर	३२६९.००	३२६९.००	३३६७.००
	२०० मि.मि. व्यास	मिटर	४००३.००	४००३.००	४१५३.००
१९	जि.आई. पाईप Light duty				
	१५ मि.मि. व्यास	मिटर	१८०.००	१८०.००	१८५.००

Handwritten signatures and notes at the bottom of the page, including a large signature on the left and several smaller ones on the right.

१३. खानेपानी तथा सरसफाई संबन्धि सामग्री

क्र.स.	सामानको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			आ.व. ०७१/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
	२० मि.मि. व्यास	मिटर	२४८.००	२४८.००	२४४.००
	२५ मि.मि. व्यास	मिटर	३४३.००	३४३.००	३४३.००
	३२ मि.मि. व्यास	मिटर	४४६.००	४४६.००	४४९.००
	४० मि.मि. व्यास	मिटर	५४३.००	५४३.००	५६९.००
	५० मि.मि. व्यास	मिटर	६९८.००	६९८.००	७१८.००
	६५ मि.मि. व्यास	मिटर	९६३.००	९६३.००	९९९.००
	८० मि.मि. व्यास	मिटर	११३०.००	११३०.००	११६३.००
	१०० मि.मि. व्यास	मिटर	१६२३.००	१६२३.००	१६७१.००
	१२५ मि.मि. व्यास	मिटर	२४४६.००	२४४६.००	२६३२.००
	१५० मि.मि. व्यास	मिटर	३०३५.००	३०३५.००	३१२६.००
	२०० मि.मि. व्यास	मिटर			
२०	जि.आई. पाईप Heavy duty				
	१५ मि.मि. व्यास	मिटर	२५९.००	२५९.००	२५८.००
	२० मि.मि. व्यास	मिटर	३१३.००	३१३.००	३२६.००
	२५ मि.मि. व्यास	मिटर	४८१.००	४८१.००	४९४.००
	३२ मि.मि. व्यास	मिटर	६१४.००	६१४.००	६३२.००
	४० मि.मि. व्यास	मिटर	७१०.००	७१०.००	७३९.००
	५० मि.मि. व्यास	मिटर	१०१२.००	१०१२.००	१०४२.००
	६५ मि.मि. व्यास	मिटर	१२९५.००	१२९५.००	१३३३.००
	८० मि.मि. व्यास	मिटर	१५२५.००	१५२५.००	१५७०.००
	१०० मि.मि. व्यास	मिटर	२३६२.००	२३६२.००	२४३२.००
	१२५ मि.मि. व्यास	मिटर	३०४६.००	३०४६.००	३१३७.००
	१५० मि.मि. व्यास	मिटर	३४४५.००	३४४५.००	३५४८.००
	२०० मि.मि. व्यास	मिटर	५३८०.००	५३८०.००	५५४९.००
२१	C.I pipe (TYTON JOINT)				
	100 mm	मिटर	५९०१.५०	५९०१.५०	५९०१.५०
	125 mm	मिटर	७३५३.५०	७३५३.५०	७३५३.५०
	150 mm	मिटर	७९८६.००	७९८६.००	७९८६.००
	200 mm	मिटर	११३५२.००	११३५२.००	११३५२.००
	250 mm	मिटर	१५३१३.५०	१५३१३.५०	१५३१३.५०
	300mm	मिटर	२०३००.५०	२०३००.५०	२०३००.५०
२२	C.I pipe (Both side Flanged JOINT)				
	100 mm	मिटर	८३०५.००	८३०५.००	८३०५.००
	125 mm	मिटर	१२१११.००	१२१११.००	१२१११.००
	150 mm	मिटर	१३८६०.००	१३८६०.००	१३८६०.००
	200 mm	मिटर	१९९२१.००	१९९२१.००	१९९२१.००
	250 mm	मिटर	२७०६५.५०	२७०६५.५०	२७०६५.५०
	300mm	मिटर	३४७६०.००	३४७६०.००	३४७६०.००
२३	जि.आई. एल्बो				
	१५ मि.मि. व्यास	गोटा	४६.२०	४६.२०	४३.००
	२० मि.मि. व्यास	गोटा	७२.६०	७२.६०	७४.००
	२५ मि.मि. व्यास	गोटा	११५.५०	११५.५०	११८.००
	३२ मि.मि. व्यास				
	४० मि.मि. व्यास	गोटा	२४२.००	२४२.००	२४९.००
	५० मि.मि. व्यास	गोटा	३६८.५०	३६८.५०	३७९.००
	६५ मि.मि. व्यास	गोटा	७०४.००	७०४.००	७२५.००
	८० मि.मि. व्यास	गोटा	९३५.००	९३५.००	९६३.००
	१०० मि.मि. व्यास	गोटा	१६७३.५०	१६७३.५०	१७२३.००
	१२५ मि.मि. व्यास	गोटा	४४६९.५०	४४६९.५०	४६२५.००
	१५० मि.मि. व्यास	गोटा	६६७१.५०	६६७१.५०	६८७१.००
२४	जि.आई. टी				
	१५ मि.मि. व्यास	गोटा	७२.६०	७२.६०	७४.००
	२० मि.मि. व्यास	गोटा	११३.३०	११३.३०	११६.००

(Handwritten signatures and notes at the bottom of the page)

१३. खानेपानी तथा सरसफाई संबन्धि सामग्री

क्र.सं.	सामानको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			आ.सं. ०५१/६०	आ.सं. ०६०/६१	आ.सं. ०६१/६२
	२५ मि.मि. ब्यास	गोटा	१५२.९०	१५२.९०	१५३.००
	३२ मि.मि. ब्यास	गोटा	२४०.९०	२४०.९०	२४६.००
	४० मि.मि. ब्यास	गोटा	२९३.७०	२९३.७०	३०२.००
	५० मि.मि. ब्यास	गोटा	४५९.६०	४५९.६०	४७३.००
	६५ मि.मि. ब्यास	गोटा	६०३.००	६०३.००	६२७.००
	८० मि.मि. ब्यास	गोटा	११५५.००	११५५.००	११६९.००
	१०० मि.मि. ब्यास	गोटा	२०६६.९०	२०६६.९०	२१२६.००
	१२५ मि.मि. ब्यास	गोटा	७६२२.९०	७६२२.९०	८०५६.००
	१५० मि.मि. ब्यास	गोटा	९०६०.७०	९०६०.७०	९३३२.००
२५	जि.आई युनियन				
	१५ मि.मि. ब्यास	गोटा	१३६.७३	१३६.७३	१४०.००
	२० मि.मि. ब्यास	गोटा	१६९.९७	१६९.९७	१७५.००
	२५ मि.मि. ब्यास	गोटा	२५२.६९	२५२.६९	२६०.००
	३२ मि.मि. ब्यास	गोटा	३७१.४७	३७१.४७	३८२.००
	४० मि.मि. ब्यास	गोटा	४९१.२६	४९१.२६	५०५.००
	५० मि.मि. ब्यास	गोटा	६६३.६५	६६३.६५	७०४.००
	६५ मि.मि. ब्यास	गोटा	१२७७.७६	१२७७.७६	१३१६.००
	८० मि.मि. ब्यास	गोटा	१७६९.०२	१७६९.०२	१८२२.००
	१०० मि.मि. ब्यास	गोटा	२४२७.२६	२४२७.२६	२५००.००
	१२५ मि.मि. ब्यास	गोटा	७३०९.५०	७३०९.५०	७५२६.००
	१५० मि.मि. ब्यास	गोटा	८६६२.५०	८६६२.५०	९१४६.००
२६	जि.आई. सकेट				
	१५ मि.मि. ब्यास	गोटा	४५.९६	४५.९६	४७.००
	२० मि.मि. ब्यास	गोटा	७२.६०	७२.६०	७४.००
	२५ मि.मि. ब्यास	गोटा	९९.९६	९९.९६	९४.००
	३२ मि.मि. ब्यास	गोटा	१४९.५७	१४९.५७	१५५.००
	४० मि.मि. ब्यास	गोटा	१६९.९७	१६९.९७	१७५.००
	५० मि.मि. ब्यास	गोटा	२९५.२४	२९५.२४	३०४.००
	६५ मि.मि. ब्यास	गोटा	४३५.६०	४३५.६०	४४६.००
	८० मि.मि. ब्यास	गोटा	६३९.६२	६३९.६२	६५०.००
	१०० मि.मि. ब्यास	गोटा	१११९.२५	१११९.२५	११५३.००
	१२५ मि.मि. ब्यास	गोटा	३७०७.००	३७०७.००	३८१६.००
	१५० मि.मि. ब्यास	गोटा	५१९२.००	५१९२.००	५३४७.००
२७	जि.आई. रेड्युसर सकेट				
	२० मि.मि. ब्यास	गोटा	७२.६०	७२.६०	७४.००
	२५ मि.मि. ब्यास	गोटा	९६.०९	९६.०९	१००.००
	३२ मि.मि. ब्यास	गोटा	१४७.६२	१४७.६२	१५२.००
	४० मि.मि. ब्यास	गोटा	१६५.९३	१६५.९३	१९०.००
	५० मि.मि. ब्यास	गोटा	३०६.५५	३०६.५५	३१७.००
	६५ मि.मि. ब्यास	गोटा	४९६.५२	४९६.५२	५१३.००
	८० मि.मि. ब्यास	गोटा	७४४.९५	७४४.९५	७६६.००
	१०० मि.मि. ब्यास	गोटा	१२०७.५६	१२०७.५६	१२४३.००
२८	जि.आई. क्रस सकेट				
	१५ मि.मि. ब्यास	गोटा	१३६.९३	१३६.९३	१४०.००
	२० मि.मि. ब्यास	गोटा	१६२.६६	१६२.६६	१६६.००
	२५ मि.मि. ब्यास	गोटा	२६७.३६	२६७.३६	२९५.००
	३२ मि.मि. ब्यास	गोटा	४२२.९३	४२२.९३	४३४.००
	४० मि.मि. ब्यास	गोटा	५५६.२५	५५६.२५	५७४.००
	५० मि.मि. ब्यास	गोटा	७७६.६६	७७६.६६	८००.००
	६५ मि.मि. ब्यास	गोटा	१४५२.००	१४५२.००	१४९५.००
	८० मि.मि. ब्यास	गोटा	२०१०.२५	२०१०.२५	२०७०.००
	१०० मि.मि. ब्यास	गोटा	२७५६.२५	२७५६.२५	२८४०.००
२९	हेक्स् निपल				

Handwritten signatures and notes at the bottom of the page, including a large signature on the left and several smaller ones on the right.

१३. खानेपानी तथा सरसफाई संबन्धि सामग्री



क्र.स.	सामानको नाम	इकाई	मू.अ. कर बाहेकको दररेट		
			भा.व. ०७९/८०	भा.व. ०८०/८१	भा.व. ०८१/८२
	१५ मि.मि. ब्यास	गोटा	६४.६३	६४.६३	६६.००
	२० मि.मि. ब्यास	गोटा	९२.९३	९२.९३	९४.००
	२५ मि.मि. ब्यास	गोटा	१३२.००	१३२.००	१३३.००
	३२ मि.मि. ब्यास	गोटा	२११.७५	२११.७५	२१८.००
	४० मि.मि. ब्यास	गोटा	२६२.६३	२६२.६३	२७०.००
	५० मि.मि. ब्यास	गोटा	३९०.५०	३९०.५०	४०२.००
३०	टैक निप्पल				
	१५ मि.मि. ब्यास	गोटा	१०८.६३	१०८.६३	१११.००
	२० मि.मि. ब्यास	गोटा	१९९.३८	१९९.३८	२०५.००
	२५ मि.मि. ब्यास	गोटा	२४७.५०	२४७.५०	२५४.००
	३२ मि.मि. ब्यास	गोटा	३३४.९३	३३४.९३	३४४.००
	४० मि.मि. ब्यास	गोटा	४२३.५०	४२३.५०	४३६.००
	५० मि.मि. ब्यास	गोटा	८४७.००	८४७.००	८७२.००
३१	चेक नट मीडियम क्लास				
	१५ मि.मि. ब्यास	गोटा	३२.६७	३२.६७	३३.००
	२० मि.मि. ब्यास	गोटा	४२.०३	४२.०३	४३.००
	२५ मि.मि. ब्यास	गोटा	६८.९७	६८.९७	७१.००
	३२ मि.मि. ब्यास	गोटा	७९.८६	७९.८६	८२.००
	४० मि.मि. ब्यास	गोटा	१४३.९९	१४३.९९	१४८.००
	५० मि.मि. ब्यास	गोटा	१८४.१३	१८४.१३	१९०.००
३२	जि.आई. निप्पल २" लामो				
	१५ मि.मि. ब्यास	गोटा	३३.८८	३३.८८	३४.००
	२० मि.मि. ब्यास	गोटा	४२.९०	४२.९०	४४.००
	२५ मि.मि. ब्यास	गोटा	६५.६७	६५.६७	६७.००
	३२ मि.मि. ब्यास	गोटा	८५.४७	८५.४७	८८.००
	४० मि.मि. ब्यास	गोटा	९८.३४	९८.३४	१०१.००
	५० मि.मि. ब्यास	गोटा	१३५.९६	१३५.९६	१४०.००
	६५ मि.मि. ब्यास	गोटा	१७३.५८	१७३.५८	१७८.००
	८० मि.मि. ब्यास	गोटा	२१६.८१	२१६.८१	२२३.००
	१०० मि.मि. ब्यास	गोटा	३२५.०५	३२५.०५	३३४.००
३३	जि.आई. निप्पल ३" लामो				
	१५ मि.मि. ब्यास	गोटा	४०.८२	४०.८२	४२.००
	२० मि.मि. ब्यास	गोटा	६४.३५	६४.३५	६६.००
	२५ मि.मि. ब्यास	गोटा	९८.४६	९८.४६	१०१.००
	३२ मि.मि. ब्यास	गोटा	१२८.१५	१२८.१५	१३१.००
	४० मि.मि. ब्यास	गोटा	१४७.५१	१४७.५१	१५१.००
	५० मि.मि. ब्यास	गोटा	२०३.८३	२०३.८३	२०९.००
	६५ मि.मि. ब्यास	गोटा	२६०.३७	२६०.३७	२६८.००
	८० मि.मि. ब्यास	गोटा	३२५.१६	३२५.१६	३३४.००
	१०० मि.मि. ब्यास	गोटा	४८७.५२	४८७.५२	५०२.००
३४	जि.आई. निप्पल ४" लामो				
	१५ मि.मि. ब्यास	गोटा	६७.६५	६७.६५	६९.००
	२० मि.मि. ब्यास	गोटा	८५.८०	८५.८०	८८.००
	२५ मि.मि. ब्यास	गोटा	१३१.३४	१३१.३४	१३३.००
	३२ मि.मि. ब्यास	गोटा	१७०.८३	१७०.८३	१७४.००
	४० मि.मि. ब्यास	गोटा	१९६.६८	१९६.६८	२०२.००
	५० मि.मि. ब्यास	गोटा	२७१.८१	२७१.८१	२७९.००
	६५ मि.मि. ब्यास	गोटा	३४७.१६	३४७.१६	३५७.००
	८० मि.मि. ब्यास	गोटा	४३३.५१	४३३.५१	४४६.००
	१०० मि.मि. ब्यास	गोटा	६४९.९९	६४९.९९	६६९.००
३५	जि.आई. निप्पल ६" लामो				
	१५ मि.मि. ब्यास	गोटा	१०१.५३	१०१.५३	१०४.००
	२० मि.मि. ब्यास	गोटा	१२८.७०	१२८.७०	१३२.००

Handwritten signatures and notes at the bottom of the page, including a large signature on the left and several smaller ones on the right.

१३. खानेपानी तथा सरसफाई संबन्धि सामग्री

क्र.स.	सामानको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			भा.ब. ०७९/८०	भा.ब. ०८०/८१	भा.ब. ०८१/८२
	२५ मि.मि. ब्यास	गोटा	१९७.०१	१९७.०१	२०२.००
	३२ मि.मि. ब्यास	गोटा	२५६.१९	२५६.१९	२६३.००
	४० मि.मि. ब्यास	गोटा	२९५.०२	२९५.०२	३०३.००
	५० मि.मि. ब्यास	गोटा	४०७.६६	४०७.६६	४१९.००
	६५ मि.मि. ब्यास	गोटा	५२०.६३	५२०.६३	५३६.००
	८० मि.मि. ब्यास	गोटा	६५०.२९	६५०.२९	६६९.००
	१०० मि.मि. ब्यास	गोटा	९७४.९३	९७४.९३	१००४.००
३६	जि.आई. निष्पल ९" सामो				
	१५ मि.मि. ब्यास	गोटा	१५२.२४	१५२.२४	१५६.००
	२० मि.मि. ब्यास	गोटा	१९३.०५	१९३.०५	१९८.००
	२५ मि.मि. ब्यास	गोटा	२९५.५७	२९५.५७	३०४.००
	३२ मि.मि. ब्यास	गोटा	३८४.२३	३८४.२३	३९५.००
	४० मि.मि. ब्यास	गोटा	४४२.५३	४४२.५३	४५५.००
	५० मि.मि. ब्यास	गोटा	६११.४९	६११.४९	६२९.००
	६५ मि.मि. ब्यास	गोटा	७८१.००	७८१.००	८०४.००
	८० मि.मि. ब्यास	गोटा	९७५.२६	९७५.२६	१००४.००
	१०० मि.मि. ब्यास	गोटा	१४६२.३४	१४६२.३४	१५०६.००
३७	जि.आई. निष्पल १२" सामो				
	१५ मि.मि. ब्यास	गोटा	२०२.९५	२०२.९५	२०९.००
	२० मि.मि. ब्यास	गोटा	२५७.४०	२५७.४०	२६५.००
	२५ मि.मि. ब्यास	गोटा	३९४.०२	३९४.०२	४०५.००
	३२ मि.मि. ब्यास	गोटा	५१२.३८	५१२.३८	५२७.००
	४० मि.मि. ब्यास	गोटा	५९०.०४	५९०.०४	६०७.००
	५० मि.मि. ब्यास	गोटा	८१५.३२	८१५.३२	८३९.००
	६५ मि.मि. ब्यास	गोटा	१०४१.२६	१०४१.२६	१०७२.००
	८० मि.मि. ब्यास	गोटा	१३००.३१	१३००.३१	१३३९.००
	१०० मि.मि. ब्यास	गोटा	१९४९.७५	१९४९.७५	२००८.००
३८	जि.आई. निष्पल १८" सामो				
	१५ मि.मि. ब्यास	गोटा	३०४.३७	३०४.३७	३१३.००
	२० मि.मि. ब्यास	गोटा	३८६.१०	३८६.१०	३९७.००
	२५ मि.मि. ब्यास	गोटा	५९१.०३	५९१.०३	६०८.००
	३२ मि.मि. ब्यास	गोटा	७६८.४६	७६८.४६	७९१.००
	४० मि.मि. ब्यास	गोटा	८८५.०६	८८५.०६	९११.००
	५० मि.मि. ब्यास	गोटा	१२२२.८७	१२२२.८७	१२५९.००
	६५ मि.मि. ब्यास	गोटा	१५६१.८९	१५६१.८९	१६०८.००
	८० मि.मि. ब्यास	गोटा	१९५०.४१	१९५०.४१	२००८.००
	१०० मि.मि. ब्यास	गोटा	२९२४.५७	२९२४.५७	३०१२.००
३९	जि.आई. चोक भन्व				
	१५ मि.मि. ब्यास	गोटा	४७८.५०	४७८.५०	४९२.००
	२० मि.मि. ब्यास	गोटा	७३४.८०	७३४.८०	७५६.००
	२५ मि.मि. ब्यास	गोटा	१६५३.३०	१६५३.३०	१७०२.००
	३२ मि.मि. ब्यास	गोटा	२७७७.५०	२७७७.५०	२८६०.००
	४० मि.मि. ब्यास	गोटा	४१४८.१०	४१४८.१०	४२७२.००
	५० मि.मि. ब्यास	गोटा	६१९४.१०	६१९४.१०	६३७९.००
	६५ मि.मि. ब्यास	गोटा	९८७८.००	९८७८.००	१०१७४.००
	८० मि.मि. ब्यास	गोटा	१०१९७.००	१०१९७.००	१०५०२.००
४०	जि.एम. गेट भन्व NS 149				
	१५ मि.मि. ब्यास	गोटा	९०४.२०	९०४.२०	९३१.००
	२० मि.मि. ब्यास	गोटा	१२५७.३०	१२५७.३०	१२९५.००
	२५ मि.मि. ब्यास	गोटा	१९१८.४०	१९१८.४०	१९७५.००
	३२ मि.मि. ब्यास	गोटा	२८८६.४०	२८८६.४०	२९७२.००
	४० मि.मि. ब्यास	गोटा	३९२३.७०	३९२३.७०	४०४१.००
	५० मि.मि. ब्यास	गोटा	६०५०.००	६०५०.००	६२३१.००

Handwritten signatures and notes at the bottom of the page, including a large signature on the left and several smaller ones on the right.

१३. खानेपानी तथा सरसफाई संबन्धि सामग्री

क्र.स.	सामानको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			मा.व. ०७९/८०	मा.व. ०८०/८१	मा.व. ०८१/८२
	६५ मि.मि. व्यास	गोटा	१२५९६.१०	१२५९६.१०	१२९७३.००
	८० मि.मि. व्यास	गोटा	१९१८४.००	१९१८४.००	१९७५९.००
	१०० मि.मि. व्यास	गोटा	३४५३२.३०	३४५३२.३०	३५५६८.००
४१	ब्रि.एम.ग्लोब भल्व NS 382				
	१५ मि.मि. व्यास	गोटा	८१६.२०	८१६.२०	८४०.००
	२० मि.मि. व्यास	गोटा	१३९०.४०	१३९०.४०	१४३२.००
	२५ मि.मि. व्यास	गोटा	१९३८.२०	१९३८.२०	१९९६.००
	३२ मि.मि. व्यास	गोटा	३९२०.४०	३९२०.४०	४०३८.००
	४० मि.मि. व्यास	गोटा	४९७६.४०	४९७६.४०	५१२५.००
	५० मि.मि. व्यास	गोटा	६९३४.४०	६९३४.४०	७१४२.००
	६५ मि.मि. व्यास	गोटा	१४४५०.७०	१४४५०.७०	१४८८४.००
	८० मि.मि. व्यास	गोटा	१९५४०.४०	१९५४०.४०	२०१२६.००
	१०० मि.मि. व्यास	गोटा	३४१९४.६०	३४१९४.६०	३५२२०.००
४२	स्लुइस भल्व (CI Sluice Valve)				
	४० मि.मी. डाय	गोटा	४२३५.००	४२३५.००	४३६२.००
	५० मि.मी. डाय	गोटा	७८६५.००	७८६५.००	८१००.००
	६५ मि.मी. डाय	गोटा	१०३४७.७०	१०३४७.७०	१०६५८.००
	८० मि.मी. डाय	गोटा	१२९५५.८०	१२९५५.८०	१३३४४.००
	१०० मि.मी. डाय	गोटा	१७२४५.८०	१७२४५.८०	१७७७३.००
	१२५ मि.मी. डाय	गोटा	२६११७.३०	२६११७.३०	२६९००.००
	१५० मि.मी. डाय	गोटा	३१८१४.२०	३१८१४.२०	३२७८८.००
	२०० मि.मी. डाय	गोटा	४७१४२.८०	४७१४२.८०	४८८५७.००
	२५० मि.मी. डाय	गोटा	८१८५३.२०	८१८५३.२०	८४३०८.००
४३	ब्रि.आई. फ्लेन्ज (GI Flange)				
	४० मि.मी. डाय	सेट	१२००.१०	१२००.१०	१२३६.००
	५० मि.मी. डाय	सेट	१२८९.२०	१२८९.२०	१३२७.००
	६५ मि.मी. डाय	सेट	१४९२.७०	१४९२.७०	१५३७.००
	८० मि.मी. डाय	सेट	१४६२८.९०	१४६२८.९०	१५०६७.००
	१०० मि.मी. डाय	सेट	२३३७.५०	२३३७.५०	२४०७.००
	१२५ मि.मी. डाय	सेट	२५७८.४०	२५७८.४०	२६५५.००
	१५० मि.मी. डाय	सेट	३८५०.००	३८५०.००	३९६५.००
४४	ब्रि.आई. प्लग (GI Plug)				
	१५ मि.मी. डाय	गोटा	४१.२५	४१.२५	४२.००
	२० मि.मी. डाय	गोटा	५९.१३	५९.१३	६०.००
	२५ मि.मी. डाय	गोटा	१०३.१३	१०३.१३	१०६.००
	३२ मि.मी. डाय	गोटा	१४३.००	१४३.००	१४७.००
	४० मि.मी. डाय	गोटा	१८९.७५	१८९.७५	१९५.००
	५० मि.मी. डाय	गोटा	३३२.७५	३३२.७५	३४२.००
	६५ मि.मी. डाय	गोटा	५८०.२५	५८०.२५	५९७.००
	८० मि.मी. डाय	गोटा	७५०.७५	७५०.७५	७७३.००
	१०० मि.मी. डाय	गोटा	९९१.३८	९९१.३८	१०२१.००
	१२५ मि.मी. डाय	गोटा	४३४.५०	४३४.५०	४४७.००
४५	ब्रि.आई. रेड्युसर (GI Reducer)				
	(२० x १५) मि.मी. डाय	गोटा	६०.५०	६०.५०	६२.००
	(२५ x १५) मि.मी. डाय	गोटा	८२.५०	८२.५०	८४.००
	(२५ x २०) मि.मी. डाय	गोटा	१०२.३०	१०२.३०	१०५.००
	(३२ x १५) मि.मी. डाय	गोटा	१३६.४०	१३६.४०	१४०.००
	(३२ x २०) मि.मी. डाय	गोटा	१३६.४०	१३६.४०	१४०.००
	(३२ x २५) मि.मी. डाय	गोटा	१३६.४०	१३६.४०	१४०.००
	(४० x १५) मि.मी. डाय	गोटा	१६५.००	१६५.००	१६९.००
	(४० x २०) मि.मी. डाय	गोटा	१६५.००	१६५.००	१६९.००
	(४० x २५) मि.मी. डाय	गोटा	१६५.००	१६५.००	१६९.००
	(४० x ३२) मि.मी. डाय	गोटा	१६५.००	१६५.००	१६९.००

Handwritten signatures and notes at the bottom of the page, including a large signature on the left and several smaller ones on the right.

१३. खानेपानी तथा सरसफाई संबन्धि सामग्री

क्र.स.	सामानको नाम	इकाई	म.अ. वर बाहेकको दररेट		
			भा.व. ००९/८०	भा.व. ०८०/८१	भा.व. ०८१/८२
	(१० x १५) मि.मी. डाय	गोटा	२९३.००	२९३.००	३०५.००
	(१० x २०) मि.मी. डाय	गोटा	२९३.००	२९३.००	३०५.००
	(१० x २५) मि.मी. डाय	गोटा	२९३.००	२९३.००	३०५.००
	(१० x ३२) मि.मी. डाय	गोटा	२९३.००	२९३.००	३०५.००
	(१० x ४०) मि.मी. डाय	गोटा	२९३.००	२९३.००	३०५.००
	(६५ x १५) मि.मी. डाय	गोटा	५३९.००	५३९.००	५५५.००
	(६५ x २०) मि.मी. डाय	गोटा	५३९.००	५३९.००	५५५.००
	(६५ x २५) मि.मी. डाय	गोटा	५३९.००	५३९.००	५५५.००
	(६५ x ३२) मि.मी. डाय	गोटा	५३९.००	५३९.००	५५५.००
	(६५ x ४०) मि.मी. डाय	गोटा	५३९.००	५३९.००	५५५.००
	(६५ x ५०) मि.मी. डाय	गोटा	५३९.००	५३९.००	५५५.००
	(८० x १५) मि.मी. डाय	गोटा	८१९.५०	८१९.५०	८४४.००
	(८० x २०) मि.मी. डाय	गोटा	८१९.५०	८१९.५०	८४४.००
	(८० x २५) मि.मी. डाय	गोटा	८१९.५०	८१९.५०	८४४.००
	(८० x ३२) मि.मी. डाय	गोटा	८१९.५०	८१९.५०	८४४.००
	(८० x ४०) मि.मी. डाय	गोटा	८१९.५०	८१९.५०	८४४.००
	(८० x ५०) मि.मी. डाय	गोटा	८१९.५०	८१९.५०	८४४.००
	(१०० x १५) मि.मी. डाय	गोटा	१२९२.५०	१२९२.५०	१३३१.००
	(१०० x २०) मि.मी. डाय	गोटा	१२९२.५०	१२९२.५०	१३३१.००
	(१०० x २५) मि.मी. डाय	गोटा	१२९२.५०	१२९२.५०	१३३१.००
	(१०० x ३२) मि.मी. डाय	गोटा	१२९२.५०	१२९२.५०	१३३१.००
	(१०० x ४०) मि.मी. डाय	गोटा	१२९२.५०	१२९२.५०	१३३१.००
	(१०० x ५०) मि.मी. डाय	गोटा	१२९२.५०	१२९२.५०	१३३१.००
	(१०० x ६५) मि.मी. डाय	गोटा	१२९२.५०	१२९२.५०	१३३१.००
	(१०० x ८०) मि.मी. डाय	गोटा	१२९२.५०	१२९२.५०	१३३१.००
	(१२५ x १००) मि.मी. डाय	गोटा	३६९०.५०	३६९०.५०	३८०१.००
	(१५० x १२५) मि.मी. डाय	गोटा	३६९०.५०	३६९०.५०	३८०१.००
४६	जि.आई.स्टेनर (GI Strainer)	गोटा			
	१५ मि.मी. जि.आई.स्टेनर	गोटा	२०३.५०	२०३.५०	२०९.००
	२० मि.मी. जि.आई.स्टेनर	गोटा	४१२.५०	४१२.५०	४२४.००
	२५ मि.मी. जि.आई.स्टेनर	गोटा	५३९.००	५३९.००	५५५.००
	३२ मि.मी. जि.आई.स्टेनर	गोटा	८१९.००	८१९.००	९१३.००
	४० मि.मी. जि.आई.स्टेनर	गोटा	१०३९.५०	१०३९.५०	१०७०.००
	५० मि.मी. जि.आई.स्टेनर	गोटा	१४०८.००	१४०८.००	१४५०.००
	६५ मि.मी. जि.आई.स्टेनर	गोटा	१६३३.५०	१६३३.५०	१६८२.००
	८० मि.मी. जि.आई.स्टेनर	गोटा	२३६५.००	२३६५.००	२४३५.००
	१०० मि.मी. जि.आई.स्टेनर	गोटा	३७६९.००	३७६९.००	३८८२.००
	१२५ मि.मी. जि.आई.स्टेनर	गोटा	५५६६.००	५५६६.००	५७३२.००
४७	जि.आई. अनड्रिन्वायल टी				
	२० x १५ मि.मी.	गोटा	१०४.५०	१०४.५०	१०७.००
	२५ x १५ मि.मी.	गोटा	१६०.६०	१६०.६०	१६५.००
	२५ x २० मि.मी.	गोटा	२४६.४०	२४६.४०	२५३.००
	३२ x १५ मि.मी.	गोटा	२४६.४०	२४६.४०	२५३.००
	३२ x २५ मि.मी.	गोटा	२९३.००	२९३.००	३०५.००
	४० x १५ मि.मी.	गोटा	३१३.५०	३१३.५०	३२२.००
	४० x २० मि.मी.	गोटा	३१३.५०	३१३.५०	३२२.००
	४० x २५ मि.मी.	गोटा	२६४.००	२६४.००	२७१.००
	५० x १५ मि.मी.	गोटा	३८५.००	३८५.००	३९६.००
	५० x २० मि.मी.	गोटा	४१२.५०	४१२.५०	४२४.००
	५० x ३२ मि.मी.	गोटा	९३५.००	९३५.००	९६३.००
	५० x ४० मि.मी.	गोटा	९३५.००	९३५.००	९६३.००
	६५ x १५ मि.मी.	गोटा	९३५.००	९३५.००	९६३.००

(Handwritten signatures and notes at the bottom of the page)

१३. खानेपानी तथा सरसफाई संबन्धि सामग्री

क्र.स.	सामानको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			मा.व. ००९/८०	मा.व. ०००/८१	मा.व. ००१/८२
	६५ x २० मि.मी.	गोटा	९३५.००	९३५.००	९६३.००
	६५ x २५ मि.मी.	गोटा	१३४२.००	१३४२.००	१३८२.००
	६५ x ३२ मि.मी.	गोटा	१३४२.००	१३४२.००	१३८२.००
	६५ x ४० मि.मी.	गोटा	१३४२.००	१३४२.००	१३८२.००
	६५ x ५० मि.मी.	गोटा	१३४२.००	१३४२.००	१३८२.००
	८० x १५ मि.मी.	गोटा	१३४२.००	१३४२.००	१३८२.००
	८० x २० मि.मी.	गोटा	१३४२.००	१३४२.००	१३८२.००
	८० x २५ मि.मी.	गोटा	१३४२.००	१३४२.००	१३८२.००
	८० x ३२ मि.मी.	गोटा	१३४२.००	१३४२.००	१३८२.००
	८० x ४० मि.मी.	गोटा	१३४२.००	१३४२.००	१३८२.००
	८० x ५० मि.मी.	गोटा	१३४२.००	१३४२.००	१३८२.००
	८० x ६५ मि.मी.	गोटा	१३४२.००	१३४२.००	१३८२.००
	१०० x १५ मि.मी.	गोटा	२६२९.००	२६२९.००	२७०७.००
	१०० x २० मि.मी.	गोटा	२६२९.००	२६२९.००	२७०७.००
	१०० x २५ मि.मी.	गोटा	२६२९.००	२६२९.००	२७०७.००
	१०० x ३२ मि.मी.	गोटा	२६२९.००	२६२९.००	२७०७.००
	१०० x ४० मि.मी.	गोटा	२६२९.००	२६२९.००	२७०७.००
	१०० x ५० मि.मी.	गोटा	२६२९.००	२६२९.००	२७०७.००
	१०० x ६५ मि.मी.	गोटा	२६२९.००	२६२९.००	२७०७.००
	१२५ x १५ मि.मी.	गोटा	७३५९.००	७३५९.००	७५७९.००
	१२५ x २० मि.मी.	गोटा	७३५९.००	७३५९.००	७५७९.००
	१२५ x २५ मि.मी.	गोटा	७३५९.००	७३५९.००	७५७९.००
	१२५ x ३२ मि.मी.	गोटा	७३५९.००	७३५९.००	७५७९.००
	१२५ x ४० मि.मी.	गोटा	७३५९.००	७३५९.००	७५७९.००
	१२५ x ५० मि.मी.	गोटा	७३५९.००	७३५९.००	७५७९.००
	१२५ x ६५ मि.मी.	गोटा	७३५९.००	७३५९.००	७५७९.००
४८	श्याडल फेरुल कक (Shaddle Ferrule)				
	४० मि.मी. डाय	गोटा	९०१.४५	९०१.४५	९२८.००
	५० मि.मी. डाय	गोटा	९४४.९०	९४४.९०	९७३.००
	६५ मि.मी. डाय	गोटा	१८९४.२०	१८९४.२०	१९५१.००
	८० मि.मी. डाय	गोटा	२०२७.३०	२०२७.३०	२०८८.००
	१०० मि.मी. डाय	गोटा	२१०६.५०	२१०६.५०	२१६९.००
४९	फ्लोट भल्व (Float Valve)				
	१५ मि.मी. डाय	गोटा	३९७६.५०	३९७६.५०	४०९५.००
	२० मि.मी. डाय	गोटा	४६११.२०	४६११.२०	४७४९.००
	२५ मि.मी. डाय	गोटा	६०५२.२०	६०५२.२०	६२३३.००
	३२ मि.मी. डाय	गोटा	१२८४५.८०	१२८४५.८०	१३२३१.००
	४० मि.मी. डाय	गोटा	१७६१३.२०	१७६१३.२०	१८१४१.००
	५० मि.मी. डाय	गोटा	२१२१२.४०	२१२१२.४०	२१८४८.००
५०	ब्रास युनियन				
	१५ मि.मी. डाय	गोटा	३६९.६०	३६९.६०	३८०.००
	२० मि.मी. डाय	गोटा	४४५.५०	४४५.५०	४७२.००
	२५ मि.मी. डाय	गोटा	८३२.७०	८३२.७०	८५७.००
	३२ मि.मी. डाय	गोटा	११२४.२०	११२४.२०	११५७.००
	४० मि.मी. डाय	गोटा	१६५३.३०	१६५३.३०	१७०२.००
	५० मि.मी. डाय	गोटा	२३११.१०	२३११.१०	२३८०.००
	६५ मि.मी. डाय	गोटा	४२६७.९०	४२६७.९०	४४२५.००
	८० मि.मी. डाय	गोटा	७८९२.५०	७८९२.५०	८१२९.००
	१०० मि.मी. डाय	गोटा	१२०३४.००	१२०३४.००	१२३९५.००
५१	जि.एम.एवर भल्व				
	१५ मि.मी. डाय	गोटा	४६००.१०	४६००.१०	४७६८.००
	२० मि.मी. डाय	गोटा	४९०४.८०	४९०४.८०	५०८१.००
	२५ मि.मी. डाय	गोटा	८६९८.८०	८६९८.८०	८९४९.००

Handwritten signatures and notes at the bottom of the page.



१३. खानेपानी तथा सरसफाई संबन्धि सामग्री

क्र.स.	सामानको नाम	इकाई	मू.अ. कर बागेको दररेट		
			आ.ब. ०७९/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२
५२	सि.आई. एयर भल्भ				
	१५ मि.मी. डाय	गोटा	१६२९.४०	१६२९.४०	१६७०.००
	२० मि.मी. डाय	गोटा	१५९७.२०	१५९७.२०	१६४५.००
	२५ मि.मी. डाय	गोटा	२०९९.३५	२०९९.३५	२१६२.००
५३	पि.बी.सी. स्याडल	गोटा			
	४० मी.मी.	गोटा	१२९.७६	१२९.७६	१२९.७६
	५० मी.मी.	गोटा	१५७.५८	१५७.५८	१५७.५८
	६३ मी.मी.	गोटा	२०९.९६	२०९.९६	२०९.९६
	७५ मी.मी.	गोटा	२३४.६४	२३४.६४	२३४.६४
	९० मी.मी.	गोटा	२५९.९६	२५९.९६	२५९.९६
	११० मी.मी.	गोटा	३२०.२५	३२०.२५	३२०.२५
	१२५ मी.मी.	गोटा	६७७.६०	६७७.६०	६७७.६०
	१४० मी.मी.	गोटा	७२७.९०	७२७.९०	७२७.९०
५४	एच.डि.पी. स्याडल				
	३२ मी.मी.	गोटा	१५५.९०	१५५.९०	१५५.९०
	४० मी.मी.	गोटा	१५५.९०	१५५.९०	१५५.९०
	५० मी.मी.	गोटा	२०९.३०	२०९.३०	२०९.३०
	६३ मी.मी.	गोटा	२६६.२०	२६६.२०	२६६.२०
	७५ मी.मी.	गोटा	२९९.२०	२९९.२०	२९९.२०
	९० मी.मी.	गोटा	३३९.९०	३३९.९०	३३९.९०
	११० मी.मी.	गोटा	४०७.००	४०७.००	४०७.००
	१२५ मी.मी.	गोटा	८६२.४०	८६२.४०	८६२.४०
	१४० मी.मी.	गोटा	८६२.४०	८६२.४०	८६२.४०
५५	सि.आई. (C) स्याडल				
	३२ मी.मी.	गोटा	२७९.७०	२७९.७०	२७९.७०
	४० मी.मी.	गोटा	३२२.३०	३२२.३०	३२२.३०
	५० मी.मी.	गोटा	३५०.९०	३५०.९०	३५०.९०
	६३ मी.मी.	गोटा	३७५.९०	३७५.९०	३७५.९०
	७५ मी.मी.	गोटा	४९३.९०	४९३.९०	४९३.९०
	९० मी.मी.	गोटा	५९८.९०	५९८.९०	५९८.९०
	११० मी.मी.	गोटा	६३२.५०	६३२.५०	६३२.५०
	१२५ मी.मी.	गोटा	८००.८०	८००.८०	८००.८०
	१४० मी.मी.	गोटा	९६०.३०	९६०.३०	९६०.३०
५६	फ्लेन्ज सेट (GI/GI, GI/HDP)				
	४० मी.मी.	गोटा	१५५.००	१५५.००	१५५.००
	५० मी.मी.	गोटा	२०४२.७०	२०४२.७०	२०४२.७०
	६३ मी.मी.	गोटा	२७०२.७०	२७०२.७०	२७०२.७०
	७५ मी.मी.	गोटा	३२३०.७०	३२३०.७०	३२३०.७०
	९० मी.मी.	गोटा	४१३८.२०	४१३८.२०	४१३८.२०
	१०० मी.मी.	गोटा	४७०४.७०	४७०४.७०	४७०४.७०
	११० मी.मी.	गोटा	८७३३.७८	८७३३.७८	८७३३.७८
	१२५ मी.मी.	गोटा	९९२९.७०	९९२९.७०	९९२९.७०
	१४० मी.मी.	गोटा	१८३८९.५८	१८३८९.५८	१८३८९.५८
	१५० मी.मी.	गोटा	१२८२२.७०	१२८२२.७०	१२८२२.७०
५७	डिप टयूबेलका सामानहरू				
	डिप टयूबेल हेड सेट	सेट	३१३५०.००	३१३५०.००	३१३५०.००
	माइनर टूल सेट बाक्स	सेट	१७२७०.००	१७२७०.००	१७२७०.००
	मेजर टूल सेट बाक्स	सेट	३०८००.००	३०८००.००	३०८००.००
	४" पि.भि.सि स्टेनर	मिटर	९९०.००	९९०.००	९९०.००
	सोलभेट सिमेन्ट	टयुब	१६५.००	१६५.००	१६५.००
	४ इन्च पि.भि.सि स्यान्ड टयाप	गोटा	९९०.००	९९०.००	९९०.००
५८	टयूबेलका सामानहरू				
५८.१	सामानहरू				

Handwritten signatures and notes at the bottom of the page, including names like 'Sanku' and 'Rajendra'.



१३. खानेपानी तथा सरसफाई संबन्धि सामग्री

क्र.स.	सामानको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
	टयुबेल हेड सेट २२ के.जी	सेट	३८५०.००	३८५०.००	३८५०.००
	टयुबेल हेड सेट २० के.जी	सेट	३५७५.००	३५७५.००	३५७५.००
	टयुबेल हेड सेट १८ के.जी	सेट	३३००.००	३३००.००	३३००.००
	टयुबेल हेड सेट १६ के.जी	सेट	२५३०.००	२५३०.००	२५३०.००
५८.२	टयुबेल बोरिंग गर्ने काम				
	टयुबेल बोरिंग १००'फिट सम्म	र फिट	८२.५०	८२.५०	८२.५०
	टयुबेल बोरिंग १००'फिट दुखि माथि	र फिट	९३.५०	९३.५०	९३.५०
५९	C.I Mechanical coupling				
	300 mm	गोटा	२३५६७.५०	२३५६७.५०	२३५६७.५०
	250 mm	गोटा	१८१३३.५०	१८१३३.५०	१८१३३.५०
	200 mm	गोटा	१४५०३.५०	१४५०३.५०	१४५०३.५०
	150 mm	गोटा	११५५०.००	११५५०.००	११५५०.००
	125 mm	गोटा	९३६६.५०	९३६६.५०	९३६६.५०
	100 mm	गोटा	९१८५.००	९१८५.००	९१८५.००
	80 mm	गोटा	५२८०.००	५२८०.००	५२८०.००
६०	C.I Double Flanged bends				
	90 degree bend (elbow)				
	300 mm	गोटा	३८३२९.५०	३८३२९.५०	३८३२९.५०
	250 mm	गोटा	२९४९६.५०	२९४९६.५०	२९४९६.५०
	200 mm	गोटा	२३५७८.५०	२३५७८.५०	२३५७८.५०
	150 mm	गोटा	१७६९३.५०	१७६९३.५०	१७६९३.५०
	125 mm	गोटा	१४७४५.५०	१४७४५.५०	१४७४५.५०
	100 mm	गोटा	११७१५.००	११७१५.००	११७१५.००
	80 mm	गोटा	८८४४.००	८८४४.००	८८४४.००
	45 degree bend				
	300 mm	गोटा	३८३२९.५०	३८३२९.५०	३८३२९.५०
	250 mm	गोटा	२९४९६.५०	२९४९६.५०	२९४९६.५०
	200 mm	गोटा	२३५७८.५०	२३५७८.५०	२३५७८.५०
	150 mm	गोटा	१७६९३.५०	१७६९३.५०	१७६९३.५०
	125 mm	गोटा	१४७४५.५०	१४७४५.५०	१४७४५.५०
	100 mm	गोटा	११७१५.००	११७१५.००	११७१५.००
	80 mm	गोटा	८८४४.००	८८४४.००	८८४४.००
६१	C.I all flanged equal tee				
	300mm	गोटा	१०४६१०.००	१०४६१०.००	१०४६१०.००
	250 mm	गोटा	८०४६५.००	८०४६५.००	८०४६५.००
	200 mm	गोटा	४४९८४.५०	४४९८४.५०	४४९८४.५०
	150 mm	गोटा	३३७७०.००	३३७७०.००	३३७७०.००
	125 mm	गोटा	२८१४९.००	२८१४९.००	२८१४९.००
	100 mm	गोटा	२२५२२.५०	२२५२२.५०	२२५२२.५०
	80 mm	गोटा	१६९१८.००	१६९१८.००	१६९१८.००
	65 mm	गोटा	१६९७०.००	१६९७०.००	१६९७०.००
६२	C.I Flanged bell mouth				
	250 mm	गोटा	२४१४५.००	२४१४५.००	२४१४५.००
	200 mm	गोटा	१९३०५.००	१९३०५.००	१९३०५.००
	150 mm	गोटा	१४५२०.००	१४५२०.००	१४५२०.००
	125 mm	गोटा	१२०६७.००	१२०६७.००	१२०६७.००
	100 mm	गोटा	९५९२.००	९५९२.००	९५९२.००
	80 mm	गोटा	७२३८.००	७२३८.००	७२३८.००
६३	C.I double flanged concentric taper(reducer)				
	300*250	गोटा	३२९७२.५०	३२९७२.५०	३२९७२.५०
	250*200	गोटा	३०३०५.००	३०३०५.००	३०३०५.००
	250*150	गोटा	३०२५०.००	३०२५०.००	३०२५०.००

[Handwritten signature]

[Handwritten signatures and notes at the bottom of the page]

१३. खानेपानी तथा सरसफाई संबन्धि सामग्री



क्र.स.	सामानको नाम	इकाई	मू.अ. कर बाहेकको दररेट		
			आ.ब. ०७९/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२
	250*100	गोटा	२९७००.००	२९७००.००	२९७००.००
	200*150	गोटा	२४२४४.००	२४२४४.००	२४२४४.००
	200*100	गोटा	२४२००.००	२४२००.००	२४२००.००
	150*100	गोटा	१८१४०.००	१८१४०.००	१८१४०.००
	150*80	गोटा	१७६००.००	१७६००.००	१७६००.००
	125*100	गोटा	१४९४०.००	१४९४०.००	१४९४०.००
	125*80	गोटा	१४४००.००	१४४००.००	१४४००.००
	100*80	गोटा	१२०४४.००	१२०४४.००	१२०४४.००
	80*65	गोटा	१०९४४.००	१०९४४.००	१०९४४.००
६४	C.I single flanged tail piece				
	250 mm	गोटा	२६४६४.००	२६४६४.००	२६४६४.००
	200 mm	गोटा	२१२४१.००	२१२४१.००	२१२४१.००
	150 mm	गोटा	१४९३९.००	१४९३९.००	१४९३९.००
	125 mm	गोटा	१४०१४.००	१४०१४.००	१४०१४.००
	100 mm	गोटा	१२२७६.००	१२२७६.००	१२२७६.००
	80 mm	गोटा	१०७३६.००	१०७३६.००	१०७३६.००
६५	C.I double flanged tail piece				
	250 mm	गोटा	३३२२०.००	३३२२०.००	३३२२०.००
	200 mm	गोटा	२६४६४.००	२६४६४.००	२६४६४.००
	150 mm	गोटा	१९९३२.००	१९९३२.००	१९९३२.००
	125 mm	गोटा	१८७७७.००	१८७७७.००	१८७७७.००
	100 mm	गोटा	१४३४४.००	१४३४४.००	१४३४४.००
	80 mm	गोटा	१३४०९.००	१३४०९.००	१३४०९.००
६६	C.I double flanged non return valve				
	250 mm	गोटा	८१८६२.००	८१८६२.००	८१८६२.००
	200 mm	गोटा	४७१४४.००	४७१४४.००	४७१४४.००
	150 mm	गोटा	३१८२३.००	३१८२३.००	३१८२३.००
	125 mm	गोटा	२६१२४.००	२६१२४.००	२६१२४.००
	100 mm	गोटा	१८०४०.००	१८०४०.००	१८०४०.००
	80 mm	गोटा	१२९४८.००	१२९४८.००	१२९४८.००
	65 mm	गोटा	१२१००.००	१२१००.००	१२१००.००
६७	Flow meter				
	250 mm	गोटा	२६९४००.००	२६९४००.००	२६९४००.००
	200 mm	गोटा	८२४००.००	८२४००.००	८२४००.००
	150 mm	गोटा	६०४००.००	६०४००.००	६०४००.००
	125 mm	गोटा	४९४००.००	४९४००.००	४९४००.००
	100 mm	गोटा	३९८४७.४०	३९८४७.४०	३९८४७.४०
	80 mm	गोटा	२३१८२.४०	२३१८२.४०	२३१८२.४०
	65mm	गोटा	२०६२४.००	२०६२४.००	२०६२४.००
६८	M. S. saddle				
	50 mm	गोटा	३७४.००	३७४.००	३७४.००
	63 mm	गोटा	४४६.४०	४४६.४०	४४६.४०
	75 mm	गोटा	४९४.००	४९४.००	४९४.००
	90 mm	गोटा	४४०.००	४४०.००	४४०.००
	110 mm	गोटा	४७७.४०	४७७.४०	४७७.४०
	125 mm	गोटा	११४४.००	११४४.००	११४४.००
	140 mm	गोटा	१६२२.४०	१६२२.४०	१६२२.४०
	160 mm	गोटा	१७८७.४०	१७८७.४०	१७८७.४०
	180 mm	गोटा	१९२४.००	१९२४.००	१९२४.००
	200 mm	गोटा	२२९३.४०	२२९३.४०	२२९३.४०
	225 mm	गोटा	२४२४.४०	२४२४.४०	२४२४.४०
	250 mm	गोटा	३४६९.४०	३४६९.४०	३४६९.४०

Handwritten signatures and notes at the bottom of the page, including a large signature on the left and several smaller ones on the right.

१३. खानेपानी तथा सरसफाई संबन्धि सामग्री



क्र.स.	सामानको नाम	इकाई	मु.व. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
६९	G.I cap				
	15 mm	गोटा	२३.५०	२३.५०	२८.००
	20 mm	गोटा	४४.००	४४.००	४५.००
	25 mm	गोटा	४९.५०	४९.५०	५०.००
	32 mm	गोटा	९३.५०	९३.५०	९६.००
	40 mm	गोटा	१०४.५०	१०४.५०	१०७.००
	50 mm	गोटा	१३२.००	१३२.००	१३५.००
	100 mm	गोटा	३५७.५०	३५७.५०	३६८.००
७०	H.D.P reducer				
	20/16 mm	गोटा	२२.००	२२.००	२२.००
	25/16 mm	गोटा	३३.००	३३.००	३३.००
	25/20 mm	गोटा	३३.००	३३.००	३३.००
	32/16 mm	गोटा	३३.००	३३.००	३३.००
	32/20 mm	गोटा	३९.६०	३९.६०	३९.६०
	32/25 mm	गोटा	३९.६०	३९.६०	३९.६०
	40/16 mm	गोटा	४८.४०	४८.४०	४८.४०
	40/20 mm	गोटा	५५.००	५५.००	५५.००
	40/25 mm	गोटा	५५.००	५५.००	५५.००
	40/32 mm	गोटा	५५.००	५५.००	५५.००
	50/20 mm	गोटा	६६.००	६६.००	६६.००
	50/25 mm	गोटा	७२.६०	७२.६०	७२.६०
	50/32 mm	गोटा	९९.००	९९.००	९९.००
	50/40 mm	गोटा	९९.००	९९.००	९९.००
	63/20 mm	गोटा	९९.००	९९.००	९९.००
	63/25 mm	गोटा	१२९.००	१२९.००	१२९.००
	63/32 mm	गोटा	१२९.००	१२९.००	१२९.००
	63/40 mm	गोटा	१२९.००	१२९.००	१२९.००
	63/50 mm	गोटा	१२९.००	१२९.००	१२९.००
	75/20 mm	गोटा	१८७.००	१८७.००	१८७.००
	75/25 mm	गोटा	१८७.००	१८७.००	१८७.००
	75/32 mm	गोटा	१४३.००	१४३.००	१४३.००
	75/40 mm	गोटा	१४३.००	१४३.००	१४३.००
	75/50 mm	गोटा	१६५.००	१६५.००	१६५.००
	75/63 mm	गोटा	१६५.००	१६५.००	१६५.००
	90/32 mm	गोटा	१८७.००	१८७.००	१८७.००
	90/40 mm	गोटा	२०९.००	२०९.००	२०९.००
	90/50 mm	गोटा	२५३.००	२५३.००	२५३.००
	90/63 mm	गोटा	२७५.००	२७५.००	२७५.००
	90/75 mm	गोटा	२९७.००	२९७.००	२९७.००
	110/40 mm	गोटा	२६४.००	२६४.००	२६४.००
	110/50 mm	गोटा	२९७.००	२९७.००	२९७.००
	110/63 mm	गोटा	३४९.००	३४९.००	३४९.००
	110/75 mm	गोटा	३८५.००	३८५.००	३८५.००
	110/90 mm	गोटा	४९५.००	४९५.००	४९५.००
	125/50 mm	गोटा	३६३.००	३६३.००	३६३.००
	125/63 mm	गोटा	४५९.००	४५९.००	४५९.००
	125/75 mm	गोटा	५८३.००	५८३.००	५८३.००
	125/90 mm	गोटा	६७९.००	६७९.००	६७९.००
	125/110 mm	गोटा	७९२.००	७९२.००	७९२.००
	140/50 mm	गोटा	४७३.००	४७३.००	४७३.००
	140/63 mm	गोटा	६७९.००	६७९.००	६७९.००
	140/75 mm	गोटा	७५९.००	७५९.००	७५९.००
	140/90 mm	गोटा	८०३.००	८०३.००	८०३.००

Handwritten signatures and notes at the bottom of the page, including a large signature on the left and several smaller ones on the right.

१३. खानेपानी तथा सरसफाई संबन्धि सामग्री



क्र.स.	सामानको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
	140/110 mm	गोटा	९१३.००	९१३.००	९१३.००
	140/125 mm	गोटा	९५३.००	९५३.००	९५३.००
	160/50 mm	गोटा	७५९.००	७५९.००	७५९.००
	160/63 mm	गोटा	८०३.००	८०३.००	८०३.००
	160/75 mm	गोटा	८६९.००	८६९.००	८६९.००
	160/90 mm	गोटा	९२४.००	९२४.००	९२४.००
	160/110 mm	गोटा	१२४३.००	१२४३.००	१२४३.००
	160/125 mm	गोटा	१२६५.००	१२६५.००	१२६५.००
	160/140 mm	गोटा	१२८७.००	१२८७.००	१२८७.००
	180/63 mm	गोटा	८२५.००	८२५.००	८२५.००
	180/75 mm	गोटा	९३५.००	९३५.००	९३५.००
	180/90 mm	गोटा	११००.००	११००.००	११००.००
	180/110 mm	गोटा	१३०९.००	१३०९.००	१३०९.००
	180/125 mm	गोटा	१४१९.००	१४१९.००	१४१९.००
	180/140 mm	गोटा	१४५२.००	१४५२.००	१४५२.००
	180/160 mm	गोटा	१५९५.००	१५९५.००	१५९५.००
	200/63 mm	गोटा	१२८७.००	१२८७.००	१२८७.००
	200/75 mm	गोटा	१३७५.००	१३७५.००	१३७५.००
	200/90 mm	गोटा	१९१४.००	१९१४.००	१९१४.००
	200/110 mm	गोटा	२२९९.००	२२९९.००	२२९९.००
	200/125 mm	गोटा	२३४३.००	२३४३.००	२३४३.००
	200/140 mm	गोटा	२३६५.००	२३६५.००	२३६५.००
	200/160 mm	गोटा	२४७५.००	२४७५.००	२४७५.००
	200/180 mm	गोटा	२७८३.००	२७८३.००	२७८३.००
	225/75 mm	गोटा	१४८५.००	१४८५.००	१४८५.००
	225/90 mm	गोटा	१८५९.००	१८५९.००	१८५९.००
	225/110 mm	गोटा	२३२१.००	२३२१.००	२३२१.००
	225/125 mm	गोटा	२४८६.००	२४८६.००	२४८६.००
	225/140 mm	गोटा	२६०७.००	२६०७.००	२६०७.००
	225/160 mm	गोटा	२७३९.००	२७३९.००	२७३९.००
	225/180 mm	गोटा	२९३७.००	२९३७.००	२९३७.००
	225/200 mm	गोटा	३१३५.००	३१३५.००	३१३५.००
	250/110 mm	गोटा	२४७५.००	२४७५.००	२४७५.००
	250/125 mm	गोटा	२५८५.००	२५८५.००	२५८५.००
	250/140 mm	गोटा	२९५९.००	२९५९.००	२९५९.००
	250/160 mm	गोटा	३१७९.००	३१७९.००	३१७९.००
	280/180 mm	गोटा	३२४५.००	३२४५.००	३२४५.००
	250/200 mm	गोटा	३५०९.००	३५०९.००	३५०९.००
	250/225 mm	गोटा	३५७५.००	३५७५.००	३५७५.००
	280/125 mm	गोटा	३१६८.००	३१६८.००	३१६८.००
	280/140 mm	गोटा	३४९८.००	३४९८.००	३४९८.००
	280/160 mm	गोटा	३८१७.००	३८१७.००	३८१७.००
	280/180 mm	गोटा	३८८३.००	३८८३.००	३८८३.००
	280/200 mm	गोटा	४०८१.००	४०८१.००	४०८१.००
	280/225 mm	गोटा	४१५८.००	४१५८.००	४१५८.००
	280/250 mm	गोटा	४६५३.००	४६५३.००	४६५३.००
७१	H.D.P Tee		३३.००	३३.००	३३.००
	16 mm	गोटा	३९.६०	३९.६०	३९.६०
	20 mm	गोटा	६६.००	६६.००	६६.००
	25 mm	गोटा	८८.००	८८.००	८८.००
	32 mm	गोटा	१३२.००	१३२.००	१३२.००
	40 mm	गोटा	१९८.००	१९८.००	१९८.००
	50 mm	गोटा	३९६.००	३९६.००	३९६.००

Handwritten signatures and notes at the bottom of the page, including a large signature on the left and several smaller ones on the right.

१३. खानेपानी तथा सरसफाई संबन्धि सामग्री



क्र.स.	सामानको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
	63 mm	गोटा	६१६.००	६१६.००	६१६.००
	75 mm	गोटा	७९२.००	७९२.००	७९२.००
	90 mm	गोटा	१२९८.००	१२९८.००	१२९८.००
	110 mm	गोटा	१५२९.००	१५२९.००	१५२९.००
	125 mm	गोटा	२१६७.००	२१६७.००	२१६७.००
	140 mm	गोटा	२८०५.००	२८०५.००	२८०५.००
	160 mm	गोटा	३८८३.००	३८८३.००	३८८३.००
	180 mm	गोटा	४९७२.००	४९७२.००	४९७२.००
	200 mm	गोटा	६३४७.००	६३४७.००	६३४७.००
	225 mm	गोटा	८११८.००	८११८.००	८११८.००
	250 mm	गोटा	१२२४३.००	१२२४३.००	१२२४३.००
७२	HDPE Cross Tee				
	20 mm	गोटा	६६.००	६६.००	६६.००
	25 mm	गोटा	८८.००	८८.००	८८.००
	32 mm	गोटा	९९.००	९९.००	९९.००
	40 mm	गोटा	११८.००	११८.००	११८.००
	50 mm	गोटा	२३१.००	२३१.००	२३१.००
	63 mm	गोटा	३६३.००	३६३.००	३६३.००
	75 mm	गोटा	६३८.००	६३८.००	६३८.००
	90 mm	गोटा	११६६.००	११६६.००	११६६.००
	110 mm	गोटा	१५२९.००	१५२९.००	१५२९.००
	125 mm	गोटा	२३७६.००	२३७६.००	२३७६.००
	140 mm	गोटा	२९१५.००	२९१५.००	२९१५.००
	160 mm	गोटा	३७७३.००	३७७३.००	३७७३.००
	180 mm	गोटा	४१५९.००	४१५९.००	४१५९.००
७३	HDPE Elbow				
	32 mm	गोटा	७७.००	७७.००	७७.००
	40 mm	गोटा	१२१.००	१२१.००	१२१.००
	50 mm	गोटा	१६५.००	१६५.००	१६५.००
	63 mm	गोटा	२२०.००	२२०.००	२२०.००
	75 mm	गोटा	४६२.००	४६२.००	४६२.००
	90 mm	गोटा	६६०.००	६६०.००	६६०.००
	110 mm	गोटा	९०२.००	९०२.००	९०२.००
	125 mm	गोटा	१३५३.००	१३५३.००	१३५३.००
	140 mm	गोटा	१७३८.००	१७३८.००	१७३८.००
	160 mm	गोटा	२२२२.००	२२२२.००	२२२२.००
	180 mm	गोटा	२९७०.००	२९७०.००	२९७०.००
	200 mm	गोटा	३७६२.००	३७६२.००	३७६२.००
७४	HDPE cap				
	32 mm	गोटा	४४.००	४४.००	४४.००
	40 mm	गोटा	६६.००	६६.००	६६.००
	50 mm	गोटा	१४३.००	१४३.००	१४३.००
	63 mm	गोटा	२२०.००	२२०.००	२२०.००
	75 mm	गोटा	२७५.००	२७५.००	२७५.००
	90 mm	गोटा	३६३.००	३६३.००	३६३.००
	110 mm	गोटा	४८४.००	४८४.००	४८४.००
	125 mm	गोटा	६६०.००	६६०.००	६६०.००
	140 mm	गोटा	८८०.००	८८०.००	८८०.००
	160 mm	गोटा	११००.००	११००.००	११००.००
	180 mm	गोटा	१४८५.००	१४८५.००	१४८५.००
	200 mm	गोटा	१८७०.००	१८७०.००	१८७०.००
७५	HDPE stainer				
	16 mm	गोटा	११०.००	११०.००	११०.००

Bamkuh
[Signature]
[Signature]
[Signature]
[Signature]
[Signature]

१३. खानेपानी तथा सरसफाई संबन्धि सामग्री



क्र.स.	सामानको नाम	इकाई	मु.भ. कर बाहेकको दररेट		
			भा.व. ०७९/८०	भा.व. ०८०/८१	भा.व. ०८१/८२
	20 mm	गोटा	१३७.५०	१३७.५०	१३७.५०
	25 mm	गोटा	१६५.००	१६५.००	१६५.००
	32 mm	गोटा	२६४.००	२६४.००	२६४.००
	40 mm	गोटा	३३०.००	३३०.००	३३०.००
	50 mm	गोटा	४७३.००	४७३.००	४७३.००
	63 mm	गोटा	६३८.००	६३८.००	६३८.००
	75 mm	गोटा	९३५.००	९३५.००	९३५.००
	90 mm	गोटा	१३५३.००	१३५३.००	१३५३.००
	110 mm	गोटा	१८९२.००	१८९२.००	१८९२.००
	125 mm	गोटा	२४५३.००	२४५३.००	२४५३.००
	140 mm	गोटा	३१५७.००	३१५७.००	३१५७.००
	160 mm	गोटा	४१५८.००	४१५८.००	४१५८.००
७५	HDPE Adaptor				
	16 mm	गोटा	२६.४०	२६.४०	२६.४०
	20 mm	गोटा	३३.००	३३.००	३३.००
	25 mm	गोटा	४४.००	४४.००	४४.००
	32 mm	गोटा	८२.५०	८२.५०	८२.५०
	40 mm	गोटा	६६.००	६६.००	६६.००
	50 mm	गोटा	८८.००	८८.००	८८.००
	63 mm	गोटा	१२१.००	१२१.००	१२१.००
	75 mm	गोटा	१६५.००	१६५.००	१६५.००
	90 mm	गोटा	२६४.००	२६४.००	२६४.००
	110 mm	गोटा	३८५.००	३८५.००	३८५.००
	125 mm	गोटा	४९५.००	४९५.००	४९५.००
	140 mm	गोटा	७५९.००	७५९.००	७५९.००
	160 mm	गोटा	९३५.००	९३५.००	९३५.००
	180 mm	गोटा	१२८७.००	१२८७.००	१२८७.००
	200 mm	गोटा	१६२८.००	१६२८.००	१६२८.००
७६	Duck foot Bend				
	100 mm	गोटा	१४३४४.००	१४३४४.००	१४३४४.००
	125 mm	गोटा	१८०५१.००	१८०५१.००	१८०५१.००
	150 mm	गोटा	२१६५९.००	२१६५९.००	२१६५९.००
	200 mm	गोटा	२८८७५.००	२८८७५.००	२८८७५.००
	250 mm	गोटा	३६०९६.५०	३६०९६.५०	३६०९६.५०
	300mm	गोटा	४६९२६.००	४६९२६.००	४६९२६.००
७८	Mild steel (housing)pipe				
	300mm Ø 6mm thick ERW m/s housing	मि.	९०२०.००	९०२०.००	९०२०.००
	250mm Ø 6mm thick ERW m/s housing	मि.	७५५०.००	७५५०.००	७५५०.००
	200mm Ø 6mm thick Stainless steel scre	मि.	१९८००.००	१९८००.००	१९८००.००
	200mm Ø 6mm thick ERW Slotted pipe (मि.	७५५०.००	७५५०.००	७५५०.००
	200mm Ø 6mm thick ERW m/s casing pi	मि.	४९५०.००	४९५०.००	४९५०.००
	200mm Ø mild steel bottom plug	मि.	१६५०.००	१६५०.००	१६५०.००
	6 sq.mm submersible flat cable	मि.	६६०.००	६६०.००	६६०.००
	10 sq.mm submersible flat cable	मि.	११५५.००	११५५.००	११५५.००
	10mm thick Surface plate with flanged be	सेट	१९८००.००	१९८००.००	१९८००.००
	M.S sheet ring forma(.95x.05*0.35) for toi	सेट	२२०००.००	२२०००.००	२२०००.००
	M.s sheet steel slab farma	सेट	३३००.००	३३००.००	३३००.००
	C.I fire hydrant completeset 90 mm dia.	सेट	५००५०.००	५००५०.००	५००५०.००
७९	Gasket for C.I fittings joint	क.मि.	४५६.५०	४५६.५०	४५६.५०
८०	Water meter 1/2"	गोटा	१७१०.५०	१७१०.५०	१७१०.५०
८१	Water meter 1"	गोटा	४१२५.००	४१२५.००	४१२५.००
८२	Water treatment materials				
	Chlorine dozing pump 10 lph	सेट	९०२००.००	९०२००.००	९०२००.००

Handwritten signatures and stamps at the bottom of the page, including a large signature on the left and several smaller ones on the right.

१३. खानेपानी तथा सरसफाई संबन्धि सामग्री



क्र.स.	सामानको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
	chemical dozing tank Frb 200 ltr	सेट	३८५००.००	३८५००.००	३८५००.००
	Cpvc pipe 3/4"	गोटा	५४४.५०	५४४.५०	५४४.५०
	Cpvc female socket 3/4"	गोटा	७४८.००	७४८.००	७४८.००
	Dozing pump starter	सेट	१९८०.००	१९८०.००	१९८०.००
	Dozing pipe	मि.	८८.००	८८.००	८८.००
८३	Electrification material				
	Weasel acsr conductor	मि.	४६.२०	४६.२०	४६.२०
	Cutout fuse set	सेट	१९२५०.००	१९२५०.००	१९२५०.००
	9 kv lighting arrestor	सेट	१०४५०.००	१०४५०.००	१०४५०.००
	Fabricated Chanel 2**4**8'	गोटा	६३२५.००	६३२५.००	६३२५.००
	Tr Base channel 2'	गोटा	३०८०.००	३०८०.००	३०८०.००
	Fabricated Chanel 2**4**5'	गोटा	४१८०.००	४१८०.००	४१८०.००
	Pole clamp	गोटा	४९५.००	४९५.००	४९५.००
	Earthing wire	मि.	७९७.५०	७९७.५०	७९७.५०
	Cable Socket ९५ mm ²	मि.	३५७.५०	३५७.५०	३५७.५०
	70 mm ² Al Armoured cable	मि.	२०३५.००	२०३५.००	२०३५.००
	11 kv G.O.A.B. Switch	सेट	४९५००.००	४९५००.००	४९५००.००
	Metallic TOD Meter box	सेट	१३२००.००	१३२००.००	१३२००.००
	M.C.C.B. 100 Amp 3 phase for energy meter	सेट	१९२५०.००	१९२५०.००	१९२५०.००
	Insulation pin	सेट	७१५.००	७१५.००	७१५.००
	40 Amp TPN 3 phase Main switch	सेट	२७५००.००	२७५००.००	२७५००.००
	change over switch		२०९००.००	२०९००.००	२०९००.००
	100 Amp Main switch	सेट	३४३७५.००	३४३७५.००	३४३७५.००
	10mm ² control cable	मि.	११५५.००	११५५.००	११५५.००
	Submersible pump pannel board set	सेट	९३५००.००	९३५००.००	९३५००.००
	Long T channel	गोटा	६२७०.००	६२७०.००	६२७०.००
८४	Electrification material installation Works (Labour charge)				
	Poling work	गोटा	६१८७.५०	६१८७.५०	६१८७.५०
	Earthing work	सेट	४८६२.००	४८६२.००	४८६२.००
	Stringing work of HT 3W 0.03 sq. in. ACSR C	km	४१४४२.५०	४१४४२.५०	४१४४२.५०
	Installation of stay set	सेट	११९९.००	११९९.००	११९९.००
	Installation of 9 KV Lightning arrestor	सेट	५३१८.५०	५३१८.५०	५३१८.५०
	Installation of 11 KV D/O Fuse set	सेट	४८६२.००	४८६२.००	४८६२.००
	Tr post & trasformer installation	सेट	३५२००.००	३५२००.००	३५२००.००
	Installation of MCCB 100Amp.	सेट	३९८७.५०	३९८७.५०	३९८७.५०
	Cable laying	मि.	३९६.००	३९६.००	३९६.००
	Installation of 11 KV GOAB Switch	सेट	७८३२.००	७८३२.००	७८३२.००
	Double Wall Corrugated pipes for Sewage and rain water SN8				
	100 mm (4 inch)	per m	५००.००	५००.००	५००.००
	150 mm (6 inch)	per m	१०००.००	१०००.००	१०००.००
	200 mm (8 inch)	per m	१५००.००	१५००.००	१५००.००
	250 mm (10 inch)	per m	१९००.००	१९००.००	१९००.००
	300 mm (12 inch)	per m	३१६०.००	३१६०.००	३१६०.००
	400 mm (16 inch)	per m	४०७०.००	४०७०.००	४०७०.००
	500 mm (20 inch)	per m	५३५०.००	५३५०.००	५३५०.००
	600 mm (24 inch)	per m	८३७०.००	८३७०.००	८३७०.००
	800 mm (32 inch)	per m	१२३७५.००	१२३७५.००	१२३७५.००
	1000 mm (40 inch)	per m	१७२००.००	१७२००.००	१७२००.००
	Price List of Class 500 PVC-O pipes-PN 12.5				
	90 mm	per m	६५०.०३	६५०.०३	६५०.०३
	110 mm	per m	९१७.३६	९१७.३६	९१७.३६

Banuka

Handwritten signatures and notes at the bottom of the page.

१३. खानेपानी तथा सरसफाई संबन्धि सामग्री



क्र.स.	सामानको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
	125 mm	per m	१२९८.७८	१२९८.७८	१२९८.७८
	140 mm	per m	१६३०.०५	१६३०.०५	१६३०.०५
	160 mm	per m	२१२६.५०	२१२६.५०	२१२६.५०
	200 mm	per m	३३१६.८८	३३१६.८८	३३१६.८८
	225 mm	per m	४००६.९५	४००६.९५	४००६.९५
	250 mm	per m	४९३०.७५	४९३०.७५	४९३०.७५
	315 mm	per m	८२००.०३	८२००.०३	८२००.०३
	355 mm	per m	९९३८.३८	९९३८.३८	९९३८.३८
	400 mm	per m	१२२६७.४१	१२२६७.४१	१२२६७.४१
	450 mm	per m	१७०६९.३४	१७०६९.३४	१७०६९.३४
	500 mm	per m	२१०४२.९८	२१०४२.९८	२१०४२.९८
	630 mm	per m	३३२५२.७०	३३२५२.७०	३३२५२.७०
	800 mm	per m	५३६०६.००	५३६०६.००	५३६०६.००
Price List of Class 500 PVC-O pipes-PN 16					
	90 mm	per m	७८५.५७	७८५.५७	७८५.५७
	110 mm	per m	११६९.२४	११६९.२४	११६९.२४
	125 mm	per m	१५०३.७६	१५०३.७६	१५०३.७६
	140 mm	per m	१८८१.८३	१८८१.८३	१८८१.८३
	160 mm	per m	२४६६.१२	२४६६.१२	२४६६.१२
	200 mm	per m	३८३९.८६	३८३९.८६	३८३९.८६
	225 mm	per m	४८५४.२२	४८५४.२२	४८५४.२२
	250 mm	per m	५९९०.३८	५९९०.३८	५९९०.३८
	315 mm	per m	९४९१.१९	९४९१.१९	९४९१.१९
	355 mm	per m	१२०४२.००	१२०४२.००	१२०४२.००
	400 mm	per m	१३४८६.३५	१३४८६.३५	१३४८६.३५
	450 mm	per m	१७९२३.०२	१७९२३.०२	१७९२३.०२
	500 mm	per m	२१८९३.७८	२१८९३.७८	२१८९३.७८
	630 mm	per m	३४१९८.७४	३४१९८.७४	३४१९८.७४
	800 mm	per m	५३३८२.१३	५३३८२.१३	५३३८२.१३
Price List of Class 500 PVC-O pipes-PN 25					
	90 mm	per m	१६५०.००	१६५०.००	१६५०.००
	110 mm	per m	२४५०.००	२४५०.००	२४५०.००
	125 mm	per m	२५५०.००	२५५०.००	२५५०.००
	140 mm	per m	२९००.००	२९००.००	२९००.००
	160 mm	per m	३५५०.००	३५५०.००	३५५०.००
	200 mm	per m	४७६०.००	४७६०.००	४७६०.००
	225 mm	per m	-----	-----	-----
	250 mm	per m	६७८०.००	६७८०.००	६७८०.००
	315 mm	per m	९७००.००	९७००.००	९७००.००
	355 mm	per m	१२५००.००	१२५००.००	१२५००.००
	400 mm	per m	१७२९०.००	१७२९०.००	१७२९०.००
	450 mm	per m	२२८८५.९५	२२८८५.९५	२२८८५.९५
	500 mm	per m	२७८२७.३५	२७८२७.३५	२७८२७.३५
	630 mm	per m	४२८९४.५३	४२८९४.५३	४२८९४.५३
Price List of PVC-O Fittings					
Elbow 11.25* (PN 16)					
	110	per set	६१४६.३४	६१४६.३४	६१४६.३४
	160	per set	१३३५१.८९	१३३५१.८९	१३३५१.८९
	200	per set	२४५२३.९३	२४५२३.९३	२४५२३.९३
	250	per set	३७३४२.५६	३७३४२.५६	३७३४२.५६
	315	per set	७५५७९.३२	७५५७९.३२	७५५७९.३२
	400	per set	१३३६१०.८९	१३३६१०.८९	१३३६१०.८९

Handwritten signatures and stamps at the bottom of the page, including a circular official stamp on the right.

१३. खानेपानी तथा सरसफाई संबन्धि सामग्री



क्र.स.	सामानको नाम	इकाई	मु.ज. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
	Elbow 22.5* (PN 16)				
	110	per set	६३९२.९९	६३९२.९९	६३९२.९९
	160	per set	१४०९३.९७	१४०९३.९७	१४०९३.९७
	200	per set	२४४०४.८९	२४४०४.८९	२४४०४.८९
	250	per set	३८८३६.२६	३८८३६.२६	३८८३६.२६
	315	per set	७४४४२.४९	७४४४२.४९	७४४४२.४९
	400	per set	१३८९४४.३३	१३८९४४.३३	१३८९४४.३३
	Elbow 45* (PN 16)				
	110	per set	७०७०.९४	७०७०.९४	७०७०.९४
	160	per set	१४४७४.४९	१४४७४.४९	१४४७४.४९
	200	per set	२८०४८.९९	२८०४८.९९	२८०४८.९९
	250	per set	४६००३.०३	४६००३.०३	४६००३.०३
	315	per set	८१६२४.२३	८१६२४.२३	८१६२४.२३
	400	per set	१४८११९.९३	१४८११९.९३	१४८११९.९३
	Elbow 90* (PN 16)				
	110	per set	१००४९.४४	१००४९.४४	१००४९.४४
	160	per set	२०११८.८४	२०११८.८४	२०११८.८४
	200	per set	३६१८१.९७	३६१८१.९७	३६१८१.९७
	250	per set	६०२६४.६८	६०२६४.६८	६०२६४.६८
	315	per set	९३८६६.६९	९३८६६.६९	९३८६६.६९
	400	per set	१८८१६४.४३	१८८१६४.४३	१८८१६४.४३
	COUPLER (PN 16)				
	110	per set	६१३२.६७	६१३२.६७	६१३२.६७
	160	per set	१०९३४.८०	१०९३४.८०	१०९३४.८०
	200	per set	१४८०६.८०	१४८०६.८०	१४८०६.८०
	250	per set	२९४८४.३४	२९४८४.३४	२९४८४.३४
	315	per set	४६०८०.४९	४६०८०.४९	४६०८०.४९
	400	per set	१२४२९८.३३	१२४२९८.३३	१२४२९८.३३
	SLIDING COUPLER (PN 16)				
	110	per set	६१३२.६७	६१३२.६७	६१३२.६७
	160	per set	१०९३४.८०	१०९३४.८०	१०९३४.८०
	200	per set	१४८०६.८०	१४८०६.८०	१४८०६.८०
	250	per set	२९४८४.३४	२९४८४.३४	२९४८४.३४
	315	per set	४६०८०.४९	४६०८०.४९	४६०८०.४९
	400	per set	१२४२९८.३३	१२४२९८.३३	१२४२९८.३३
	REDUCING COUPLER (PN 16)				
	110 to 90	per set	७६६९.८६	७६६९.८६	७६६९.८६
	160 to 110	per set	१२४७६.७७	१२४७६.७७	१२४७६.७७
	200 to 160	per set	१२६१२.७०	१२६१२.७०	१२६१२.७०
	250 to 200	per set	२१७४४.८१	२१७४४.८१	२१७४४.८१
	315 to 250	per set	४८४९४.२४	४८४९४.२४	४८४९४.२४
	400 to 315	per set	१००८६९.६८	१००८६९.६८	१००८६९.६८
	Submerssible Pumps				
	7.5 HP Submerssible Pump	set	१४८४००.००	१४८४००.००	१४८४००.००
	10HP Submerssible Pump	set	१७०४००.००	१७०४००.००	१७०४००.००
	12.5 HP Submerssible Pump	set	१८७३९०.४०	१८७३९०.४०	१८७३९०.४०
	15 HP Submerssible Pump	set	२९२९४२.००	२९२९४२.००	२९२९४२.००
	20 HP Submerssible Pump	set	३३६८२०.००	३३६८२०.००	३३६८२०.००
	25 HP Submerssible Pump	set	४१९४१९.००	४१९४१९.००	४१९४१९.००
	30 HP Submerssible Pump	set	४४११००.००	४४११००.००	४४११००.००
	35 HP Submerssible Pump	set	४०१७१०.००	४०१७१०.००	४०१७१०.००
	40 HP Submerssible Pump	set	६०४१३२.००	६०४१३२.००	६०४१३२.००
	Pannel Board(20HP-25HP)	set	१३२०००.००	१३२०००.००	१३२०००.००

3m/10/10
 [Handwritten signatures and notes]

१३. खानेपानी तथा सरसफाई संबन्धि सामग्री



क्र.स.	सामानको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
	Pump Pannel Board Connection	job	२७५००.००	२७५००.००	२७५००.००
	Lowering of Column Pipe in Borehole with Pump	per/meter	११५५.००	११५५.००	११५५.००
	Column Pipe in Borehole with Pump(निकाल्ने काम)	per/meter	११५५.००	११५५.००	११५५.००
	Filter Media from Amlekhjung	m3	२६४००.००	२६४००.००	२६४००.००
	Filter Media changing work all complete for or	job	११००००.००	११००००.००	११००००.००
	5KVA Generator with welding machine 1 set	set	४८४०००.००	४८४०००.००	४८४०००.००
	Butterfly Valve				
	Butterfly Valve 4"	set	२६७९६.००	२६७९६.००	२६७९६.००
	Butterfly Valve 6"	set	३९२७०.००	३९२७०.००	३९२७०.००
	Butterfly Valve 8"	set	४५६५०.००	४५६५०.००	४५६५०.००
	Butterfly Valve 10"	set	६४४९६.००	६४४९६.००	६४४९६.००
	Base Plate for Boring	set	१३२००.००	१३२००.००	१३२००.००
	UPVC Column Pipe 3"(Heavy Class)	mtr	५०६०.००	५०६०.००	५०६०.००
	UPVC Column Pipe 4"(Heavy Class)	mtr	६३८०.००	६३८०.००	६३८०.००
	UPVC Connector				
	UPVC Connector 4"	mtr	१५४००.००	१५४००.००	१५४००.००
	UPVC Connector 3"	mtr	१४३००.००	१४३००.००	१४३००.००
	Chain Pully 5 Tonne	set	५७२००.००	५७२००.००	५७२००.००

(A) Pressure Filter Plant

1	Supply and Transportation of fabricated mild steel vessel for pressure filter of 2.2 m dia and 3m height with shell thickness of 10mm and dish thickness of 12 mm including epoxy paint on inside surface and enamel paint on outside surface with one coat of red oxide primer all complete	set			1,050,000
2	Supply and Transportation of fabricated mild steel vessel for pressure filter of 2.5 m dia and 3m height with shell thickness of 10mm and dish thickness of 12 mm including epoxy paint on inside surface and enamel paint on outside surface with one coat of red oxide primer all complete	set			1,210,000
3	Supply and Transportation of fabricated mild steel vessel for pressure filter of 2.8 m dia and 3m height with shell thickness of 10mm and dish thickness of 12 mm including epoxy paint on inside surface and enamel paint on outside surface with one coat of red oxide primer all complete	set			1,350,000
4	Installation, Testing and Commissioning of Pressure Filter Plant all complete	job			50,000






(B) Aeration Tower

Handwritten signatures and notes at the bottom of the page, including a large signature that appears to be 'Rajendra' and other illegible signatures.

१३. खानेपानी तथा सरसफाई संबन्धि सामग्री



क्र.स.	सामानको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
1	Supply and Transportation of fabricated mild steel vessel for aeration tower of 1.2 m dia and 3 m height with shell thickness of 8 mm and dish thickness of 10 mm including epoxy paint on inside surface and enamel paint on outside surface with one coat of red oxide primer all complete	set			620,000
2	Supply and Transportation of fabricated mild steel vessel for aeration tower of 1.5 m dia and 3 m height with shell thickness of 8 mm and dish thickness of 10 mm including epoxy paint on inside surface and enamel paint on outside surface with one coat of red oxide primer all complete	set			750,000
3	Supply and Transportation of fabricated mild steel vessel for aeration tower of 1.8 m dia and 3 m height with shell thickness of 8 mm and dish thickness of 10 mm including epoxy paint on inside surface and enamel paint on outside surface with one coat of red oxide primer all complete	set			880,000
(C) Pall Rings for Aeration Tower					
1	Supply of Stainless steel metallic pall rings packing 16 X 16 X 0.3 mm in aeration tower	cu.m.			420,000
2	Supply of Stainless steel metallic pall rings packing 25 X 25 X 0.4 mm in aeration tower	cu.m.			340,000
(D) Air Compressor					
1	Supply of Air Compressor capacity 75 cum/hr, 12 bar pressure, 5HP with DOL starter, automatic type with pressure switch, with 200 litre capacity air tank, complete set	set			360,000
2	Supply of Air Compressor capacity 75 cum/hr, 12 bar pressure, 7.5HP with DOL starter, automatic type with pressure switch, with 200 litre capacity air tank, complete set	set			420,000
(E) Frontal Pipeline					


 (म.स. ०८१/८२)    

मोरङ जिल्लाको आ.ब.२०८१/८२ को स्वीकृत जिल्ला दररेट
१४. पि.पि.आर.पाईप तथा फिटिङहरू



क्र.स.	सामानको नाम	इकाई	मु.ब. कर बाहेकको स्वीकृत दररेट		
			आ.ब. ०७९/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२
१	पाईप पि.एन. १६/ एस डि आर ३ पत्रे				
	१६ मि.मि. बाहिरी व्यासको	मिटर	४६.२०	४७.१२	४७.१२
	२० मि.मि. बाहिरी व्यासको	मिटर	६९.३०	७०.६९	७०.६९
	२५ मि.मि. बाहिरी व्यासको	मिटर	११३.४०	११४.६७	११४.६७
	३२ मि.मि. बाहिरी व्यासको	मिटर	१८१.६५	१८५.२८	१८५.२८
	४० मि.मि. बाहिरी व्यासको	मिटर	२८२.४५	२८८.१०	२८८.१०
	५० मि.मि. बाहिरी व्यासको	मिटर	४३९.९५	४४८.७५	४४८.७५
	६३ मि.मि. बाहिरी व्यासको		६९३.००	७०६.८६	७०६.८६
	७५ मि.मि. बाहिरी व्यासको	मिटर	९८८.०५	१००७.८१	१००७.८१
	९० मि.मि. बाहिरी व्यासको	मिटर	१४१०.१५	१४३८.३५	१४३८.३५
	११० मि.मि. बाहिरी व्यासको	मिटर	२११२.६०	२१४४.८५	२१४४.८५
२	पाईप पि.एन. २०/ एस डि आर ६ ३ पत्रे				
	१६ मि.मि. बाहिरी व्यासको	मिटर	४९.३५	५०.३४	५०.३४
	२० मि.मि. बाहिरी व्यासको	मिटर	८४.००	८४.६८	८४.६८
	२५ मि.मि. बाहिरी व्यासको	मिटर	१३१.२५	१३३.८८	१३३.८८
	३२ मि.मि. बाहिरी व्यासको	मिटर	२१३.१५	२१७.४१	२१७.४१
	४० मि.मि. बाहिरी व्यासको	मिटर	३२९.७०	३३६.२९	३३६.२९
	५० मि.मि. बाहिरी व्यासको	मिटर	४९१.३५	५०१.५८	५०१.५८
	६३ मि.मि. बाहिरी व्यासको		६९१.६५	७०७.८८	७०७.८८
	७५ मि.मि. बाहिरी व्यासको	मिटर	९९४.००	१०१७.८२	१०१७.८२
	९० मि.मि. बाहिरी व्यासको	मिटर	१६४०.६०	१६८३.६१	१६८३.६१
	११० मि.मि. बाहिरी व्यासको	मिटर	२४६२.२५	२४९९.४०	२४९९.४०
३	पाईप फिटिङ्स (Accessories)				
	इन्चो ९०"				
	२० मि.मि.	गोटा	१४.७०	१४.९९	१४.९९
	२५ मि.मि.	"	२६.२५	२६.७८	२६.७८
	३२ मि.मि.	"	४६.२०	४७.१२	४७.१२
	४० मि.मि.	"	९४.४५	९७.४६	९७.४६
	५० मि.मि.	"	१६२.७५	१६६.०१	१६६.०१
	६३ मि.मि.	"	३१४.००	३२१.३०	३२१.३०
	७५ मि.मि.	"	४४४.४५	४६६.४६	४६६.४६
	९० मि.मि.	"	९२४.००	९४२.४८	९४२.४८
	११०मि.मि.	"	१६४७.९५	१६९१.११	१६९१.११
४	सकेट (Sockets)				
	२० मि.मि.	गोटा	११.४५	११.७८	११.७८
	२५ मि.मि.	"	१७.८५	१८.२१	१८.२१
	३२ मि.मि.	"	२७.३०	२७.८५	२७.८५
	४० मि.मि.	"	४२.४०	४३.४५	४३.४५
	५० मि.मि.	"	८२.९५	८४.६१	८४.६१
	६३ मि.मि.	"	१४७.४०	१६०.६४	१६०.६४
	७५ मि.मि.	"	२६८.८०	२७४.१८	२७४.१८
	९० मि.मि.	"	४४४.६५	४६३.७४	४६३.७४
	११०मि.मि.	"	८०१.१५	८१७.१७	८१७.१७
५	इक्वायल टी (Equal Tee)				
	२० मि.मि.	गोटा	१७.८५	१८.२१	१८.२१
	२५ मि.मि.	"	३१.४०	३२.१३	३२.१३
	३२ मि.मि.	"	४४.६५	४६.७६	४६.७६

Handwritten signatures and stamps at the bottom of the page, including a large signature on the left and several smaller ones on the right.

मोरङ जिल्लाको आ.व.२०८१/८२ को स्वीकृत जिल्ला दररेट
१४. पि.पि.आर.पाईप तथा फिटिङहरू



क्र.स.	सामानको नाम	इकाई	मु.अ. कर बाहेकको स्वीकृत दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
	४० मि.मि.	"	११३.४०	११४.६०	११४.६०
	५० मि.मि.	"	१८६.९०	१९०.६४	१९०.६४
	६३ मि.मि.	"	३४६.४०	३४३.४३	३४३.४३
	७५ मि.मि.	"	६६१.४०	६७४.७३	६७४.७३
	९० मि.मि.	"	१०८९.९०	११११.७०	११११.७०
	११०मि.मि.	"	१८८३.७०	१९२१.३०	१९२१.३०
६	क्रस टी (Cross Tee)				
	२० मि.मि.	गोटा	३२.४४	३३.२०	३३.२०
	२५ मि.मि.	"	४४.१४	४६.०४	४६.०४
	३२ मि.मि.	"	६२.९४	६४.६१	६४.६१
	४० मि.मि.	"	१४७.४०	१६०.६४	१६०.६४
	५० मि.मि.	"	४४०.४४	४४९.४६	४४९.४६
	६३ मि.मि.	"	६६९.९०	६८३.३०	६८३.३०
७	४५° ईल्बो (45 Degree Elbow)				
	२० मि.मि.	गोटा	१७.६४	१८.२१	१८.२१
	२५ मि.मि.	"	३०.४४	३१.०६	३१.०६
	३२ मि.मि.	"	४४.१०	४४.९८	४४.९८
	४० मि.मि.	"	८७.१४	८८.८९	८८.८९
	५० मि.मि.	"	१४३.३०	१४६.३७	१४६.३७
	६३ मि.मि.	"	२४७.८०	२४२.७६	२४२.७६
	७५ मि.मि.	"	४४२.३०	४६३.३४	४६३.३४
	९० मि.मि.	"	६९४.६०	६९२.४९	६९२.४९
	११०मि.मि.	"	१४६१.३४	१४९२.४८	१४९२.४८
८	प्लेन युनियन (Plain Union)				
	२० मि.मि.	गोटा	६४.९०	६६.४०	६६.४०
	२५ मि.मि.	"	११७.६०	११९.९४	११९.९४
	३२ मि.मि.	"	१८७.९४	१९१.७१	१९१.७१
	४० मि.मि.	"	३२२.३४	३२८.८०	३२८.८०
	५० मि.मि.	"	४३३.४०	४४४.००	४४४.००
	६३ मि.मि.	"	६९७.२०	७११.१४	७११.१४
९	यु क्ल्याम्प (U - Clamps)				
	२० मि.मि.	गोटा	१२.६०	१२.८४	१२.८४
	२५ मि.मि.	"	१४.७०	१४.९९	१४.९९
	३२ मि.मि.	"	१७.८४	१८.२१	१८.२१
	४० मि.मि.	"	२४.१४	२४.६३	२४.६३
	५० मि.मि.	"	३६.७४	३७.४९	३७.४९
	६३ मि.मि.	"	४६.२०	४७.१२	४७.१२
१०	इण्ड क्याप (End Caps)				
	२० मि.मि.	गोटा	१७.८४	१८.२१	१८.२१
	२५ मि.मि.	"	२६.२४	२६.७८	२६.७८
	३२ मि.मि.	"	४२.००	४२.८४	४२.८४
	४० मि.मि.	"	६८.२४	६९.६२	६९.६२
	५० मि.मि.	"	११४.४४	११६.७४	११६.७४
	६३ मि.मि.	"	२२२.६०	२२७.०४	२२७.०४
	७५ मि.मि.	"	३२९.७०	३३६.२९	३३६.२९
	९० मि.मि.	"	३६९.२०	३६८.४६	३६८.४६
	११०मि.मि.	"	७३८.१४	७४२.९१	७४२.९१

Handwritten signatures and notes at the bottom of the page, including a large signature on the left and several smaller ones on the right.

मोरङ जिल्लाको आ.व.२०८१/८२ को स्वीकृत जिल्ला दररेट
१४. पि.पि.आर.पाईप तथा फिटिङहरू



क्र.स.	सामानको नाम	इकाई	मु.अ. कर माफेको स्वीकृत दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
११	स्टप भल्व (Stop Valve)				
	२५ मि.मि.	"	३३३.९०	३४०.३८	३४०.३८
	३२ मि.मि.	"	४४३.९०	४४९.९६	४४९.९६
	४० मि.मि.	"	५३४.४४	५४४.९४	५४४.९४
	५० मि.मि.	"	८७७.८०	८९३.३६	८९३.३६
	६३ मि.मि.	"	१२७७.८४	१३०३.४१	१३०३.४१
	७५ मि.मि.	"	१७०३.९०	१७३७.९६	१७३७.९६
१२	प्लास्टिक बल भल्व (Plastic Ball Valve)				
	२० मि.मि.	गोटा	१२७.०४	१२९.४९	१२९.४९
	२५ मि.मि.	"	१८१.६४	१८४.२८	१८४.२८
	३२ मि.मि.	"	२८८.७४	२९४.३३	२९४.३३
	४० मि.मि.	"	६९८.२४	७१२.२२	७१२.२२
	५० मि.मि.	"	९३३.४४	९४२.९२	९४२.९२
	६३ मि.मि.	"	८८८.३०	९०६.०७	९०६.०७
१३	हटवाटर बल भल्व (Hot Water Ball Valve)				
	२० मि.मि.	गोटा	४६४.९४	४७७.२७	४७७.२७
	२५ मि.मि.	"	७९६.९४	८१२.८९	८१२.८९
	३२ मि.मि.	"	१३४४.३८	१३७२.४९	१३७२.४९
१४	बल भल्व मेटल बडी (Ball Valve Metal Body)				
	२० मि.मि.	गोटा	८७७.८०	८९४.३६	८९४.३६
	२५ मि.मि.	गोटा	१२०६.९८	१२३१.९१	१२३१.९१
	३२ मि.मि.	"	१६३४.३३	१६६७.०९	१६६७.०९
	४० मि.मि.	"	३३३७.९४	३४०४.७९	३४०४.७९
	५० मि.मि.	"	४९८९.९०	४२६४.७२	४२६४.७२
	६३ मि.मि.	"	४३४७.६४	४४४४.६०	४४४४.६०
१५	क्रस ओभर (Cross Over)				
	२० मि.मि.	गोटा	९४.४०	९६.३९	९६.३९
	२५ मि.मि.	"	१३१.२४	१३३.८८	१३३.८८
	३२ मि.मि.	"	१९३.२०	१९७.०६	१९७.०६
१६	प्लग (Plug) Shot				
	२० मि.मि.	गोटा	१०.४०	१०.७१	१०.७१
	२५ मि.मि.	"	१२.६०	१२.८४	१२.८४
	३२ मि.मि.	"	१७.८४	१८.२१	१८.२१
१७	प्लास्टिक फ्लेञ्ज (Plastic Flange)				
	४० मि.मि.	गोटा	३३०.७४	३३७.३७	३३७.३७
	५० मि.मि.	"	४४९.२४	४६२.२८	४६२.२८
	६३ मि.मि.	"	७०८.७४	७२२.९३	७२२.९३
१८	पापजार मेटल फाटइ (PPR Metal Fittings (Adopter for GI/Taps))				
	20 mm * 1/2"	गोटा	२९२.२२	२९८.०६	२९८.०६
	20 mm * 3/4"	"	३४६.४०	३५३.४३	३५३.४३
	25 mm * 1/2"	"	२७७.२०	२८२.७४	२८२.७४
	25 mm * 3/4"	"	३४२.२८	३४९.३२	३४९.३२
	32 mm * 1/2"	"	३४४.३४	३५२.२४	३५२.२४
	32 mm * 3/4"	"	४९०.०३	४९८.२३	४९८.२३
	32 mm * 1"	"	६४९.०३	६५३.८४	६५३.८४
	40 mm * 5/4"	"	११७८.९०	१२०९.६६	१२०९.६६

Handwritten signatures and notes at the bottom of the page, including a large 'X' mark and several names in Nepali script.

मोरङ जिल्लाको आ.ब.२०८१/८२ को स्वीकृत बिल्ला दररेट
१४. पि.पि.आर.पाईप तथा फिटिङहरू



क्र.स.	सामानको नाम	इकाई	मु.अ. कर बाहेकको स्वीकृत दररेट		
			आ.ब. ०७९/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२
	50 mm * 3/2"	"	१७७२.९३	१८०८.३८	१८०८.३८
	63 mm * 2"	"	२४७४.६४	२६२३.१६	२६२३.१६
१९	फिमेल सकेट (Female Socket)				
	20 mm * 1/2"	गोटा	१३३.३४	१३६.०२	१६१.००
	25 mm * 1/2"	"	१४१.२०	१४४.२२	१९८.००
	25 mm * 3/4"	"	१६८.००	१७१.३६	२००.००
	32 mm * 1/2"	"	१४९.६०	१६२.७९	१९१.००
	32 mm * 3/4"	"	१७२.२०	१७४.६४	२०४.००
	32 mm * 1"	"	३७९.९४	३८४.४९	४४६.००
	40 mm * 5/4"	"	६४३.८४	६६०.८१	८३४.००
	50 mm * 3/2"	"	८३१.६०	८४८.२३	११३८.००
	63 mm * 2"	"	१२२८.३०	१२४३.०७	१४६८.००
	मेल सकेट (male Socket)				
	20 mm * 1/2"	गोटा	१७८.४०	१८२.०३	२१४.००
	20 mm * 3/4"	"	०.००	०.००	२४३.००
	25 mm * 1/2"	"	१७२.२०	१७४.६४	२२६.००
	25 mm * 3/4"	"	२१६.३०	२२०.६३	२४८.००
	32 mm * 1/2"	"	२४४.७०	२४०.६१	२८३.००
	32 mm * 3/4"	"	२४४.१०	२४९.१८	३६०.००
	32 mm * 1"	"	४८४.१०	४९४.८०	४४७.००
	40 mm * 5/4"	"	७२९.७४	७४४.३४	९४०.००
	50 mm * 3/2"	"	१०९७.२४	१११९.२०	१४३६.००
	63 mm * 2"	"	१४८८.६४	१६२०.४२	२०४६.००
२०	मेल इल्बो (Male Elbow)				
	20 mm * 1/2"	गोटा	१८३.७४	१८७.४३	२४१.००
	25 mm * 1/2"	"	१९४.३०	१९९.२१	२४०.००
	25 mm * 3/4"	"	२२८.९०	२३३.४८	३००.००
	32 mm * 1/2"	"	३६९.६०	३७९.९९	४४२.००
	32 mm * 3/4"	गोटा	२८३.४०	२८९.१७	३२२.००
	32 mm * 1"	"	४१८.७०	४२९.०७	६८४.००
२१	फिमेल इल्बो (Female Elbow)				
	20 mm * 1/2"	गोटा	१३७.४४	१४०.३०	१८२.००
	25 mm * 1/2"	गोटा	१९४.३०	१९९.२१	२४३.००
	25 mm * 3/4"	गोटा	२०३.७०	२०७.७७	२३४.००
	32 mm * 1/2"	गोटा	२६६.७०	२७२.०३	३१६.००
	32 mm * 3/4"	गोटा	३०१.३४	३०७.३८	४३२.००
	32 mm * 1"	गोटा	३७४.९०	३८३.४२	४८२.००
	40 mm * 5/4"	गोटा	४०४.२४	४१२.३४	९८४.००
	50 mm * 3/2"	गोटा	७२४.४०	७३८.९९	११३४.००
	63 mm * 2"	गोटा	१०४४.३४	१०७६.३६	१३०६.००
२२	(Male Threaded Elbow (With Disk)				
	20 mm * 1/2"	गोटा	१९१.१०	१९४.९२	१९४.९२
	25 mm * 1/2"	गोटा	२४९.९०	२४४.९०	२४४.९०
	25 mm * 3/4"	गोटा	२८७.७०	२९३.४३	२९३.४३
२३	(Female Threaded (With Disk)				
	20 mm * 1/2"	गोटा	१४६.४४	१४९.४८	१४९.४८
	25 mm * 1/2"	गोटा	२६२.४०	२६७.७४	२६७.७४

Handwritten signatures and notes at the bottom of the page, including a large signature on the left and several smaller ones on the right.

मोरङ जिल्लाको आ.व.२०८१/८२ को स्वीकृत जिल्ला दररेट
१४. पि.पि.बार,पाईप तथा फिटिङहरू



क्र.स.	सामानको नाम	इकाई	मु.अ. कर बाहेकको स्वीकृत दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
	25 mm * 3/4"	गोटा	३२०.२५	३२९.९९	३२९.९९
२४	मेल टी (Male Tee)				
	20 mm * 1/2" * 20 mm	गोटा	१९०.०५	१९३.८३	२४२.००
	25 mm * 1/2" * 25 mm	गोटा	१९०.०५	१९३.८३	२८०.००
	25 mm * 3/4" * 25 mm	गोटा	२३३.१०	२३७.७६	३०५.००
	32 mm * 1/2" * 32 mm	गोटा	२९०.८३	२९६.९७	३४३.००
	32 mm * 3/4" * 32 mm	गोटा	२९८.२०	३०४.९६	३४०.००
	32 mm * 1" * 32 mm	गोटा	४३३.४०	४४४.०७	६९९.००
	40 mm * 1/2" * 40 mm	गोटा	८९२.४०	९१०.३४	१०९९.००
	50 mm * 3/2" * 50 mm	गोटा	१२८१.००	१३०६.६२	१७३०.००
	63 mm * 1" * 63 mm	गोटा	१६८०.००	१७३३.६०	१७३३.६०
	63 mm * 2" * 63 mm	गोटा	१७८३.००	१८२०.७०	२२३७.००
२५	फिमेल टी (Female Tee)				
	20 mm * 1/2" * 20 mm	गोटा	१४०.७०	१४३.३१	१८४.००
	20 mm * 3/4" * 20 mm	गोटा	१४७.००	१४९.९४	१४९.९४
	25 mm * 1/2" * 25 mm	गोटा	१६३.८०	१६७.०८	२१९.००
	25 mm * 3/4" * 25 mm	गोटा	२०८.९५	२१३.१३	२७५.००
	32 mm * 1/2" * 32 mm	गोटा	२४१.३०	२४६.३३	२८३.००
	32 mm * 3/4" * 32 mm	गोटा	२६३.६५	२७०.९६	३३२.००
	32 mm * 1" * 32 mm	गोटा	४२२.१०	४३०.४४	४४०.००
	40 mm * 1/2" * 40 mm	गोटा	११२३.३०	११४५.९७	११४५.९७
	40 mm * 5/4" * 40 mm	गोटा	११०७.७५	११२९.९१	१८४.००
	50 mm * 3/2" * 50 mm	गोटा	१४६९.७५	१६०१.९३	१४९३.००
	63 mm * 1" * 63 mm	गोटा	२१४७.२५	२१९०.२०	२१९०.२०
	63 mm * 2" * 63 mm	गोटा	२२६८.००	२३१३.३६	१९८१.००
२६	मेल युनियन (Male Union)				
	20 mm * 1/2"	गोटा	३२१.३०	३२७.७३	४१६.००
	25 mm * 3/4"	गोटा	४६४.१५	४७४.४५	७४४.००
	32 mm * 1"	गोटा	४६४.९०	४७६.२०	८७७.००
	40 mm * 5/4"	गोटा	१०६८.९०	१०९०.२८	१०९०.२८
	50 mm * 3/2"	गोटा	१९८४.४०	२०२४.१९	२०२४.१९
	63 mm * 2"	गोटा	२९८२.००	३०४१.६४	३०४१.६४
२७	फिमेल युनियन (Female Union)				
	20 mm * 1/2"	गोटा	३१०.८०	३१७.०२	४०३.००
	25 mm * 3/4"	गोटा	४४८.८३	४६८.०३	६९६.००
	32 mm * 1"	गोटा	४३७.६०	४४८.३५	८४२.००
	40 mm * 5/4"	गोटा	८९७.७५	९१४.७१	९१४.७१
	50 mm * 3/2"	गोटा	१७३२.४०	१७६७.१५	१७६७.१५
	63 mm * 2"	गोटा	३०३४.४०	३०९३.१९	३०९३.१९
२८	रेड्युसर सकेट (Reducer Socket)				
	25 mm * 20 mm	गोटा	१९.९५	२०.३५	२०.३५
	32 mm * 20 mm	गोटा	२३.३०	२३.८५	२३.८५
	32 mm * 25 mm	गोटा	२९.४०	२९.९९	२९.९९
	40 mm * 20 mm	गोटा	४२.००	४२.८४	४२.८४
	40 mm * 25 mm	गोटा	४६.२०	४७.१२	४७.१२
	40 mm * 32 mm	गोटा	४७.७५	४८.९१	४८.९१
	50 mm * 20 mm	गोटा	७४.४५	७६.०४	७६.०४

Handwritten signatures and stamps at the bottom of the page, including a large signature on the left and several smaller ones on the right.

मोरङ जिल्लाको आ.व.२०८१/८२ को स्वीकृत जिल्ला दररेट
१४. पि.पि.आर.पाईप तथा फिटिङहरू



क्र.स.	सामानको नाम	इकाई	मु.अ. कर बाहेकको स्वीकृत दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
	50 mm * 25 mm	गोटा	८१.९०	८३.४४	८३.४४
	50 mm * 32 mm	गोटा	८६.९०	८७.८२	८७.८२
	50 mm * 40 mm	गोटा	१०९.८४	१०३.८९	१०३.८९
	63 mm * 20 mm	गोटा	१२१.२०	१२४.२२	१२४.२२
	63 mm * 25 mm	गोटा	१२१.२०	१२४.२२	१२४.२२
	63 mm * 32 mm	गोटा	१२६.४४	१२९.४८	१२९.४८
	63 mm * 40 mm	गोटा	१४.७४	१६.०७	१६.०७
	63 mm * 50 mm	गोटा	१६१.७०	१६४.९३	१६४.९३
२९	रेड्युसर एलबो (Reducer Elbow)				
	25 mm * 20 mm	गोटा	२७.३०	२७.८४	२७.८४
	32 mm * 20 mm	गोटा	४२.००	४२.८४	४२.८४
	32 mm * 25 mm	गोटा	४२.४०	४३.४४	४३.४४
	40 mm * 20 mm	गोटा	११०.२४	११२.४६	११२.४६
	40 mm * 25 mm	गोटा	११४.४०	११७.८१	११७.८१
	40 mm * 32 mm	गोटा	१३२.३०	१३४.९४	१३४.९४
	50 mm * 40 mm		१४७.००	१४९.९४	१४९.९४
	50 mm * 32 mm		१४१.७४	१४४.४९	१४४.४९
३०	रेड्युसर टी (Reducer Tee)				
	25 mm * 20 mm * 20 mm	गोटा	३४.७०	३६.४१	३६.४१
	25 mm * 20 mm * 25 mm	गोटा	३४.७०	३६.४१	३६.४१
	32 mm * 20 mm * 20 mm	गोटा	४४.६४	४६.७६	४६.७६
	32 mm * 20 mm * 32 mm	गोटा	४४.६४	४६.७६	४६.७६
	32 mm * 25 mm * 20 mm	गोटा	६१.९४	६३.१९	६३.१९
	32 mm * 25 mm * 32 mm	गोटा	६१.९४	६३.१९	६३.१९
	40 mm * 20 mm * 40 mm	गोटा	८७.१४	८८.८९	८८.८९
	40 mm * 25 mm * 40 mm	गोटा	९४.४०	९६.३९	९६.३९
	40 mm * 32 mm * 40 mm	गोटा	९९.७४	१०१.७४	१०१.७४
	50 mm * 20 mm * 50 mm	गोटा	१९७.४०	२०१.३४	२०१.३४
	50 mm * 25 mm * 50 mm	गोटा	१९७.४०	२०१.३४	२०१.३४
	50 mm * 32 mm * 50 mm	गोटा	२०२.६४	२०६.७०	२०६.७०
	50 mm * 40 mm * 50 mm	गोटा	२१४.२४	२१९.४६	२१९.४६
	63 mm * 20 mm * 63 mm	गोटा	२४७.२४	२६२.४०	२६२.४०
	63 mm * 25 mm * 63 mm	गोटा	२४८.३०	२६३.४७	२६३.४७
	63 mm * 32 mm * 63 mm	गोटा	२४९.३४	२६४.४४	२६४.४४
	63 mm * 40 mm * 63 mm	गोटा	२६२.४०	२६७.७४	२६७.७४
	63 mm * 50 mm * 63 mm	गोटा	२८७.७०	२९३.४४	२९३.४४
३१	Welding Kit				
	16 - 20 mm	गोटा	३४४९.००	३६१९.९८	३६१९.९८
	25 - 40 mm	गोटा	४२४८.८०	४३४३.९८	४३४३.९८

(Handwritten signatures and notes)

15. UPVC Pipes (NS-206/046)



क्र.स.	सामानको नाम	इकाई	मु.प्र. कर बाहेकको स्वीकृत दररेट		
			आ.ब. ०७९/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२
१	UPVC Pipes (2.5 kg/Cm2)				
	90 mm 3"	Mtr	२०७.९०	२१२.०६	२१२.०६
	110 mm 4"	Mtr	३०८.७०	३१४.८७	३१४.८७
	125 mm 4½"	Mtr	३९९.६५	३९९.४८	३९९.४८
	140 mm 5"	Mtr	४८६.१५	४९५.८७	४९५.८७
	160 mm 6"	Mtr	६३६.३०	६४९.०३	६४९.०३
	180 mm 7"	Mtr	८१४.८०	८३९.९०	८३९.९०
	200 mm 8"	Mtr	९९४.३५	१०१४.२४	१०१४.२४
२	UPVC Pipes (4 kg/Cm2)				
	63 mm 2"	Mtr	१६४.८५	१६८.१५	१६८.१५
	75 mm 2½"	Mtr	२३३.१०	२३७.७६	२३७.७६
	90 mm 3"	Mtr	३२३.४०	३२९.८७	३२९.८७
	110 mm 4"	Mtr	४६९.३५	४७८.७४	४७८.७४
	125 mm 4½"	Mtr	६१५.३०	६२७.६१	६२७.६१
	140 mm 5"	Mtr	७८१.२०	७९६.८२	७९६.८२
	160 mm 6"	Mtr	१०११.१५	१०३१.३७	१०३१.३७
	180 mm 7"	Mtr	१३००.९५	१३२६.९७	१३२६.९७
	200 mm 8"	Mtr	१५७७.१०	१६०८.६४	१६०८.६४
३	UPVC Pipes (6 kg/Cm2)				
	40 mm 1½"	Mtr	९५.५५	९७.४६	९७.४६
	50 mm 1½"	Mtr	१४३.८५	१४६.७३	१४६.७३
	63 mm 2"	Mtr	२३४.१५	२३८.८३	२३८.८३
	75 mm 2½"	Mtr	३२७.६०	३३४.१५	३३४.१५
	90 mm 3"	Mtr	४७३.५५	४८३.०२	४८३.०२
	110 mm 4"	Mtr	६८६.७०	७००.४३	७००.४३
	125 mm 4½"	Mtr	९१२.४५	९३०.७०	९३०.७०
	140 mm 5"	Mtr	११३६.१०	११५८.८२	११५८.८२
	160 mm 6"	Mtr	१४५५.३०	१४८४.४१	१४८४.४१
	180 mm 7"	Mtr	१८५७.४५	१८९४.६०	१८९४.६०
	200 mm 8"	Mtr	२२७५.३५	२३२०.८६	२३२०.८६
४	UPVC Pipes (10 kg/Cm2)				
	20 mm ¾"	Mtr	३७.८०	३८.५६	३८.५६
	25 mm ¾"	Mtr	५७.७५	५८.९१	५८.९१
	32 mm 1"	Mtr	९४.५०	९६.३९	९६.३९
	40 mm 1½"	Mtr	१४३.८५	१४६.७३	१४६.७३
	50 mm 1½"	Mtr	२३८.३५	२४३.१२	२४३.१२
	63 mm 2"	Mtr	३६४.३५	३७१.६४	३७१.६४
	75 mm 2½"	Mtr	५२०.८०	५३१.२२	५३१.२२
	90 mm 3"	Mtr	७४२.३५	७५७.२०	७५७.२०
	110 mm 4"	Mtr	१०९९.३५	११२१.३४	११२१.३४
	125 mm 4½"	Mtr	१४०८.०५	१४३६.२१	१४३६.२१
	140 mm 5"	Mtr	१७७८.७०	१८१४.२७	१८१४.२७
	160 mm 6"	Mtr	२२८७.९५	२३३३.७१	२३३३.७१
	180 mm 7"	Mtr	२९१.९०	२९७.७४	२९७.७४

आ.ब.२०८१/८२ को स्वीकृत किस्ता दररेट

15. UPVC Pipes (NS-206/046)



क्र.स.	सामानको नाम	इकाई	मु.ब. कर बाहेकको स्वीकृत दररेट		
			आ.ब. ०७९/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२
५	UPVC SWR Fittings as per NS 519				
	Coupler				
	50 mm	Pcs.	५२.५०	५३.५५	८९.००
	75 mm	Pcs.	१२७.०५	१२९.५९	१९७.००
	110 mm	Pcs.	२१६.३०	२२०.६३	३३०.००
	160 mm	Pcs.	४७८.५५	४९०.९२	५९०.९२
६	Bend 87.5 Deg				
	50 mm	Pcs.	७७.७०	७९.२५	८९.००
	75 mm	Pcs.	१८३.७५	१८७.५३	२४०.००
	110 mm	Pcs.	३३९.१५	३४५.९३	४३५.००
	160 mm	Pcs.	७६६.५०	७८१.८३	७८१.८३
६	Bend 45 Deg				
	50 mm	Pcs.	७५.६०	७७.११	८३.००
	75 mm	Pcs.	१४९.१०	१५२.०८	२०४.००
	110 mm	Pcs.	२६७.७५	२७३.११	३७५.००
	160 mm	Pcs.	८१३.७५	८३०.०३	८३०.०३
८	Single Tee				
	50 mm	Pcs.	११५.५०	११७.८१	१६०.००
	75 mm	Pcs.	२४८.८५	२५३.८३	३४३.००
	110 mm	Pcs.	४७२.५०	४८१.९५	६२९.००
	160 mm	Pcs.	१०४७.९०	१०६८.८६	१०६८.८६
९	Pipe Clip				
	50 mm	Pcs.	२४.१५	२४.६३	२४.६३
	75 mm	Pcs.	४७.२५	४८.२०	७४.००
	110 mm	Pcs.	६३.००	६४.२६	९५.००
	160 mm	Pcs.	१२९.८०	१२४.२४	१२४.२४
१०	Bend 87.5 With Door				
	75 mm	Pcs.	२३५.२०	२३९.९०	३२८.००
	110 mm	Pcs.	४०९.५०	४१७.६९	५७७.००
	160 mm	Pcs.	११८६.५०	१२१०.२३	१२१०.२३
११	Single Tee With Door				
	75 mm	Pcs.	३३६.००	३४२.७२	३४२.७२
	110 mm	Pcs.	६२४.७५	६३७.२५	६३७.२५
	160 mm	Pcs.	१४६९.७५	१६०९.१५	१६०९.१५
	Double Tee				
	75 mm	Pcs.	४४६.००	४५६.९२	४५६.९२
	110 mm	Pcs.	८६४.१५	८८१.४३	८८१.४३
१३	Double Tee with Door				
	75 mm	Pcs.	७२४.५०	७३८.९९	७३८.९९
	110 mm	Pcs.	११२२.४५	११४४.९०	११४४.९०
१४	Vent Cowl				
	75 mm	Pcs.	८९.२५	९१.०४	९१.००
	110 mm	Pcs.	१४८.०५	१५१.०१	१५१.००
१५	Socket Plug				
	75 mm	Pcs.	११२.३५	११४.६०	११४.६०
	110 mm	Pcs.	१८२.७०	१८६.३५	१८६.३५

B. M. Chandra

15. UPVC Pipes (NS-206/046)



क्र.स.	सामानको नाम	इकाई	मु.ब. कर बाहेकको स्वीकृत दररेट		
			आ.ब. ०७९/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२
१६	Single 'y'				
	75 mm	Pcs.	३२१.३०	३२७.७३	४४४.००
	110 mm	Pcs.	६१४.३०	६२७.६१	८१०.००
१७	Single 'y' with Door				
	75 mm	Pcs.	३९०.६०	३९८.४१	३९८.४१
	110 mm	Pcs.	७४२.३४	७४७.२०	७४७.२०
१८	Double 'y'				
	75 mm	Pcs.	४२९.४४	४३८.०४	४३८.०४
	110 mm	Pcs.	८४६.३०	८६३.२३	८६३.२३
१९	Double 'y' with Door				
	75 mm	Pcs.	४४०.२०	४६१.२०	४६१.२०
	110 mm	Pcs.	८८६.२०	९०३.९२	९०३.९२
२०	Cleaning Pipe				
	75 mm	Pcs.	२४९.९०	२४४.९०	२४४.९०
	110 mm	Pcs.	४८१.९४	४९१.४९	६०४.००
२१	Reducer 160 X 110 mm	Pcs.	४४९.६४	४७०.८४	६९०.००
२२	Reducer 110 X 75 mm	Pcs.	२२२.६०	२२७.०४	३२३.००
२३	Reducer 75 X 50 mm	Pcs.	११६.४४	११८.८८	१३४.००
२४	P' Trap 125 X 110 mm	Pcs.	९१३.४०	९३१.७७	९३१.७७
२५	P' Trap 110 X 110 mm	Pcs.	८४६.८०	८७३.९४	८७३.९४
२६	P' Trap 75 X 75 mm	Pcs.	३२७.६०	३३४.१४	३३४.१४
२७	Multi Floor Trap 110 X 75	Pcs.	४७४.६०	४८४.०९	४८४.०९
२८	Nahini Trap 110 X 75	Pcs.	४३२.६०	४४१.२४	४७९.००
२९	W.C. Connector (Bent Type)	Pcs.	४४२.०४	४४०.८९	४४०.८९
३०	Squre Tile With Jail	Pcs.	१४१.७४	१४४.४९	१४४.४९
३१	Round Jail	Pcs.	६४.१०	६६.४०	६६.४०
३२	End Cap 50 mm	Pcs.	४२.००	४२.८४	४२.८४
३३	Plastic Toilt Pan 75mm (With paddle)	Pcs.	४४६.००	४४६.९२	४४६.९२
३४	Plastic Toilt Pan 75mm (Without paddle)	Pcs.	४०९.२४	४१९.४४	४१९.४४
३५	Plastic Toilt Pan 110mm	Pcs.	४६७.००	४७८.३४	४७८.३४
३६	Plastic 'P' Trap 110 X 110 mm	Pcs.	१९४.३०	१९९.२१	१९९.२१
३७	Plastic 'P' Trap 75 X 75 mm	Pcs.	१४३.३०	१४६.३७	१४६.३७
३८	Plastic Bend 75mm 45 Deg	Pcs.	६३.००	६४.२६	६४.२६
३९	Plastic Bend 110mm 45 Deg	Pcs.	६८.२४	६९.६२	६९.६२
CPVC Pipes					
CPVC Pipe SDR 11 (22.5 Kg/cm ²)-ASTM F-493 2846					
	1/2" dia	RM	१२०.७४	१२३.१७	४१४.००
	3/4" dia	RM	१६८.००	१७१.३६	८०४.००
	1" dia	RM	२२०.४०	२२४.९१	१२१०.००
	1-1/4" dia	RM	२७४.०४	२७९.४३	१८९४.००
	1-1/2" dia	RM	३८४.३०	३९१.९९	२४४०.००
	2" dia	RM	४८९.९४	४९८.६९	४३४०.००
CPVC Pipe SDR 11 (28.1 Kg/cm ²)-ASTM F-493 2846					
	1/2" dia	RM	१३९.६४	१४२.४४	१४२.४४
	3/4" dia	RM	१८६.९०	१९०.६४	१९०.६४
	1" dia	RM	२६०.४०	२६४.६१	२६४.६१

Handwritten signatures and notes at the bottom of the page, including a large signature on the left and several smaller ones on the right.

15. UPVC Pipes (NS-206/046)



क्र.स.	सामानको नाम	इकाई	मु.स. कर बाईको स्वीकृत दररेट		
			आ.स. ०७९/८०	आ.स. ०८०/८१	आ.स. ०८१/८२
	1-1/4" dia	RM	३१५.००	३२१.३०	३२१.३०
	1-1/2" dia	RM	४३८.९०	४४७.६८	४४७.६८
	2" dia	RM	७१०.८५	७२५.०७	७२५.०७
	CPVC Ball Valve (CTS Sockets)				
	1/2"	NO	३८३.२५	३९०.९२	३९०.९२
	3/4"	NO	८८८.३०	९०६.०७	९०६.०७
	1"	NO	६१७.४०	६२९.७५	६२९.७५
	1-1/4"	NO	१४३९.५५	१४६८.३४	१४६८.३४
	1-1/2"	NO	१७२५.१५	१७५९.६५	१७५९.६५
	2"	NO	२२२२.८५	२२६७.३१	२२६७.३१
	CPVC Reducer Brass Coupling				
	3/4" X 1/2"	NO	१४४.९०	१४७.८०	१४७.८०
	1" X 1/2"	NO	१९०.०५	१९३.८५	१९३.८५
	CPVC Tee				
	1/2"	NO	८०.८५	८२.४७	८२.४७
	3/4"	NO	१२२.८५	१२५.३१	१२५.३१
	1"	NO	२३१.००	२३५.६२	२३५.६२
	1-1/4"	NO	३३६.००	३४२.७२	३४२.७२
	1-1/2"	NO	७२१.३५	७३५.७८	७३५.७८
	2"				
	CPVC Reducer Tee				
	1/2" x 1/2" x 3/4"	NO	७३.५०	७४.९७	७४.९७
	3/4" x 3/4" x 1/2"	NO	११२.३५	११४.६०	११४.६०
	3/4" x 1/2" x 3/4"	NO	१४०.७०	१४३.५१	१४३.५१
	3/4" x 1/2" x 1/2"	NO	१६०.६५	१६३.८६	१६३.८६
	1" x 1" x 3/4"	NO	१६९.०५	१७२.४३	१७२.४३
	1-1/2" x 1-1/2" x 1"	NO	२६३.५५	२६८.८२	२६८.८२
	2" x 2" x 1"	NO	४५७.८०	४६६.९६	४६६.९६
	1-1/4" x 1-1/4" x 1/2"	NO	१४९.१०	१५२.०८	१५२.०८
	1-1/4" x 1-1/4" x 1"	NO	१६०.६५	१६३.८६	१६३.८६
	2" x 2" x 1/2"	NO	४४९.४०	४५८.३९	४५८.३९
	1" x 1" x 1/2"	NO	१०५.००	१०७.१०	१०७.१०
	CPVC Brass FPT Tee				
	1/2" x 1/2" x 1/2"	NO	१२६.००	१२८.५२	१२८.५२
	3/4" x 3/4" x 1/2"	NO	१३१.२५	१३३.८८	१३३.८८
	1" x 1" x 1/2"	NO	१४५.९५	१४८.८७	१४८.८७
	1-1/4" x 1-1/4" x 1-1/4"	NO	४२६.०५	४३६.५७	४३६.५७
	1-1/4" x 1-1/4" x 1/2"	NO	२८५.६०	२९१.३१	२९१.३१
	CPVC Elbow 90°				
	1/2"	NO	२६.२५	२६.७८	२६.७८
	3/4"	NO	४४.६०	४५.६९	४५.६९
	1"	NO	९९.७५	१०१.७५	१०१.७५
	1-1/4"	NO	१८७.९५	१९१.७१	१९१.७१
	1-1/2"	NO	२८०.३५	२८५.९६	२८५.९६
	2"	NO	६००.६०	६१२.६१	६१२.६१
	CPVC Reducer Elbow 90°				
	3/4" X 1/2"	NO	४५.६५	४६.७६	४६.७६
	CPVC Brass FPT Elbow 90°				
	1/2" x 1/2"	NO	२३६.२५	२४०.९८	२४०.९८

Handwritten signatures and notes at the bottom of the page, including a large signature on the left and several smaller ones on the right.

15. UPVC Pipes (NS-206/046)



क्र.स.	सामानको नाम	इकाई	मु.म. कर बाहेकको स्वीकृत दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
	3/4" x 1/2"	NO	२६२.५०	२६७.७५	२६७.७५
	3/4" x 3/4"	NO	२८३.५०	२८९.९७	२८९.९७
	1" X 1/2"	NO	४१७.९०	४२६.२६	४२६.२६
	1" X 1"	NO	४९४.५५	५०४.४४	५०४.४४
	1-1/4" x 1-1/4"	NO	९०५.९०	९२३.२०	९२३.२०
	CPVC Elbow 45°				

[Handwritten signatures and notes in Nepali script]

3/21/32

Barna

P/line

15. UPVC Pipes (NS-206/046)



क्र.स.	सामानको नाम	इकाई	मु.ब. कर बाहेकको स्वीकृत दररेट			
			आ.ब. ०७९/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२	
		1/2"	NO	३१.५०	३२.१३	४२.००
		3/4"	NO	५६.७०	५७.८३	४८.००
		1"	NO	८०.८५	८२.४७	८०.००
		1-1/4"	NO	१४२.८०	१४५.६६	२२०.००
		1-1/2"	NO	२०६.८५	२१०.९९	३७५.००
		2"	NO	४४८.३५	४५७.३२	६००.००
	CPVC Male Adapter (CPVC Threads)					
		1/2"	NO	२३.१०	२३.५६	२३.५६
		3/4"	NO	४०.९५	४१.७७	४१.७७
		1"	NO	६१.९५	६३.१९	६३.१९
		1-1/4"	NO	१११.३०	११३.५३	११३.५३
		1-1/2"	NO	१५६.४५	१५९.५८	१५९.५८
		2"	NO	३०४.५०	३१०.५९	३१०.५९
	CPVC Reducing Male Adapter (CPVC Threads)					
		3/4" x 1/2"	NO	४३.०५	४३.९१	४३.९१
	CPVC Male Adapters (Brass Threads)					
		1/2"	NO	२१६.३०	२२०.६३	२२०.६३
		3/4"	NO	२८०.३५	२८५.९६	२८५.९६
		1"	NO	४४२.०५	४५०.८९	४५०.८९
		1-1/4"	NO	९७२.३०	९९१.७५	९९१.७५
		1-1/2"	NO	११३४.००	११५६.६८	११५६.६८
		2"	NO	२३३५.२०	२३८१.९०	२३८१.९०
	CPVC Reducing Male Adapter (Brass Threads)					
		3/4" x 1/2"	NO	२४०.४५	२४५.२६	२४५.२६
	CPVC Female Adapter (CPVC Threads)					
		1/2"	NO	३२.५५	३३.२०	३३.२०
		3/4"	NO	५३.५५	५४.६२	५४.६२
		1"	NO	८०.८५	८२.४७	८२.४७
	CPVC Female Adapters Brass Threads					
		1/2"	NO	२०७.९०	२१२.०६	२१२.०६
		3/4"	NO	२८२.४५	२८८.१०	२८८.१०
		1"	NO	३६६.४५	३७३.७८	३७३.७८
		1-1/4"	NO	९६२.८५	९८२.११	९८२.११
		1-1/2"	NO	१०७१.००	१०९२.४२	१०९२.४२
		2"	NO	२०९३.७०	२१३५.५७	२१३५.५७
	CPVC Caps					
		1/2"	NO	१३.६५	१३.९२	१३.९२
		3/4"	NO	२६.२५	२६.७८	२६.७८
		1"	NO	३८.८५	३९.६३	३९.६३
		1-1/4"	NO	७५.६०	७७.११	७७.११
		1-1/2"	NO	१११.३०	११३.५३	११३.५३
		2"	NO	२३६.२५	२४०.९८	२४०.९८
	CPVC Union					
		1/2"	NO	२८३.५०	२८९.१७	२८९.१७
		3/4"	NO	४१७.९०	४२६.२६	४२६.२६
		1"	NO	४९४.५५	५०४.४४	५०४.४४
		1-1/4"	NO	९०५.१०	९२३.२०	९२३.२०
		1-1/2"	NO	९८९.१०	१००८.८८	१००८.८८
		2"	NO	१४१९.६०	१४४७.९९	१४४७.९९
	CPVC Cross Tee					
		1/2"	NO	५१.४५	५२.४८	५२.४८

Handwritten signatures and notes at the bottom of the page, including a large 'X' mark and several illegible signatures.

15. UPVC Pipes (NS-206/046)



क्र.सं.	सामानको नाम	इकाई	मु.व. कर बाहेकको स्वीकृत दररेट			
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२	
		3/4"	NO	१११.३०	११३.४३	११३.४३
	CPVC Step Over Bend					
		1/2"	NO	६६.१५	६७.४७	६७.४७
		3/4"	NO	१०९.२०	१११.३८	१११.३८
	CPVC Ball Valve (CTS Sockets)		NO			
		1/2"		६९.४.०५	७०७.९३	७०७.९३
		3/4"	NO	८४५.२५	८६२.१६	८६२.१६
		1"	NO	९६७.०५	९८६.३९	९८६.३९
		1-1/4"	NO	१९७२.९५	२०१२.४१	२०१२.४१
		1-1/2"	NO	२५१०.५५	२५६०.७६	२५६०.७६
		2"	NO	३२२८.७५	३२९३.३३	३२९३.३३
	CPVC Solvent Cement					
		50ML	NO	२०८.९५	२१३.१३	२१३.१३
		118ML	NO	३४५.४५	३५२.३६	३५२.३६
		237ML	NO	५५९.६५	५७०.८५	५७०.८५
		473ML	NO	८७९.९०	८९७.५०	८९७.५०
		946ML	NO	१५४४.५५	१५७५.४५	१५७५.४५
	Plastic Strap					
		1/2"	NO	५.२५	५.३६	५.३६
		3/4"	NO	५.२५	५.३६	५.३६
		1"	NO	८.४०	८.५७	८.५७
		1-1/4"	NO	११.५५	११.७८	११.७८
		1-1/2"	NO	१५.७५	१६.०७	१६.०७
		2"	NO	१८.९०	१९.२८	१९.२८
	Metal Strap					
		1/2"	NO	१३.६५	१३.९२	१३.९२
		3/4"	NO	१६.८०	१७.१४	१७.१४
		1"	NO	२२.०५	२२.४९	२२.४९
		1-1/4"	NO	२६.२५	२६.७८	२६.७८
		1-1/2"	NO	२८.३५	२८.९२	२८.९२
		2"	NO	३०.४५	३१.०६	३१.०६
	Tee Holder					
		1/2" X 1/2" X 1/2"	NO	५.२५	५.३६	५.३६
		3/4" X 3/4" X 1/2"	NO	८.४०	८.५७	८.५७
	Elbow Holder		NO			
		1/2" X 1/2"	NO	५.२५	५.३६	५.३६
		1/2" X 3/4"	NO	७.३५	७.५०	७.५०
	Snap Fix Repair Coupling					
		1/2"	NO	२४०.४५	२४५.२६	२४५.२६
		3/4"	NO	२६०.४०	२६५.६१	२६५.६१
	End plug threaded 1/2"		NO	११.५५	११.७८	११.७८



१६. औजार (टूल्स) तथा सेफ्टी गियर्सहरू

क्र.स.	औजारहरूको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
1	Chain wrench 2"	गोटा	१५१२.००	१५१२.००	१५१२.००
2	Chain wrench 3"	गोटा	२०५८.००	२०५८.००	२०५८.००
3	Chain wrench 4"	गोटा	३०२४.००	३०२४.००	३०२४.००
4	Chain wrench 6"	गोटा	३७८०.००	३७८०.००	३७८०.००
5	Chain wrench 8"	गोटा	४६२०.००	४६२०.००	४६२०.००
6	Adjustable Wrench 6"	गोटा	२५७.२५	२५७.२५	२५७.२५
7	Adjustable Wrench 8"	गोटा	३७८.००	३७८.००	३७८.००
8	Adjustable Wrench 10"	गोटा	४६२.००	४६२.००	४६२.००
9	Adjustable Wrench 12"	गोटा	७५६.००	७५६.००	७५६.००
10	Hand Vice 3"	गोटा	२२६.८०	२२६.८०	२२६.८०
11	Hand Vice 4"	गोटा	३०२.४०	३०२.४०	३०२.४०
12	Hand Vice 5"	गोटा	३७८.००	३७८.००	३७८.००
13	Hand Vice 6"	गोटा	४५३.६०	४५३.६०	४५३.६०
14	Pipe Vice Solid 2"	गोटा	४२००.००	४२००.००	४२००.००
15	Pipe Vice Solid 3"	गोटा	५६७०.००	५६७०.००	५६७०.००
16	Pipe Vice Solid 4"	गोटा	६८२५.००	६८२५.००	६८२५.००
17	Pipe Vice Solid 6"	गोटा	७३५०.००	७३५०.००	७३५०.००
18	Chain Pipe Vice 2"	गोटा	११५५.००	११५५.००	११५५.००
19	Chain Pipe Vice 3"	गोटा	१६८०.००	१६८०.००	१६८०.००
20	Chain Pipe Vice 4"	गोटा	२१००.००	२१००.००	२१००.००
21	Chain Pipe Vice 6"	गोटा	४०९५.००	४०९५.००	४०९५.००
22	Spirit Level Steelbody 6"	गोटा	३१५.००	३१५.००	३१५.००
23	Spirit Level Steelbody 8"	गोटा	४२०.००	४२०.००	४२०.००
24	Spirit Level Steelbody 10"	गोटा	५२५.००	५२५.००	५२५.००
25	Spirit Level Steelbody 12"	गोटा	६३०.००	६३०.००	६३०.००
26	Spirit Level Steelbody 16"	गोटा	९९७.५०	९९७.५०	९९७.५०
27	Spirit Level Wooden body 6"	गोटा	१५७.५०	१५७.५०	१५७.५०
28	Spirit Level Wooden body 8"	गोटा	२१०.००	२१०.००	२१०.००
29	Spirit Level Wooden body 10"	गोटा	२६२.५०	२६२.५०	२६२.५०
30	Spirit Level Wooden body 12"	गोटा	३१५.००	३१५.००	३१५.००
31	Trysquare 6"	गोटा	१९९.५०	१९९.५०	१९९.५०
32	Trysquare 8"	गोटा	२६२.५०	२६२.५०	२६२.५०
33	Trysquare 10"	गोटा	३३६.००	३३६.००	३३६.००
34	Trysquare 12"	गोटा	३९३.७५	३९३.७५	३९३.७५
35	Trysquare 16"	गोटा	१०५०.००	१०५०.००	१०५०.००
36	Trysquare 18"	गोटा	१२०७.५०	१२०७.५०	१२०७.५०
37	Pipe Wrench 8"	गोटा	३३६.००	३३६.००	३३६.००
38	Pipe Wrench 10"	गोटा	४२०.००	४२०.००	४२०.००
39	Pipe Wrench 12"	गोटा	५०४.००	५०४.००	५०४.००
40	Pipe Wrench 14"	गोटा	५८८.००	५८८.००	५८८.००
41	Pipe Wrench 18"	गोटा	१००८.००	१००८.००	१००८.००



१६. औजार (टुल्स) तथा सेफ्टी गियर्सहरू

क्र.स.	औजारहरूको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			आ.ब. ०७९/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२
42	Pipe Wrench 24"	गोटा	१६८०.००	१६८०.००	१६८०.००
43	Pipe Wrench 36"	गोटा	३९९०.००	३९९०.००	३९९०.००
44	Pipe Wrench 48"	गोटा	४०४०.००	४०४०.००	४०४०.००
45	Water Pump Plier 10"	गोटा	२७८.२५	२७८.२५	२७८.२५
46	Long Nose Plier 6"	गोटा	२७३.००	२७३.००	२७३.००
47	Long Nose Plier 8"	गोटा	२९४.००	२९४.००	२९४.००
48	Combinaation Plier 6"	गोटा	२९४.००	२९४.००	२९४.००
49	Combinaation Plier 7"	गोटा	३१५.००	३१५.००	३१५.००
50	Combinaation Plier 8"	गोटा	३३६.००	३३६.००	३३६.००
51	Circlip Plier 6"	गोटा	२७३.००	२७३.००	२७३.००
52	Circlip Plier 7"	गोटा	३०४.५०	३०४.५०	३०४.५०
53	Circlip Plier 8"	गोटा	३४६.५०	३४६.५०	३४६.५०
54	Tin Cutter 8"	गोटा	२३९.००	२३९.००	२३९.००
55	Tin Cutter 10"	गोटा	२९४.००	२९४.००	२९४.००
56	Tin Cutter 12"	गोटा	३४६.५०	३४६.५०	३४६.५०
57	Tin Cutter 14"	गोटा	६३०.००	६३०.००	६३०.००
58	Pincer 6"	गोटा	२९०.००	२९०.००	२९०.००
59	Pincer 7"	गोटा	२२०.५०	२२०.५०	२२०.५०
60	Pincer 8"	गोटा	२४९.५०	२४९.५०	२४९.५०
61	Garden scissore 10"	गोटा	५८८.००	५८८.००	५८८.००
62	Garden scissore 12"	गोटा	७०३.५०	७०३.५०	७०३.५०
63	Garden scissore 14"	गोटा	८१९.००	८१९.००	८१९.००
64	Side Cutting Plier-6"	गोटा	२७३.००	२७३.००	२७३.००
65	Side Cutting Plier 8"	गोटा	२९४.००	२९४.००	२९४.००
66	Screw Driver 6"	गोटा	२२०.५०	२२०.५०	२२०.५०
67	Screw Driver 8"	गोटा	२४९.५०	२४९.५०	२४९.५०
68	Screw Driver 10"	गोटा	२५२.००	२५२.००	२५२.००
69	Screw Driver 12"	गोटा	२७३.००	२७३.००	२७३.००
70	Cold Chisel 1/2"- 6"	गोटा	१०५.००	१०५.००	१०५.००
71	Cold Chisel 1/2"- 8"	गोटा	१२६.००	१२६.००	१२६.००
72	Cold Chisel 1/2"- 10"	गोटा	१५४.३५	१५४.३५	१५४.३५
73	Cold Chisel 1/2"- 12"	गोटा	१७६.४०	१७६.४०	१७६.४०
74	Cold Chisel 5/8"- 6"	गोटा	१५४.३५	१५४.३५	१५४.३५
75	Cold Chisel 5/8"- 8"	गोटा	१९२.९४	१९२.९४	१९२.९४
76	Cold Chisel 5/8"- 10"	गोटा	२३९.५३	२३९.५३	२३९.५३
77	Cold Chisel 5/8"- 12"	गोटा	२५३.५८	२५३.५८	२५३.५८
78	Cold Chisel 3/4"- 6"	गोटा	१९२.९४	१९२.९४	१९२.९४
79	Cold Chisel 3/4"- 8"	गोटा	२३९.५३	२३९.५३	२३९.५३
80	Cold Chisel 3/4"- 10"	गोटा	२७०.९९	२७०.९९	२७०.९९
81	Cold Chisel 3/4"- 12"	गोटा	३१४.२९	३१४.२९	३१४.२९
82	Cold Chisel 1"- 6"	गोटा	३३०.७५	३३०.७५	३३०.७५



१६. औजार (टूल) तथा सेफ्टी गियर्सहरु

क्र.स.	औजारहरुको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
83	Cold Chisel 1"- 8"	गोटा	३९६.९०	३९६.९०	३९६.९०
84	Cold Chisel 1"- 10"	गोटा	४४९.००	४४९.००	४४९.००
85	Cold Chisel 1"- 12"	गोटा	५०९.६४	५०९.६४	५०९.६४
86	Cold Chisel 1 1/4"- 8"	गोटा	६३३.९४	६३३.९४	६३३.९४
87	Cold Chisel 1 1/4"- 10"	गोटा	८४३.४९	८४३.४९	८४३.४९
88	Cold Chisel 1 1/4"- 12"	गोटा	९०५.८०	९०५.८०	९०५.८०
89	Pully (Pulley) per Inch 2"	गोटा	९८९.९९	९८९.९९	९८९.९९
90	Pully 3"	गोटा	२७०.९९	२७०.९९	२७०.९९
91	Pully 4"	गोटा	३६३.८३	३६३.८३	३६३.८३
92	G.Cramp (Per Inch) 2"	गोटा	२२६.०९	२२६.०९	२२६.०९
93	G.Cramp 3"	गोटा	३४९.७८	३४९.७८	३४९.७८
94	G.Cramp 4"	गोटा	४५७.५४	४५७.५४	४५७.५४
95	Hand Drill Machine 6 mm	गोटा	५२९.२०	५२९.२०	५२९.२०
96	Hand Drill Machine 10 mm	गोटा	७०५.६०	७०५.६०	७०५.६०
97	Ball Pan Hammer 100 Gram	गोटा	९६५.३८	९६५.३८	९६५.३८
98	Ball Pan Hammer 200 Gram	गोटा	२३७.०४	२३७.०४	२३७.०४
99	Ball Pan Hammer 300 Gram	गोटा	२८९.९४	२८९.९४	२८९.९४
100	Ball Pan Hammer 400 Gram	गोटा	३३६.२६	३३६.२६	३३६.२६
101	Ball Pan Hammer 500 Gram	गोटा	३५८.३९	३५८.३९	३५८.३९
102	Clow Hammer 100 Gram	गोटा	९८९.९९	९८९.९९	९८९.९९
103	Clow Hammer 200 Gram	गोटा	२३९.५३	२३९.५३	२३९.५३
104	Clow Hammer 300 Gram	गोटा	३०८.७०	३०८.७०	३०८.७०
105	Clow Hammer 400 Gram	गोटा	३५८.३९	३५८.३९	३५८.३९
106	Iron Plumbbob 100 Gram	गोटा	९०४.७४	९०४.७४	९०४.७४
107	Iron Plumbbob 200 Gram	गोटा	९२६.७९	९२६.७९	९२६.७९
108	Drill Chalk With key 1/2"	गोटा	९२७८.९०	९२७८.९०	९२७८.९०
109	Drill Chalk With key 3/4"	गोटा	२९९०.६०	२९९०.६०	२९९०.६०
110	Drill Chalk With key 3/8"	गोटा	९७०.२०	९७०.२०	९७०.२०
111	Pipe Dieset Commercial 1/2" - 1"	गोटा	२७३४.२०	२७३४.२०	२७३४.२०
112	Pipe Dieset Commercial 1 1/4" - 2"	गोटा	५९५३.५०	५९५३.५०	५९५३.५०
113	Pipe Dieset Commercial 2 1/2" - 3"	गोटा	९०९३६.८०	९०९३६.८०	९०९३६.८०
114	Pipe Dieset Commercial 4"	गोटा	९६७५.००	९६७५.००	९६७५.००
115	Pipe Dieset Ratchet 1/2" - 1"	गोटा	५२९२.००	५२९२.००	५२९२.००
116	Pipe Dieset Ratchet 1 1/4" - 2"	गोटा	९२६९.००	९२६९.००	९२६९.००
117	Pipe Dieset Ratchet 2 1/2" - 3"	गोटा	९५८७६.००	९५८७६.००	९५८७६.००
118	Die Teeth Spare 1/2" to 1"	गोटा	९३८६.००	९३८६.००	९३८६.००
119	Die Teeth Spare 1 1/4" to 2"	गोटा	३३२६.४०	३३२६.४०	३३२६.४०
120	Die Teeth Spare 2 1/2" to 3"	गोटा	५७९६.००	५७९६.००	५७९६.००
121	Die Teeth Spare 4"	गोटा	९०८३६.००	९०८३६.००	९०८३६.००
122	Die Head Chaser Fitted 1/2", 3/4" & 1"	गोटा	२२६८.००	२२६८.००	२२६८.००
123	Pipe Reamer Ratched 3/8" to 2"	गोटा	९०७२.००	९०७२.००	९०७२.००
124	Pipe Reamer Ratched 3/8" to 3"	गोटा	९९९५२.००	९९९५२.००	९९९५२.००



१६. औजार (टूल्स) तथा सेफ्टी गियर्सहरू

क्र.स.	औजारहरूको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			आ.ब. ०७९/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२
125	Pipe Reamer Ratched 2" to4"	गोटा	३०२४०.००	३०२४०.००	३०२४०.००
126	Self Locking Pipe Vice 1 1/2"	गोटा	२४६९.६०	२४६९.६०	२४६९.६०
127	Self Locking Pipe Vice 2"	गोटा	३३२६.४०	३३२६.४०	३३२६.४०
128	Self Locking Pipe Vice 2 1/2"	गोटा	४३३४.४०	४३३४.४०	४३३४.४०
129	Self Locking Pipe Vice 3"	गोटा	८८२०.००	८८२०.००	८८२०.००
130	Self Locking Pipe Vice 4"	गोटा	१०४३२.८०	१०४३२.८०	१०४३२.८०
131	Self Locking Pipe Vice 6"	गोटा	१९१५२.००	१९१५२.००	१९१५२.००
132	Pipe Drill / Tap mac Up 15-50mm	गोटा	४०३२०.००	४०३२०.००	४०३२०.००
133	Pipe Vice Stand only	गोटा	१६६३२.००	१६६३२.००	१६६३२.००
134	Tapping & Drilling Machine Sts 6-50mm	सेट	२२६८०.००	२२६८०.००	२२६८०.००
135	Drill Tap 1/2"	गोटा	१३८६.००	१३८६.००	१३८६.००
136	Drill Tap 3/4"	गोटा	२२१७.६०	२२१७.६०	२२१७.६०
137	Drill Tap 1"	गोटा	३०२४.००	३०२४.००	३०२४.००
138	Drill Tap 1 1/4"	गोटा	४६६२.००	४६६२.००	४६६२.००
139	Drill Tap 1 1/2"	गोटा	६९३०.००	६९३०.००	६९३०.००
140	Drill Tap 2"	गोटा	१०५८४.००	१०५८४.००	१०५८४.००
141	Hydraulic Pipe Bender with Hinged Framme S.G for mer 1/2" to 2"	गोटा	११२७४४.८०	११२७४४.८०	११२७४४.८०
142	Hydraulic Pipe Bender with Hinged Framme S.G for mer 1/2" to 3"	गोटा	१५५३३२.८०	१५५३३२.८०	१५५३३२.८०
143	Hydraulic Pipe Bender with Hinged Framme S.G for mer 1" to 4"	गोटा	३०३७१०.४०	३०३७१०.४०	३०३७१०.४०
144	Hydraulic Pipe Bender with Hinged Framme S.G for mer 2" to 4"	गोटा	३५३३०४.००	३५३३०४.००	३५३३०४.००
145	Table Vice 1*80mm	गोटा	५५४४.००	५५४४.००	५५४४.००
146	Table Vice 2*90mm	गोटा	७२३२.४०	७२३२.४०	७२३२.४०
147	Table Vice 3*100mm	गोटा	१०८३६.००	१०८३६.००	१०८३६.००
148	Table Vice 4*115mm	गोटा	१२८५२.००	१२८५२.००	१२८५२.००
149	Table Vice 5*125mm	गोटा	१७८९२.००	१७८९२.००	१७८९२.००
150	Table Vice 6*150mm	गोटा	२०४१२.००	२०४१२.००	२०४१२.००
151	Table Vice 8*200mm	गोटा	३४२७२.००	३४२७२.००	३४२७२.००
152	Pipe Wrench Heavy 10"	गोटा	१३६०.८०	१३६०.८०	१३६०.८०
153	Pipe Wrench Heavy 14"	गोटा	१८९०.००	१८९०.००	१८९०.००
154	Pipe Wrench Heavy 18"	गोटा	३९३१.२०	३९३१.२०	३९३१.२०
155	Pipe Wrench Heavy 24"	गोटा	६०४८.००	६०४८.००	६०४८.००
156	Pipe Wrench Heavy 36"	गोटा	१४३६४.००	१४३६४.००	१४३६४.००
157	Pipe Wrench Heavy 48"	गोटा	२४१९२.००	२४१९२.००	२४१९२.००
158	Pipe Wrench Medium 10"	गोटा	७३५.००	७३५.००	७३५.००
159	Pipe Wrench Medium 12"	गोटा	८६९.००	८६९.००	८६९.००
160	Pipe Wrench Medium 14"	गोटा	१०५०.००	१०५०.००	१०५०.००
161	Pipe Wrench Medium 18"	गोटा	१८०६.००	१८०६.००	१८०६.००
162	Pipe Wrench Medium 24"	गोटा	३४४४.००	३४४४.००	३४४४.००
163	Pipe Wrench Medium 36"	गोटा	७९३८.००	७९३८.००	७९३८.००

Handwritten signatures and text at the bottom of the page, including a large signature on the left and another on the right, with some illegible text in the middle.



१६. औजार (टूल्स) तथा सेफ्टी गियर्सहरू

क्र.स.	औजारहरूको नाम	इकाई	मु.व. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
164	Pipe Wrench Medium 48"	गोटा	१२१३८.००	१२१३८.००	१२१३८.००
165	Ratchet Pipe Threader 1/2"-1"	गोटा	६६१५.००	६६१५.००	६६१५.००
166	Ratchet Pipe Threader 1 1/4"-2"	गोटा	१३२३०.००	१३२३०.००	१३२३०.००
167	Ratchet Pipe Threader 2 1/2"-3"	गोटा	१९४०४.००	१९४०४.००	१९४०४.००
168	Ratchet Pipe Threader 4"	गोटा	१६७५८.००	१६७५८.००	१६७५८.००
169	Pipe Cutter 1/2" - 2"	गोटा	२५०८.१९	२५०८.१९	२५०८.१९
170	Pipe Cutter 1/2" - 3"	गोटा	३९४९.४४	३९४९.४४	३९४९.४४
171	Pipe Cutter 4"	गोटा	६९४५.७५	६९४५.७५	६९४५.७५
172	Pipe Vice Hinges type 1 1/2"	गोटा	१८७४.२५	१८७४.२५	१८७४.२५
173	Pipe Vice Hinges type 2"	गोटा	२३७०.३८	२३७०.३८	२३७०.३८
174	Pipe Vice Hinges type 2 1/2"	गोटा	३६९३.३८	३६९३.३८	३६९३.३८
175	Pipe Vice Hinges type 3 1/2"	गोटा	४९८९.७५	४९८९.७५	४९८९.७५
176	Pipe Vice Hinges type 4 1/2"	गोटा	७९३८.००	७९३८.००	७९३८.००
177	Pipe Vice Pillaer Type 1 1/2"	गोटा	१५८७.६०	१५८७.६०	१५८७.६०
178	Pipe Vice Pillaer Type 2"	गोटा	१८७४.२५	१८७४.२५	१८७४.२५
179	Pipe Vice Pillaer Type 3"	गोटा	३४९७.७५	३४९७.७५	३४९७.७५
180	Pipe Vice Pillaer Type 4"	गोटा	४३५४.८८	४३५४.८८	४३५४.८८
181	Bench Vice no. 0	गोटा	१८५२.२०	१८५२.२०	१८५२.२०
182	Bench Vice no. 1-	गोटा	२६९०.१०	२६९०.१०	२६९०.१०
183	Bench Vice no. 2	गोटा	३४३९.८०	३४३९.८०	३४३९.८०
184	Bench Vice no. 3	गोटा	४५८६.४०	४५८६.४०	४५८६.४०
185	Bench Vice no. 4	गोटा	५२९२.००	५२९२.००	५२९२.००
186	Bench Vice no. 5	गोटा	६४८२.७०	६४८२.७०	६४८२.७०
187	Bench Vice no. 6	गोटा	७६२९.३०	७६२९.३०	७६२९.३०
188	Bench Vice no. 8	गोटा	१२६५६.७०	१२६५६.७०	१२६५६.७०
189	Heating Plate 4"	गोटा	११०२.५०	११०२.५०	११०२.५०
190	Heating Plate 5"	गोटा	१३७८.१३	१३७८.१३	१३७८.१३
191	Heating Plate 6"	गोटा	१६५३.७५	१६५३.७५	१६५३.७५
192	Heating Plate 8"	गोटा	२६४६.००	२६४६.००	२६४६.००
193	Heating Plate 10"	गोटा	३३०७.५०	३३०७.५०	३३०७.५०
194	Heating Plate 12"	गोटा	३९६९.००	३९६९.००	३९६९.००
195	Hacksaw Frame 5 mm	गोटा	१८९.९९	१८९.९९	१८९.९९
196	Hacksaw Frame 6 mm	गोटा	२०९.४८	२०९.४८	२०९.४८
197	Hacksaw Frame Tublar	गोटा	३६३.८३	३६३.८३	३६३.८३
198	Hacksaw Frame Folding	गोटा	२९४.९९	२९४.९९	२९४.९९
199	Blow Torch	गोटा	१६५३.७५	१६५३.७५	१६५३.७५
200	Crowbar 1" x 5'	गोटा	१३२३.००	१३२३.००	१३२३.००
201	Hoe	गोटा	६६९.४०	६६९.४०	६६९.४०
202	Iron Brush	गोटा	७९.६६	७९.६६	७९.६६
203	Iron Pan (Head Pan) Medium Size	गोटा	१६५.३८	१६५.३८	१६५.३८
204	Fiber glass Measuring Tape 30 m.	गोटा	१६५३.७५	१६५३.७५	१६५३.७५

(Handwritten signatures and notes at the bottom of the page)



१६. औजार (टुल्स) तथा सेफ्टी गियर्सहरू

क्र.स.	औजारहरूको नाम	इकाई	नु.अ. कर बाहेकको दररेट		
			आ.ब. ०७९/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२
205	Pick Axe	गोटा	६५०.४८	६५०.४८	६५०.४८
206	Pointing Trowel	गोटा	८२.६९	८२.६९	८२.६९
207	Shovel	गोटा	६६९.५०	६६९.५०	६६९.५०
208	Sledge Hammer 10 lbs	गोटा	९३७.९३	९३७.९३	९३७.९३
209	Teflon Cover	गोटा	५५९२.५०	५५९२.५०	५५९२.५०
210	Thermochrome Crayon	गोटा	६६९.५०	६६९.५०	६६९.५०
211	Tools Box with Locking set	गोटा	९९८४.५०	९९८४.५०	९९८४.५०
212	Wheel Barrow	गोटा	८९९०.००	८९९०.००	८९९०.००
213	Kodalo	गोटा	३६७.५०	३६७.५०	३६७.५०
214	Pick Axe	गोटा	४९८.७५	४९८.७५	४९८.७५
215	Shovel	गोटा	४९८.७५	४९८.७५	४९८.७५
216	Long Handale Shovel	गोटा	४९८.७५	४९८.७५	४९८.७५
217	Bush Knife	गोटा	४४६.२५	४४६.२५	४४६.२५
218	Earth hammer 6 Kg	गोटा	८६६.२५	८६६.२५	८६६.२५
219	Large Crowbar 9 kg	गोटा	१३९२.५०	१३९२.५०	१३९२.५०
220	Watering Can	गोटा	५५९.२५	५५९.२५	५५९.२५
221	Cold Chisel Kimpin	गोटा	३४९.२५	३४९.२५	३४९.२५
222	Double face sledge hammer 4 kg	गोटा	७३५.००	७३५.००	७३५.००
223	Tire Tube disk set for wheel barroe	गोटा	३२५५.००	३२५५.००	३२५५.००
224	Warning Flag	गोटा	७८.७५	७८.७५	७८.७५
225	Safty vest	गोटा	३९३.७५	३९३.७५	३९३.७५
226	Hat / hard	गोटा	९८३.७५	९८३.७५	९८३.७५
227	Mask	गोटा	५७.७५	५७.७५	५७.७५
228	Boots	गोटा	१२०७.५०	१२०७.५०	१२०७.५०
229	Raicoat	गोटा	११०२.५०	११०२.५०	११०२.५०
230	First aid kit	गोटा	१९४२.५०	१९४२.५०	१९४२.५०
231	Hand Gloves	जोडा	९८३.७५	९८३.७५	९८३.७५
232	Chain pully - 3 ton capacity	सेट	३४७६०.२५	३४७६०.२५	३४७६०.२५
233	Dial wrench	गोटा	१२०७.५०	१२०७.५०	१२०७.५०
234	Pipe drill Machine	गोटा	२९३९०.७५	२९३९०.७५	२९३९०.७५
235	Drill Bit 1/2"	गोटा	१३८६.००	१३८६.००	१३८६.००
236	Drill Bit 3/4"	गोटा	२२२०.७५	२२२०.७५	२२२०.७५
237	Drill Bit 1"	गोटा	३०२४.००	३०२४.००	३०२४.००
238	Suspended cable		०.००	०.००	०.००
	8 mm	मि.	२४९.५०	२४९.५०	२४९.५०
	10mm	मि.	२६७.७५	२६७.७५	२६७.७५
	12mm	मि.	४०४.२५	४०४.२५	४०४.२५
	16mm	मि.	६७७.२५	६७७.२५	६७७.२५
	20mm	मि.	९९३.५०	९९३.५०	९९३.५०
239	HDPE pipe butt fusion welding machine with electric heating plate & cutter 90mm-250mm	सेट	२७८२५०.००	२७८२५०.००	२७८२५०.००
240	2 kva portable Generator	सेट	१७३२५०.००	१७३२५०.००	१७३२५०.००
241	3.5 kva portable Generator	सेट	२७७२००.००	२७७२००.००	२७७२००.००
242	Woodsaw	गोटा	३६७.५०	३६७.५०	३६७.५०
243	Flat iron file	गोटा	५२५.००	५२५.००	५२५.००
244	Cutting Blade(pipe cutter blade)	गोटा	६३.००	६३.००	६३.००
245	Hacksaw Blade	गोटा	९५.७५	९५.७५	९५.७५

Handwritten signatures and notes at the bottom of the page, including names like 'Ramesh' and 'Suresh'.



१६. औजार (टूल्स) तथा सेफ्टी गियर्सहरू

क्र.स.	औजारहरूको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
246	Ring wrench 12"	गोटा	५२५.००	५२५.००	५२५.००
247	Ring wrench 16"	गोटा	६३०.००	६३०.००	६३०.००
248	Copper busbar with insulater all complete in TOD meter box	सेट	९४५०.००	९४५०.००	९४५०.००
249	M.C.C.B. BOX	सेट	५२५०.००	५२५०.००	५२५०.००
250	100 mm , 80 mm or 65 mm dia. G.I. pipe cutting threas	गोटा	२९००.००	२९००.००	२९००.००
251	Pipe clamp size(2.5"- 4")	सेट	३९५०.००	३९५०.००	३९५०.००

Handwritten signatures and text in Nepali script, including the name 'Brambar' and other illegible signatures.

१७. निर्माण सामग्री परिक्षण संबन्धी दररेट



क्र. नं.	निर्माण सामग्रीको नाम	इकाई	मु.व. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
१	Laboratory Related Chemicals				
	Trichloroethylene 2.5 Ltr Qualigens	Bottle	३७२७.००	३९१३.३५	३९१३.३५
	Xylene sulpher free 2.5 Ltr Qualigens	Bottle	२७१२.००	२८४७.६०	२८४७.६०
	Distilled water emplure 5 Ltr Merck	Bottle	८४५.००	८८७.२५	८८७.२५
	Hydrochloric acid 2.5 Ltr Qualigens	Bottle	११८३.००	१२४२.१५	१२४२.१५
	Antimony troxid 500 G Qualigens	Bottle	४२६३.००	४४७६.१५	४४७६.१५
	Copper sulphet penthy E / P GRM 630500 G HM	Bottle	१०८५.००	११३९.२५	११३९.२५
	Copper I I hydroxide carbonate PFD 550G merck	Bottle	२५५५.००	२६८२.७५	२६८२.७५
	Sod Sulphate 500 G Qualigens	Bottle	३८६.००	४०५.३०	४०५.३०
	Cal chlorid Dyhydrate 500 G CDH	Bottle	४७५.००	४९८.७५	४९८.७५
	Formaldehyde sol 5 Ltr Qualigens	Bottle	२१७८.००	२२८६.९०	२२८६.९०
	Sod Hydrooxide pellets 500 G Qualigens	Bottle	५३२.००	५५८.६०	५५८.६०
	Pot Dichromate Emplura 500 G Merck	Bottle	१७४२.००	१८२९.१०	१८२९.१०
	Sulphuric acid 2.5 Ltr Qualigens	Bottle	१६४६.००	१७२८.३०	१७२८.३०
	Barium chloride Dihydrate Agrim 412 - 500 G Him	Bottle	५६१.००	५८९.०५	५८९.०५
	Standerd sand 25 kg bag	Bag	४२३५.००	४४४६.७५	४४४६.७५
२	Laboratory Test Rate			०.००	०.००
A	Soil & Aggregate			०.००	०.००
	Aggregatet crushing value test	No	१५००.००	१५७५.००	१५७५.००
	Aggregatet Impact value test	No	१५००.००	१५७५.००	१५७५.००
	C.B.R (Soaked)	No	२०००.००	२१००.००	२१००.००
	C.B.R (UnSoaked)	No	२०००.००	२१००.००	२१००.००
	Deflection Test by Benkelmen's Beam Test	No	८८०.००	९२४.००	९२४.००
	Flakiness Index	No	१५००.००	१५७५.००	१५७५.००
	Field Density Test	No	२०००.००	२१००.००	२१००.००
	Liquid & Plastic Limit	No	२०००.००	२१००.००	२१००.००
	Los Angeles Abrasion Test	No	१०००.००	१०५०.००	१०५०.००
	Measurment Of Pavement Thickness	No	६००.००	६३०.००	६३०.००
	Organic Impurities of Fine Aeeregate	No	१०००.००	१०५०.००	१०५०.००
	Proctor Compaction (Modified)	No	१०००.००	१०५०.००	१०५०.००
	Rapid Determenitation of CBR by DCP	No	३८५.००	४०४.२५	४०४.२५
	Specific Gravity of Course Aggeregat	No	१५००.००	१५७५.००	१५७५.००
	Specific Gravity of Fine Aggeregat	No	१५००.००	१५७५.००	१५७५.००
	Sieve Analysis	No	१०००.००	१०५०.००	१०५०.००
	Sodium Sulphate Soundness (5 Cycle)	No	२८००.००	२९४०.००	२९४०.००
	Sand Equivalent	No	११००.००	११५५.००	११५५.००
	Sampling From Surface , Base, Subbase, & subgrade	No	६००.००	६३०.००	६३०.००
	fineness modulus of aggregate	no	१५००.००	१५७५.००	१५७५.००
B	CEMENT & CONCRETE			०.००	०.००
	Mix design (3 cunbes of same grade for 7 days or 28 days)	set	१५०००.००	१५७५०.००	१५७५०.००
	Compressive Strength of concrete Cube (for 3 Cubes)	No	१०००.००	१०५०.००	१०५०.००

Handwritten signatures and stamps at the bottom of the page, including a large signature on the left and several smaller ones on the right.

१७. निर्माण सामग्री परिक्षण संबन्धी दररेट








क्र. नं.	निर्माण सामग्रीको नाम	इकाई	मु.प्र. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
	Making Mortar Cubes (50mm x 50mm x 50mm) (Per set 9 No. of Cubes)	Set	३३००.००	३४६५.००	३४६५.००
	Making Mortar Cubes (70.7mm x 70.7mm x70.7mm) (Including All materials Per set 9 No. of Cubes)	Set	३७००.००	३८८५.००	३८८५.००
	Making Concrete Cubes (150mm x 150mm x150mm) (Per set 9 No. of Cubes)	Set	१८५०.००	१९४२.५०	१९४२.५०
	Normal consistency of cement	No	१५००.००	१५७५.००	१५७५.००
	Slump Test of concrete mix	No	१५०.००	१५७.५०	१५७.५०
	Setting Time Of cement	No	१५००.००	१५७५.००	१५७५.००
	Fineness of Cement	No	१०००.००	१०५०.००	१०५०.००
	Compressive Strength of Cement	No	२०००.००	२१००.००	२१००.००
C	BITUMEN			०.००	०.००
	Determination of Bitumin content (2 kg . Big bowl)	No	४५००.००	४७२५.००	४७२५.००
	Determination of Bitumin content (1 kg .Small bowl)	No	३४००.००	३५७०.००	३५७०.००
	Ductility test	No	७००.००	७३५.००	७३५.००
	Flash viscosity of Emulsion	No	१५५०.००	१६२७.५०	१६२७.५०
	Flash & fire point	No	३५०.००	३६७.५०	३६७.५०
	Viscosity Test	No	१६५०.००	१७३२.५०	१७३२.५०
	Loss on Heating Ogf asphalt	No	५५०.००	५७७.५०	५७७.५०
	Penetration Test	No	५००.००	५२५.००	५२५.००
	Penetration Of residue	No	४८०.००	५०५.००	५०५.००
	Resistanced to plastic Flow of Bitumin (Marshal desion)	No	१५००.००	१५७५.००	१५७५.००
	Specific Gravity	No	७००.००	७३५.००	७३५.००
	Solubility Test	No	७५०.००	७८७.५०	७८७.५०
	Softening Test	No	८५०.००	८९२.५०	८९२.५०
	Stripping Test	No	७५०.००	७८७.५०	७८७.५०
	Water content	No	५५०.००	५७७.५०	५७७.५०
	Residue on Seiving of Emulsion	No	८५०.००	८९२.५०	८९२.५०
	Binder Content Of Emulsion	No	६५०.००	६८२.५०	६८२.५०
	G.I. WIRE			०.००	०.००
	Adhesion Test of GI Wire	Piece	९५.००	९९.७५	९९.७५
	Determination of tensile Strangth Of GI Wire	Piece	३४०.००	३५७.००	३५७.००
	Determination ofZinc Coating Of GI Wire	Piece	४७५.००	४९८.७५	४९८.७५
	Uniformity of Zinc Coating of GI Wire	Piece	३७०.००	३८८.५०	३८८.५०
	TENSILE STRENGTH TEST (UTM)			०.००	०.००
	8mm - 19mm bar	Piece	१३५०.००	१४१७.५०	१४१७.५०
	20mm - 40mm bar	Piece	१७००.००	१७८५.००	१७८५.००
	Steeel Plate	Piece	१७००.००	१७८५.००	१७८५.००


१७. निर्माण सामाग्री परिक्षण संबन्धी दररेट



सि. नं.	निर्माण सामाग्रीको नाम	इकाई	मु.अ. कर बाहेकको दररेट		
			आ.ब. ०७९/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२
	Bul Dog Grip	Piece	३३५०.००	३५१७.५०	३५१७.५०
	Nut Bolt	Piece	१७००.००	१७८५.००	१७८५.००
	BRICK			०.००	०.००
	Weight & Dimension	set	१०००.००	१०५०.००	१०५०.००
	Water absorption (3 no of set)	set	१०००.००	१०५०.००	१०५०.००
	Compressive strength (3 no of set)	set	१५००.००	१५७५.००	१५७५.००
	Test of dimension tolerance	set	७५०.००	७८७.५०	७८७.५०
	Borehole RCC Pile Tests			०.००	०.००
३	१ मीटर व्यास सम्मको बोरहोल आर.सि.सि. पाईलको PDA Test गर्ने काम पाईल हेड तयार गर्ने र प्रतिवेदन समेत तयार गर्ने समेत	प्रति पाईल	२१००००.००	२२०५००.००	२२०५००.००
४	१ मीटर व्यास सम्मको बोरहोल आर.सि.सि.पाईलको Cross Hole ultrasonic monitor (CHUM) Test गरी प्रतिवेदन समेत तयार गर्ने काम	प्रति पाईल	१२५००.००	१३१२५.००	१३१२५.००
५	१ मीटर व्यास सम्मको बोरहोल आर.सि.सि. पाईलको Intrigety Test र प्रतिवेदन समेत तयार गर्ने काम	प्रति पाईल	६५००.००	६८२५.००	६८२५.००

१७. निर्माण सामग्री परिक्षण संबन्धी दररेट



क्र. नं.	निर्माण सामग्रीको नाम	इकाई	मु.म. कर बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
SOIL AND AGGREGATE					
1	Aggregate Crushing Value Test (AIV)	Per No.			500.0
2	Aggregate Impact Value Test (ACV)	Per No.			700.0
3	Bulk Density	Per No.			500.0
4	C.B.R.(Soaked)	Per No.			1500.0
5	C.B.R.(UnSoaked)	Per No.			1500.0
6	Deflection Test by Benkelmen 'Beam Test'	Per No.			2000.0
7	Flakiness Index	Per No.			500.0
8	Hydrometer Analysis	Per No.			1000.0
9	Liquid Limit and Plastic Limit	Per No.			1000.0
10	Los Angeles Abrasion Test (LAA)	Per No.			1000.0
11	Modified Protactor compaction Test (MDD)	Per No.			1500.0
12	Moisture Content	Per No.			500.0
13	Organic Impurities of Fine Aggregate	Per No.			750.0
14	Rapid Determination of CBR by DCP	Per No.			900.0
15	Sampling Collection from Site (Soil, Sub-base, Base Materials)	Per No.			1500.0
16	Sieve Analysis (Gradation)	Per No.			1500.0
17	Sodium Sulphate Soundness (5 Cycle)	Per No.			2500.0
18	Specific Gravity Course Aggregate	Per No.			750.0
19	Specific Gravity Fine Aggregate	Per No.			750.0
	Field density Test	per hole	Exclusive Transportation		2260.0
CEMENT AND CONCRETE					
1	Core Test of Concrete	Per Piece			2500.0
2	Compressive Strength Test of Concrete by Rebound hammer	Per Site			4500.0
3	Compressive Strength Test of Concrete Cube By CTM	Per Cube			500.0
4	Compressive Strength Test of Mortar Cube By CTM	Per Cube			200.0
5	Concrete Mis Design above M20 Grade				20000.0
6	Concrete Mis Design below M20 Grade				15000.0
7	Making Concrete Cubes	Per Nos			500.0
8	Making Mortar Cubes	Per Nos			300.0
9	Normal consistency Test of Cement	Per Sample			500.0
10	Setting Time of Cement	Per Sample			1000.0
11	Slump Test of Concrete Mix	Per Sample			300.0
12	Soundness by Le-Chatelier Method	Per Sample			500.0
REINFORCEMENT					
1	Unit Weight, Proof stress/yield stress, Tensile strength/yield strength ratio/ Elongation by UTM				
2	7mm to 19mm bar	Per Dia			5000.0
3	20mm to 40mm bar	Per Dia			5000.0
4	Steel Plate	Per Plate			2000.0
5	Tendon wire Cable (Multistrand)	Per Piece			6000.0
GABION WIRE					
1	Tensile Strength	Per Dia			4000.0
2	Determination of Zinc Coating				
3	Determination (dia. & Wt.) of G.I wire				

[Signature]

१७. निर्माण सामग्री परिक्षण संबन्धी दररेट



क्र. नं.	निर्माण सामग्रीको नाम	इकाई	मु.अ. कर बाहेकको दररेट			
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२	
BITUMEN					०.०	
1	Determination of Bitumen Content (2kg big bowl)				3000.0	
2	Determination of Bitumen Content (1kg big bowl)				2500.0	
3	Ductility Test				11000.0	
4	Flash and Fire Point					
5	Absolute and Kinematic viscosity					
6	Penetration Test					
7	Penetration of Residue	Per Sample				
8	Specific Gravity of Bitumen					
9	Solubility in Trichloroethylene Test					
10	Softening Test					
11	Water Content					
12	Loss on Heating				11000.0	
13	Stripping Value Test		Per Sample			1500.0
14	Bitumen Extraction					2500.0
15	Core Cutting of Bitumious Pavement		Per Core			600.0
16	Density of Compacted layer of Bitumious Pavement		Per No			500.0
17	DBM and Asphalt Design by Marshall Stability Test	Per No			25000.0	
BRICK						
1	Water Absorption				1000.0	
2	Compressive Strength Test				2000.0	



१८ वन पैदावार संबन्धि

क्र.सं.	सामानको नाम	इकाई	मु.अ. कर बाहेकको स्वीकृत दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
	वन तर्फको गोलिया काठ कटान, मूछान, डुवानी, लोड अनलोड, पाइलीड, घाट गर्दी, चट्टा लगाउने काम				
	(क) गोलिया काठ				
१	कटान, मूछान	घ.फि.	१९.००	१९.००	१९.००
२	पाइलीड	घ.फि.	८.००	८.००	८.००
३	लोडीड, अनलोडीड	घ.फि.	१८.००	१८.००	१८.००
४	ग्रेडिङ गर्ने काम	घ.फि.	४.००	४.००	४.००
५	नम्बरीड गर्ने (पाइलिंग भएको गोलियमा इनामेलले)	घ.फि.	३.००	३.००	३.००
	(ख) गोलिया काठ डुवानी				
१	० देखि ९.९ कि.मी.	घ.फि.	६०.००	६०.००	६०.००
२	१० देखि १९.९९ कि.मी.	घ.फि.	६४.००	६४.००	६४.००
३	२० कि.मी. देखि माथि	घ.फि.	६६.००	६६.००	६६.००
४	दाउरा कटान मूछान डुवानी तथा चर्खा लगाउने काम (20x5x5)	चट्टा	११०००.००	११०००.००	११०००.००
५	जफत बेवारिशो काठ डुवानी (ख) बमोजिम हुने)				
६	छुपान खर्च (इनामेल, ब्लेज, नम्बरिंग, मसलन्द खर्च)	रुख	१६.००	१६.००	१६.००
	(ग) काठ चिरानी				
१	हाते आराबाट गोलिया चिरान (कटान मूछान बाहेक विकट वनभेजबाट निकाल्नु पर्दा)	घ.फि.	१७५.००	१७५.००	१७५.००
२	गोलिया चिरान समिलमा	घ.फि.	९४.००	९४.००	९४.००
	(घ) पहाडी भेगमा बाटोघाटो अनुबिधा भएको ठाउँमा मानिसद्वारा नै डुवानी गर्ने अवस्था भएमा मोटर बाटो सम्म ल्याउनको लागि प्रति कि.मी.	घ.फि.	४०.००	४०.००	४०.००
	माटोमा गाडिएको वा जिनोमा भएको गोलिया र चिरान काठ निकाल्नु पर्दा (भिरका गर्नु पर्दा)	घ.फि.	२०.००	२०.००	२०.००
	(ङ) फलफुलको बिरुवा				
१	बाइमासे कटहर (कलमी)	प्रति बिरुवा	१६४.००	१६४.००	१६४.००
२	अम्बा कलमी	प्रति बिरुवा	११०.००	११०.००	११०.००
३	सिङलेस लिची (कलमी)	प्रति बिरुवा	१६४.००	१६४.००	१६४.००
४	बाइमासे कागती(कलमी)	प्रति बिरुवा	११०.००	११०.००	११०.००
५	आप कलमी	प्रति बिरुवा			
५.१	आमपाली	प्रति बिरुवा	१००.००	१००.००	१००.००
५.२	बम्बई	प्रति बिरुवा	१००.००	१००.००	१००.००
५.३	मालदह	प्रति बिरुवा	१००.००	१००.००	१००.००
५.४	किसनभोग	प्रति बिरुवा	१००.००	१००.००	१००.००
५.५	कलकतिया	प्रति बिरुवा	१००.००	१००.००	१००.००
५.६	दराहरि	प्रति बिरुवा	१००.००	१००.००	१००.००
५.७	बाइमासे आप	प्रति बिरुवा	१६४.००	१६४.००	१६४.००
६	वेदाना अनार कलमी	प्रति बिरुवा	११०.००	११०.००	११०.००
७	सरीफा (सीताफल खस्रो)	प्रति बिरुवा	११०.००	११०.००	११०.००
८	आता (सीताफल चिल्लो)	प्रति बिरुवा	११०.००	११०.००	११०.००
९	मेवा कलमी	प्रति बिरुवा	४४.००	४४.००	४४.००
	(च) विभिन्न किसिमका बिरुवाहरु				
१	रुद्राक्ष (१.५' अग्लो)	प्रति बिरुवा	८०.००	८०.००	८०.००
२	रक्तचन्दन (१.५' अग्लो)	प्रति बिरुवा	१७५.००	१७५.००	१७५.००
३	रबर (५' अग्लो)	प्रति बिरुवा	४२०.००	४२०.००	४२०.००
४	श्रीखण्ड (१.५' अग्लो)	प्रति बिरुवा	२३०.००	२३०.००	२३०.००
५	अर्जुन (१.५' अग्लो)	प्रति बिरुवा	४०.००	४०.००	४०.००
६	अशोक (१.५' अग्लो)	प्रति बिरुवा	४०.००	४०.००	४०.००

अनुमति

१८ वन पैदावार संबन्धि

क्र.स.	सामानको नाम	इकाई	मु.अ. कर माहिकको स्वीकृत दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
७	अशोक (३.५' अग्लो)	प्रति विरुवा	२३५.००	२३५.००	२३५.००
८	बांस विरुवा खरीद				
८.१	बांसको गानो सहितको विरुवा ३ फिट अग्लो)	प्रति विरुवा	२५०.००	२५०.००	२५०.००
८.२	बांसको बिजु विरुवा खरीद (बहुबर्षिय)	प्रति विरुवा	१५०.००	१५०.००	१५०.००
८.३	बांसको बिजु विरुवा खरीद (एकबर्षिय)	प्रति विरुवा	५०.००	५०.००	५०.००
८.४	बांसको कलमी विरुवा खरीद (बहुबर्षिय)	प्रति विरुवा	२००.००	२००.००	२००.००
९	गानो सहितको अमिसो	प्रति विरुवा	७.२०	७.२०	७.२०
१०	मलेसियन साबु	प्रति विरुवा	८०.००	८०.००	८०.००
११	बीरेन्द्र फूल (१.५' अग्लो)	प्रति विरुवा	३३.००	३३.००	३३.००
१२	बोटल ब्रस (कल्की फूल १.५' अग्लो)	प्रति विरुवा	३३.००	३३.००	३३.००
१३	राजबुध (१.५' अग्लो)	प्रति विरुवा	३३.००	३३.००	३३.००
१४	पोली ब्याग (२०० गेजको ३" x ७")	प्रति के.जी	४३६.००	४३६.००	४३६.००
१५	टिक, रुट सुट कटिड विरुवा पेन्सील साइज	प्रतिकटिड	६.००	६.००	६.००
१६	टिक, रुट सुट कटिड विरुवा पेन्सील साइज भन्दा माथी	प्रतिकटिड	९.००	९.००	९.००
१७	अमिसो विरुवा	प्रति विरुवा	७.००	७.००	७.००
१८	बहुबर्षिय विरुवा सम्हार (एक बर्ष सम्म)	प्रति गोटा	४.००	४.००	४.००
	(ब) स्थानीय विविध निर्माण सामग्री				
१	फोन्सिग कार्यको लागि भार सी सी पिलर				
१.१	१० मि.मी. ३ बटा फलामे डबडी भएको	प्रतिगोटा	१०५०.००	१०५०.००	१०५०.००
१.२	७ मि.मी. ३ बटा फलामे डबडी भएको	प्रतिगोटा	९००.००	९००.००	९००.००
१.३	मेस जाली (४ इन्च X ४ इन्च) (हेभी कोटेड उचाइ ५ फिट)	बर्ग फिट	४८.००	४८.००	४८.००
१.४	मेस जाली (४ इन्च X ४ इन्च) (कमरेसिपल उचाइ ५ फिट)	बर्ग फिट	३२.००	३२.००	३२.००
	(छ) सालको बीउ संकलन र छर्ने कार्य				
१	सालको बीउ संकलन प्रति ५ के.जी	धमदिन	२.००	२.००	२.००
२	सालको बीउ छर्ने १मी. x १मी दुरीमा छर्ने प्रति हेक्टर	धमदिन	११.००	११.००	११.००
	(ज) ४ फिट सम्म उचाई भएको विरुवा				
१	कपुर	विरुवा	३५०.००	३५०.००	३५०.००
२	रुद्राक्ष	विरुवा	३५०.००	३५०.००	३५०.००
३	कल्की	विरुवा	३००.००	३००.००	३००.००
४	सिरिहा, अशोक	विरुवा	१५०.००	१५०.००	१५०.००
५	पैयु	विरुवा	१००.००	१००.००	१००.००
६	सप्ली	विरुवा	१००.००	१००.००	१००.००
७	धुपी वा जुनिपर	विरुवा	८००.००	८००.००	८००.००
८	बगनबेली	विरुवा	२५०.००	२५०.००	२५०.००
९	काइयो	विरुवा	१५०.००	१५०.००	१५०.००
१०	तेजपात	विरुवा	१५०.००	१५०.००	१५०.००
११	अमला	विरुवा	२५०.००	२५०.००	२५०.००
१२	हर्रो	विरुवा	१५०.००	१५०.००	१५०.००
१३	बरो	विरुवा	१५०.००	१५०.००	१५०.००
१४	बकैनी	विरुवा	५०.००	५०.००	५०.००
१५	करविर फूल	विरुवा	२५०.००	२५०.००	२५०.००
१६	इन्द्रकमल	विरुवा	३५०.००	३५०.००	३५०.००
१७	चाप	विरुवा	१५०.००	१५०.००	१५०.००
१८	धीखण्ड	विरुवा	३८५.००	३८५.००	३८५.००
१९	रक्तचन्दन	विरुवा	३८५.००	३८५.००	३८५.००
२०	वर,पिपल, समी	विरुवा	२५०.००	२५०.००	२५०.००

(Handwritten signatures and notes at the bottom of the page)

१८ वन पैदावार संबन्धि



क्र.सं.	सामानको नाम	इकाई	सु.अ. कर बाहेकको स्वीकृत दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
२१	पिपल	विरुवा	३५०.००	३५०.००	३५०.००
२२	गुन्सी	विरुवा	२५०.००	२५०.००	२५०.००
२३	नागेश्वर	विरुवा	३५०.००	३५०.००	३५०.००
२४	पलांसको विरुवा	विरुवा	२५०.००	२५०.००	२५०.००
२५	साइकस पालन	विरुवा	११००.००	११००.००	११००.००
२६	बोधिधित	विरुवा	६००.००	६००.००	६००.००
२७	कोटन	विरुवा	५००.००	५००.००	५००.००
२८	म्यागोस्टिन	विरुवा	२५०.००	२५०.००	२५०.००
२९	विजयसाल	विरुवा	२५०.००	२५०.००	२५०.००
३०	रक्त कमल	विरुवा	३५०.००	३५०.००	३५०.००
३१	जामुपाते	विरुवा	३५०.००	३५०.००	३५०.००
३२	अगरबुड	विरुवा	३५०.००	३५०.००	३५०.००
३३	बेल	विरुवा	२००.००	२००.००	२००.००
३४	पारिजात	विरुवा	२००.००	२००.००	२००.००
३५	चेरी	विरुवा	१५०.००	१५०.००	१५०.००
३६	सतिसाल	विरुवा	१५०.००	१५०.००	१५०.००
३७	गोल्डमोहर	विरुवा	१५०.००	१५०.००	१५०.००
३८	जकाराण्डा	विरुवा	३००.००	३००.००	३००.००
३९	अन्य	विरुवा	३००.००	३००.००	३००.००
	(क) विरुवा दुवानी				
१	२००० गोटा विरुवा (३"X७") साइजको पोसिधिनमा भएको विरुवा वा १००० गोटा फलफूलको विरुवा वा २०० बसिको भाँग भएको विरुवा पक्की सडकमा दुवानी गर्दा प्रति कि.मी	टिप	१६५.००	१६५.००	१६५.००
२	२००० गोटा विरुवा (३"X७") साइजको पोसिधिनमा भएको विरुवा वा १००० गोटा फलफूलको विरुवा वा २०० बसिको भाँग भएको विरुवा पक्की सडकमा दुवानी गर्दा प्रति कि.मी	टिप	२२०.००	२२०.००	२२०.००
३	२००० गोटा विरुवा (३"X७") साइजको पोसिधिनमा भएको विरुवा वा १००० गोटा फलफूलको विरुवा वा २०० बसिको भाँग भएको विरुवा पक्की सडकमा दुवानी गर्दा प्रति कि.मी	टिप	२७५.००	२७५.००	२७५.००
४	बाँसको विरुवा बाहेक १००० गोटा फलफूलको वा (३"X७") साइजको पोसिधिनको विरुवा लोड र अनलोड गर्न लाग्ने ज्यामी	संख्या	२.००	२.००	२.००
५	बाँसको भाँग सहितको २०० गोटा विरुवा नर्सरीबाट उखेल्न, लोड र अनलोड गर्न लाग्ने ज्यामी संख्या	संख्या	४.००	४.००	४.००
६	बृक्षारोपणमा बृद्धि हर्मोन (मन्टीमिटाभिन) स्प्रे काग्य प्रति हेक्टर/बर्षको ३ पटक	लीटर	३.००	३.००	३.००
७	बृक्षारोपणमा मन्टीमिटाभिन स्प्रे गर्ने प्रति हेक्टर अर्धदश ज्यामी	संख्या	१.००	१.००	१.००
८	बाँसको भाँग सहितको २०० गोटा विरुवा नर्सरीबाट उखेल्न, लोड र अनलोड गर्न लाग्ने ज्यामी संख्या	संख्या	७.००	७.००	७.००
९	विरुवा घेरबेरामा प्रयोग गरिने बाँसको टोकरी निर्माण				
१	७ फिट उचाई र १ फुट व्यासको बाँसको टोकरी बनाउन लाग्ने ज्यामी संख्या	संख्या	०.५०	०.५०	०.५०
२	७ फिट उचाई र १.५ फिट व्यासको बाँसको टोकरी बनाउन लाग्ने ज्यामी संख्या	संख्या	१.००	१.००	१.००
३	७ फिट उचाई र २ फिट व्यासको बाँसको टोकरी बनाउन लाग्ने ज्यामी संख्या	संख्या	१.५०	१.५०	१.५०
४	७ फिट उचाई र २.५ फिट व्यासको बाँसको टोकरी बनाउन लाग्ने ज्यामी संख्या	संख्या	२.००	२.००	२.००

Handwritten signatures and notes at the bottom of the page, including names like 'Suresh' and 'S. S. S. S. S.' and various scribbles.

१८ वन पैदावार संबन्धि



क्र.स.	सामानको नाम	इकाई	मु.अ. वर बाहेकको स्वीकृत दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
५	७ फिट उचाई र २.५ फिट व्यासको बाँसको प्रति टोकरी बनाउन लाग्ने बाँस संख्या	संख्या	४.००	४.००	४.००
	सडक किनारमा वृक्षारोपण कार्य				
१	पक्की पिच बाटोको किनारामा प्रति कि.मि. कडा माटो भएको स्थानमा खाडल खन्ने कार्यमा लाग्ने ज्यामी संख्या (खाडल देखि खाडलको दुरी ३५ मि. खाडलको आकार ५० से.मि. x ५० x से.मि. ५० से.मि.)	संख्या	३०.००	३०.००	३०.००

(Handwritten signatures and notes in Nepali script)

१९. सौर्य उर्जा सम्बन्धी



क्र.स.	सामानको नाम	इकाई	मू.म. कर बाहेकको स्वीकृत दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
१	२० वाट पिकको सोलार जडान (सोलार पाता २० वाट, ब्याट्री, चार्ज कन्ट्रोलर बल्ब ३ वटा, अन्य आवश्यक जडान सामग्री समेत)	सेट	१४९२७.८४	१४२२६.४१	१४२२६.४१
२	४० वाट पिकको सोलार जडान, (सोलारपाता ४०वाट, बैट्री ४० वाट,बल्ब ४ वटा,चार्जकन्ट्रोलर,जडान अन्य आवश्यक सामग्री)	सेट	२०२८६.००	२०६९९.७२	२०६९९.७२
३	४४ वाट पिकको सोलार जडान (सोलार पाता ४४वाट, बैट्री , बल्ब ६वटा, चार्जकन्ट्रोलर, जडानसामग्री)	सेट	२४८०६.२४	२४३०२.३८	२४३०२.३८
४	१०० वाट पिकको सोलार जडान (सोलार पाता १०० वाट, बैट्री १०० वाट,बल्ब १०वटा, चार्जकन्ट्रोलर,जडानसामग्री)	सेट	३८८०८.००	३९४८४.९६	३९४८४.९६
५	१४० वाट पिकको सोलार जडान (सोलार-पाता १४० वाट ,बैट्री १४० वाट, बल्ब २४ वटा, चार्ज कन्ट्रोलर, जडान सामग्री)	सेट	७४९७०.००	७६४६९.४०	७६४६९.४०
६	२०० वाट पिकको सोलार जडान (सोलार पाता २०० वाट, बैट्री २०० वाट, बल्ब ४०वटा, चार्जकन्ट्रोलर,जडानसामग्री)	सेट	९९२२४.००	१०१२०९.४०	१०१२०९.४०
७	४०० वाट पिकको सोलार जडान (सोलार पाता ४०० वाट ,बैट्री ४०० वाट, बल्ब ७० वटा, चार्जकन्ट्रोलर,जडानसामग्री)	सेट	१९२९३०.४०	१९६७९६.२४	१९६७९६.२४
८	१००० वाट पिकको सोलार जडान (सोलार पाता १००० वाट, बैट्री ८०० वाट, बल्ब १०० वटा, चार्ज कन्ट्रोलर, जडान सामग्री)	सेट	४९३४३०.४०	४२९७०६.२४	४२९७०६.२४
९	२० वाट पिकको सोलार सडक बत्ती (पोल ७ मीटर बेटरी ४४ वाट,पाता १०० वाट, जडानसामग्री हुवानी)	सेट	९३३९९.३९	९४२६७.३८	९४२६७.३८
१०	४० वाट पिकको सोलार सडक बत्ती (पोल ९ मीटर बेटरी १०० वाट, पाता १४० वाट, जडान सामग्री हुवानी)	सेट	११७०००.००	११९३४०.००	११९३४०.००
११	सुधारिएको माटोको चुल्हो	सेट	६०६.३८	६१८.४०	६१८.४०
१२	सुधारिएको एक मुखे फलामे चुल्हो	सेट	१७४.००	१७९.२८	१७९.२८

[Signature]

मोरङ जिल्लाको आ.ब.२०८१/८२ को स्वीकृत जिल्ला दररेट
२० फाइबर सम्बन्धि सामग्रीहरु



क्र.स.	निर्माण सामग्रीको नाम	इकाई	मु.ब. कर बाहेकको स्वीकृत दररेट		
			आ.ब. ०७९/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२
१	WPC Single Toilet Door (Size up to 14 sq. ft.) (32 mm)				
	Without Frame				
	Embossing Without Film	sq ft	४४०.००	४४०.००	४४०.००
	With Hot-stamping Film	sq ft	४०९.३०	४०९.३०	४०९.३०
	With Hot-stamping Film and Grooving	sq ft	४३३.९०	४३३.९०	४३३.९०
	With Frame				
	Embossing Without Film	sq ft	८३४.९०	८३४.९०	८३४.९०
	With Hot-stamping Film	sq ft	९०४.२०	९०४.२०	९०४.२०
	With Hot-stamping Film and Grooving	sq ft	९३२.८०	९३२.८०	९३२.८०
२	WPC Single Room Door (Size from 15 sq. ft. to 18 sq. ft.) (32 mm)				
	Without Frame				
	Embossing Without Film	sq ft	४८६.२०	४८६.२०	४८६.२०
	With Hot-stamping Film	sq ft	४४४.४०	४४४.४०	४४४.४०
	With Hot-stamping Film and Grooving	sq ft	४९४.९०	४९४.९०	४९४.९०
	With Frame				
	Embossing Without Film	sq ft	८८०.००	८८०.००	८८०.००
	With Hot-stamping Film	sq ft	८९४.३०	८९४.३०	८९४.३०
	With Hot-stamping Film and Grooving	sq ft	९९०.००	९९०.००	९९०.००
३	WPC Double Door (Small) (Size from 19 sq. ft. to 22 sq. ft.) (32 mm)				
	Without Frame				
	Embossing Without Film	sq ft	४९३.२०	४९३.२०	४९३.२०
	With Hot-stamping Film	sq ft	४६६.४०	४६६.४०	४६६.४०
	With Hot-stamping Film and Grooving	sq ft	६०६.९०	६०६.९०	६०६.९०
	With Frame				
	Embossing Without Film	sq ft	८९२.९०	८९२.९०	८९२.९०
	With Hot-stamping Film	sq ft	९६९.४०	९६९.४०	९६९.४०
	With Hot-stamping Film and Grooving	sq ft	१००९.००	१००९.००	१००९.००
४	WPC Double Door (Medium) (Size from 23 sq. ft. to 26 sq. ft.) (32 mm)				
	Without Frame				
	Embossing Without Film	sq ft	४४६.६०	४४६.६०	४४६.६०
	With Hot-stamping Film	sq ft	४१४.८०	४१४.८०	४१४.८०
	With Hot-stamping Film and Grooving	sq ft	४४०.००	४४०.००	४४०.००
	With Frame				
	Embossing Without Film	sq ft	८४९.४०	८४९.४०	८४९.४०
	With Hot-stamping Film	sq ft	९०९.७०	९०९.७०	९०९.७०
	With Hot-stamping Film and Grooving	sq ft	९४३.८०	९४३.८०	९४३.८०
५	WPC Double Door (Big) (Size from 27 sq. ft. to 32 sq. ft.) (32 mm)				
	Without Frame				
	Embossing Without Film	sq ft	४०४.९०	४०४.९०	४०४.९०
	With Hot-stamping Film	sq ft	४६८.६०	४६८.६०	४६८.६०
	With Hot-stamping Film and Grooving	sq ft	४०३.८०	४०३.८०	४०३.८०
	With Frame				
	Embossing Without Film	sq ft	८००.८०	८००.८०	८००.८०
	With Hot-stamping Film	sq ft	८६३.४०	८६३.४०	८६३.४०
	With Hot-stamping Film and Grooving	sq ft	८९३.६०	८९३.६०	८९३.६०
६	SMC Manhole Covers				
	Frame*Cover : 880mm*700mm-Round-Yellow and Grey (50 Ton Capacity)	pcs	२८८४९.९०	२८८४९.९०	२८८४९.९०
	Frame*Cover : 725mm*600mm-Round-Yellow and Grey (40 Ton Capacity)	pcs	१९७०४.४०	१९७०४.४०	१९७०४.४०
	Frame*Cover : 725mm*600mm-Round-Yellow and Grey (10 Ton Capacity)	pcs	१०९३४.००	१०९३४.००	१०९३४.००

Handwritten signatures and stamps at the bottom of the page, including a circular official stamp.

मोरङ जिल्लाको आ.व.२०८१/८२ को स्वीकृत जिल्ला दररेट
२० फाइबर सम्बन्धि सामग्रीहरु



क्र.स.	निर्माण सामग्रीको नाम	इकाई	मु.अ. वर बाहेकको स्वीकृत दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
	Frame*Cover : 670mm*625mm-Square-Yellow and Grey(Overlapping 50 Ton Capacity)	pcs	२०२४८.८०	२०२४८.८०	२०२४८.८०
	Frame*Cover : 670mm*570mm-Square jali-Yellow and Grey(5 Ton Capacity)	pcs	६६८२.४०	६६८२.४०	६६८२.४०
	Frame*Cover : 670mm*570mm-Square -Yellow and Grey (30 Ton Capacity)	pcs	१०२२४.८०	१०२२४.८०	१०२२४.८०
	Frame*Cover : 570mm*525mm-Square-Yellow and Grey(Overlapping 15 Ton Capacity)	pcs	१२०३२.६०	१२०३२.६०	१२०३२.६०
	Frame*Cover : 570mm*475mm-Square-Yellow and Grey (5 Ton Capacity)	pcs	६२७८.००	६२७८.००	६२७८.००
	Frame*Cover : 570mm*475mm-Square-Yellow and Grey(Overlapping 2 Ton Capacity)	pcs	४६६८.३०	४६६८.३०	४६६८.३०
	SMC Manhole Covers				
	Frame*Cover : 400mm*300mm-Square-Yellow and Grey(7.5 Ton Capacity)	pcs	४४६८.९०	४४६८.९०	४४६८.९०
	Frame*Cover : 400mm*300mm-Square-Yellow and Grey(5 Ton Capacity)	pcs	२८३६.९०	२८३६.९०	२८३६.९०
	Fiber Door-Single				
	Single (Model : Khapa, Galaxy, Namaste D and Four Square)	sq ft	८३४.९०	८३४.९०	८३४.९०
	Single (Model: Kalash, New Flower and Peacock)	sq ft	१००६.४०	१००६.४०	१००६.४०
	Double (Model : Glass Art)	sq ft	१४१२.४०	१४१२.४०	१४१२.४०
	Double (Model : Old Murti)	sq ft	१४४१.००	१४४१.००	१४४१.००
	Double (Model : New Murti)	sq ft	१२६७.४०	१२६७.४०	१२६७.४०
	Fiber Door Net Panel				
	Single	sq ft	७९१.२०	७९१.२०	७९१.२०
	Double	sq ft	८२८.००	८२८.००	८२८.००
	Fiber Door Frame				
	Thickness : 100 and 110 mm	run ft	३८९.४०	३८९.४०	३८९.४०
	Fiber Window Frame				
	Thickness : 110 mm	run ft	४००.४०	४००.४०	४००.४०
	Fiber Arch Ventilation				
	Size : 3 feet Length	pcs	६०७४.२०	६०७४.२०	६०७४.२०
	Size : 3.5 Length	pcs	६४७८.००	६४७८.००	६४७८.००
	Fiber Arch Door Frame (6*7' Size)	pcs	१८७२७.४०	१८७२७.४०	१८७२७.४०
	Fiber Overlapping Section Frame	run ft	३४४.२०	३४४.२०	३४४.२०
	Fiber Window Panel				
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black , Green	pcs	४०६४.६०	४०६४.६०	४०६४.६०
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	pcs	३८२१.४०	३८२१.४०	३८२१.४०
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black , Green	pcs	४१९८.७०	४१९८.७०	४१९८.७०
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	pcs	३९९८.४०	३९९८.४०	३९९८.४०
	Fiber Window Net Panel				
	Non-Overlapping (Size: 4.5 sq.ft. to 7.5 sq.ft.)	pcs	३७९८.३०	३७९८.३०	३७९८.३०
	Fiber Ventilation Panel				०.००
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Blue, Black, Green	pcs	२९८४.४०	२९८४.४०	२९८४.४०
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Clear	pcs	२८३६.९०	२८३६.९०	२८३६.९०
	Fiber Ventilation Net Panel				
	(Size: 3 Sq.ft. to 4.5 sq.ft.)	pcs	२८३६.९०	२८३६.९०	२८३६.९०
	Fiber Plain Sheet				
	(Thickness : 1.2 mm)-Red, Blue, Green and Clear	sq ft	९१.३०	९१.३०	९१.३०
	(Thickness : 1.5 mm)-Red, Blue, Green and Clear	sq ft	११४.४०	११४.४०	११४.४०

(Handwritten signatures and marks at the bottom of the page)

मोरङ जिल्लाको आ.ब.२०८१/८२ को स्वीकृत जिम्मा दररेट
२० फाइबर सम्बन्धि सामग्रीहरू



क्र.स.	निर्माण सामग्रीको नाम	इकाई	मु.ब. कर बाहेकको स्वीकृत दररेट		
			आ.ब. ०७९/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२
	(Thickness : 1.8 mm)-Red, Blue, Green and Clear	sq ft	१३२.००	१३२.००	१३२.००
	(Thickness : 2 mm)-Red, Blue, Green and Clear	sq ft	१४३.००	१४३.००	१४३.००
	(Thickness : 2.5 mm)-Red, Blue, Green and Clear	sq ft	१७३.१०	१७३.१०	१७३.१०
	(Thickness : 3 mm)-Red, Blue, Green and Clear	sq ft	२२३.३०	२२३.३०	२२३.३०
१९	Fiber Corrugated Sheet				
	Normal Corrugation (Thickness : 0.6 mm)-Clear	run ft	११४.४०	११४.४०	११४.४०
	Normal Corrugation (Thickness : 0.8 mm)-Clear	run ft	१६०.६०	१६०.६०	१६०.६०
	Span Sheet (Thickness : 2 mm and Width 42")-Clear	run ft	४६१.००	४६१.००	४६१.००
	Heritage Sheet (Thickness : 2 mm and Width 34")-Clear	run ft	४२७.६०	४२७.६०	४२७.६०

~~सु~~ *मो.स. २०८१/८२* *१९* *११४.४०* *१६०.६०* *४६१.००* *४२७.६०*

सुमेन्द्र

२१. घर र जग्गा भाडा तथा क्षतिपूर्ती / मूआब्जा निर्धारण



क्र.स	स्ट्रक्चरको किसिम	इकाई	मु.व. कर बाहेकको स्वीकृत दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
१	भित्र काँचो बाहिर पाको ईटामा माटोको जोडाई, छाना जस्ता, फिगटी, टायल वा एस्बेस्टस् भएको	वर्ग मिटर	१०३००.००	१०३००.००	१०३००.००
२	भित्र बाहिर पाको ईटामा माटोको जोडाई, छाना जस्ता, फिगटी, टायल वा एस्बेस्टस् भएको	वर्ग मिटर	१३६००.००	१३६००.००	१३६००.००
३	भित्र बाहिर पाको ईटामा माटोको जोडाई, छाना जस्ता, फिगटी, टायल वा एस्बेस्टस् भएको र बाहिर सिमेन्ट प्लाष्टर भएको	वर्ग मिटर	१५३००.००	१५३००.००	१५३००.००
४	भित्र बाहिर पाको ईटामा माटोको जोडाई, छाना आर.सि.सी./आर.वि.सी. भएको	वर्ग मिटर	१६१००.००	१६१००.००	१६१००.००
५	भित्र बाहिर पाको ईटामा घडको जोडाईमा, छाना जस्ता, फिगटी, टायल वा एस्बेस्टस् भएको	वर्ग मिटर	१५३००.००	१५३००.००	१५३००.००
६	भित्र बाहिर पाको ईटामा घडको जोडाईमा, छाना जस्ता, फिगटी, टायल वा एस्बेस्टस् भएको र सिमेन्ट प्लाष्टर भएको	वर्ग मिटर	१७१००.००	१७१००.००	१७१००.००
७	भित्र बाहिर पाको ईटामा घडको जोडाईमा, छाना आर.सि.सी./आर.वि.सी. भएको र सिमेन्ट प्लाष्टर भएको	वर्ग मिटर	१७६००.००	१७६००.००	१७६००.००
८	सिमेन्ट जोडाई छाना : जस्ता, फिगटी, टायल वा एस्बेस्टस्	वर्ग मिटर	१७२००.००	१७२००.००	१७२००.००
९	सिमेन्ट जोडाई छाना : आर.सि.सी./आर.वि.सी. भएको	वर्ग मिटर	१८०००.००	१८०००.००	१८०००.००
१०	आर.सि.सी. फेम स्ट्रक्चर भवन	वर्ग मिटर	१९०००.००	१९०००.००	१९०००.००
११	आर.सि.सी. फेम स्ट्रक्चर भई लिफ्ट बढाउन भएको	वर्ग मिटर	१८२००.००	१८२००.००	१८२००.००
१२	काठै काठको घर छाना: जस्ता, टायल, फिगटी वा एस्बेस्टस्	वर्ग मिटर	१६५००.००	१६५००.००	१६५००.००

नोट: घर भाडा लिदा/दिदा २०-२५ रुपैया सम्म प्रति वर्ग फिट (कर बाहेक) कायम हुनुपर्ने ।

मुख्य बजारक्षेत्र तथा मुख्य सडक संगै जोडिएको जग्गा मा बनेको भवनको हकमा १० प्रतिशत सम्म घप गर्न सकिनेछ ।

डिप्रसिएसनको लागि देहाय बमोजिम घटाउने

सि.नं.	स्ट्रक्चरको किसिम	प्रति वर्ष घटाउनु पर्ने दर (%)
१	सबै प्रकारका माटोबाट निर्मित स्ट्रक्चरहरू (१ देखि ४ सम्मका)	२.००
२	सबै प्रकारका काँक्रेट बाट निर्मित स्ट्रक्चरहरू (५ देखि ७ सम्मका)	१.२५
३	सबै प्रकारका सिमेन्ट मसलाबाट निर्मित स्ट्रक्चरहरू (८ देखि १० सम्मका)	०.७५
४	सबै प्रकारका फेम स्ट्रक्चरबाट निर्मित स्ट्रक्चरहरू (१० देखि ११ सम्मका)	०.५०
५	सबै प्रकारका काठबाट बनेका स्ट्रक्चरहरू (१२)	२.५०

Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.



22. Cleaning & Furnishing

SN	Description of the Workd	Unit	मु.अ. कर बाहेकको स्वीकृत दररेट			
			आ.ब. ०७९/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२	
1	Carpet Shampooing	Per Sq. ft.	11.50	11.50	11.50	
2	Sofa Shampooing	Per seat	450.00	450.00	450.00	
3	Chair Shampooing	Per seat	175.00	175.00	175.00	
4	Curtain Washing	Per pcs	200.00	200.00	200.00	
5	Blind Curtain	Per pcs	32.00	32.00	32.00	
6	Window glass cleaning (Internal)	Per Sq. ft.	8.00	8.00	8.00	
7	Window glass cleaning (External)	as per survey estimate				
8	Tiles, marbles floor scrubbing, cleaning	Per Sq. ft.	15.00	15.00	15.00	
9	Marble crystalizing with chemical	Per Sq. ft.	65.00	65.00	65.00	
10	Granite leaning and crystalizing	Per Sq. ft.	65.00	65.00	65.00	
11	Parquet floor cleaning and polishing	Per Sq. ft.	35.00	35.00	35.00	
12	Housekeeping manpower regular	Per hour	250.00	250.00	250.00	
13	Bathroom deep cleaning one time	Per bathroom	3500.00	3500.00	3500.00	
14	Deep cleaning of house flat, office, hospital, restaurant, showroom etc.	as per survey estimate				







~~सि~~ *म.अ. कर बाहेकको स्वीकृत दररेट*
म.अ. कर बाहेकको स्वीकृत दररेट
म.अ. कर बाहेकको स्वीकृत दररेट
म.अ. कर बाहेकको स्वीकृत दररेट
म.अ. कर बाहेकको स्वीकृत दररेट



२३. NUCON Transformer

Nucon ब्रान्ड ट्रान्सफर्मर
11000/400 V, Three Phase, Outdoor Type, Copper Wounded, Low Losses
Transformer

S.N.	Rating in KVA	Unit	मु.अ. कर बाहेकको स्वीकृत दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
१	25	Pcs	287,000.00	287,000.00	287,000.00
२	50	Pcs	408,000.00	408,000.00	408,000.00
३	100	Pcs	629,000.00	629,000.00	629,000.00
४	150	Pcs	917,000.00	917,000.00	917,000.00
५	200	Pcs	1,150,000.00	1,150,000.00	1,150,000.00
६	250	Pcs	1,254,000.00	1,254,000.00	1,254,000.00
७	300	Pcs	1,359,000.00	1,359,000.00	1,359,000.00
८	400	Pcs	1,619,000.00	1,619,000.00	1,619,000.00
९	500	Pcs	1,727,000.00	1,727,000.00	1,727,000.00
१०	630	Pcs	1,895,000.00	1,895,000.00	1,895,000.00
११	800	Pcs	2,263,000.00	2,263,000.00	2,263,000.00
१२	1000	Pcs	2,877,000.00	2,877,000.00	2,877,000.00

24. Ready Mix Concrete



क्र.स.	निर्माण सामग्रीको नाम	इकाई	म.अ. कर		
			आ.ब. ०७९/८०	आ.ब. ०८०/८१	आ.ब. ०८१/८२
१	रेडिमिक्स M7.5	घन.मि.	९३००.००	९३००.००	१०,३००.००
	रेडिमिक्स M10	घन.मि.	१०५००.००	१०५००.००	११,५००.००
	रेडिमिक्स M15	घन.मि.	१२०००.००	१२०००.००	१३,०००.००
	रेडिमिक्स M20	घन.मि.	१२५००.००	१२५००.००	१३,५००.००
	रेडिमिक्स M25	घन.मि.	१३५००.००	१३५००.००	१४,५००.००
	रेडिमिक्स M30	घन.मि.	१४३००.००	१४३००.००	१५,३००.००
	रेडिमिक्स M735	घन.मि.	१५०००.००	१५०००.००	१६,०००.००
	रेडिमिक्स M40	घन.मि.	१७०००.००	१७०००.००	१८,०००.००
	रेडिमिक्स M45	घन.मि.	१८५००.००	१८५००.००	१९,५००.००
२	U Drain				
	450 mm x600mm x 2000 mm	प्रति पिस	१५०००.००	१५०००.००	१६,०००.००

~~म~~ *मन्त्रालय - उपर्युक्त दररेट* *अ.ब. ०८१/८२* *अ.ब. ०८०/८१* *अ.ब. ०७९/८०*

अ.ब. ०८१/८२ *अ.ब. ०८०/८१* *अ.ब. ०७९/८०*



25. Arihant Cables

ARIHANT GO LED's LAMP

S.N.	Products Name	Unit	मु.ब. कर बाहेकको स्वीकृत दररेट		
			मा.ब. ०७९/८०	मा.ब. ०८०/८१	मा.ब. ०८१/८२
1	A50 led dob bulb 3w b22	Pcs	142.00	142.00	142.00
2	A60 led dob bulb 5w b22	Pcs	159.00	159.00	159.00
3	A60 led dob bulb 7w b22	Pcs	173.00	173.00	173.00
4	A60 led dob bulb 9w b22	Pcs	195.00	195.00	195.00
5	A65 led dob bulb 12w b22	Pcs	251.00	251.00	251.00
6	A80 led dob bulb 15w b22	Pcs	350.00	350.00	350.00
7	A80 led dob bulb 18w b22	Pcs	389.00	389.00	389.00
8	T100 dob bulb 30w b22	Pcs	736.00	736.00	736.00
9	T120 dob bulb 40w b22	Pcs	1,067.00	1,067.00	1,067.00
10	LED glass tube t8 18w	Pcs	382.00	382.00	382.00
11	LED t8 fixture	Pcs	312.00	312.00	312.00
12	LED panel 3w round	Pcs	326.00	326.00	326.00
13	LED panel 6w round	Pcs	437.00	437.00	437.00
14	LED panel 9w round	Pcs	582.00	582.00	582.00
15	LED panel 12w round	Pcs	641.00	641.00	641.00
16	LED panel 18w round	Pcs	775.00	775.00	775.00
17	LED panel 6w round warm	Pcs	437.00	437.00	437.00
18	LED panel 9w round warm	Pcs	582.00	582.00	582.00
19	LED panel 12w round warm	Pcs	641.00	641.00	641.00
20	LED led panel 18w round warm	Pcs	775.00	775.00	775.00
21	LED surface 6w round	Pcs	540.00	540.00	540.00
22	LED surface 12w round	Pcs	754.00	754.00	754.00
23	LED surface 18w round	Pcs	864.00	864.00	864.00
24	Floodlight linear ic 30w	Pcs	2,458.00	2,458.00	2,458.00
25	Floodlight linear ic 50w	Pcs	3,205.00	3,205.00	3,205.00
26	Floodlight isolated ic driver 100w	Pcs	6,846.00	6,846.00	6,846.00
27	Floodlight isolated ic driver 150w	Pcs	11,890.00	11,890.00	11,890.00
28	LED saturn down light 3w	Pcs	317.00	317.00	317.00
29	LED saturn down light 6w	Pcs	435.00	435.00	435.00
30	LED saturn down light 9w	Pcs	588.00	588.00	588.00
31	LED spot down light 3w round	Pcs	345.00	345.00	345.00
32	LED spot down light 7w round	Pcs	404.00	404.00	404.00

ARIHANT GO GANG SWITCHES & SOCKET

S.N.	Products Name	Unit	White	Golden/Brown	Golden/Brown
1	1 Gang 1 way switch	pcs	165.00	204.00	204.00
2	3 Gang 1 way switch	pcs	348.00	409.00	409.00
3	4 Gang 1 way switch	pcs	513.00	610.00	610.00
4	2 pin socket + switch	pcs	267.00	322.00	322.00
5	4 pin socket + switch	pcs	348.00	409.00	409.00
6	TV socket	pcs	234.00	275.00	275.00
7	TEL socket	pcs	234.00	275.00	275.00
8	computer socket	pcs	348.00	393.00	393.00
9	W/P Push bell switch	pcs	204.00	250.00	250.00
10	DP switch 20A	pcs	568.00	612.00	612.00
11	DP switch 45A(3x3)	pcs	1,078.00	1,123.00	1,123.00
12	DP switch 45A(3x5)	pcs	1,168.00	1,229.00	1,229.00
13	2 Gang + 13A socket	pcs	460.00	505.00	505.00
14	Switch with dimmer (STEP)	pcs	793.00	828.00	828.00
15	6 Gang 1 way switch	pcs	706.00	826.00	826.00
16	8 Gang 1 way switch	pcs	1,003.00	1,162.00	1,162.00
17	10 Gang 1 way switch	pcs	1,178.00	1,242.00	1,242.00
18	Power socket	pcs	460.00	512.00	512.00
19	4 Gang + MF socket	pcs	763.00	828.00	828.00
20	6 Gang + MF socket	pcs	885.00	954.00	954.00
21	Double power socket	pcs	1,033.00	1,131.00	1,131.00
22	2 way knob	pcs	103.00	112.00	112.00
23	Step fan dimmer knob	pcs	689.00	879.00	879.00

Handwritten signatures and notes at the bottom of the page, including a large signature and several smaller ones.



24	Bell push switch knob	pcs	103.00	112.00	112.00
25	2 pin knob	pcs	103.00	112.00	112.00
26	TV knob	pcs	135.00	145.00	145.00
27	TEL knob	pcs	135.00	145.00	145.00
28	Computer knob	pcs	196.00	204.00	204.00
29	1 Gang switch plate W/O Knob	pcs	114.00	153.00	153.00
30	2 Gang switch plate W/O Knob	pcs	114.00	153.00	153.00

ARIHANT GO-GI & DB BOX					
S.N.	FLUSH METAL GI BOX	Unit		MRP	MRP
1	Flush metal gi box(3x3)	Pcs		126	126.00
2	Flush metal gi box(4x3)	Pcs		150	150.00
3	Flush metal gi box(5x3)	Pcs		179	179.00
4	Flush metal gi box(5x5)	Pcs		274	274.00
5	Flush metal gi box(8x3)	Pcs		250	250.00
6	Flush metal gi box(8x5)	Pcs		375	375.00
7	Flush metal gi box(9x3)	Pcs		297	297.00

S.N.	MCB DISTRIBUTION BOARD	Unit		MRP	MRP
1	MCB box d/door 4 way	Pcs		1016	1,016.00
2	MCB box d/door 6 way	Pcs		1161	1,161.00
3	MCB box d/door 8 way	Pcs		1306	1,306.00
4	MCB box d/door 10 way	Pcs		1453	1,453.00
5	MCB box d/door 12 way	Pcs		1598	1,598.00
6	MCB box d/door 16 way	Pcs		1888	1,888.00
7	MCB box d/door tpn 4 way	Pcs		3582	3,582.00
8	MCB box d/door tpn 6 way	Pcs		4067	4,067.00
9	MCB box d/door tpn 8 way	Pcs		4648	4,648.00







S.N.	ARIHANT GO-FAN	Unit		MRP	MRP
1	Magic 48" (color-white/brown)	Pcs		3186	3,186.00
2	Magic 24" (color-white/brown)	Pcs		3363	3,363.00
3	Aura metallic 48" (golden/ivory)	Pcs		5285	5,285.00

~~જા~~ અર્જી- સુચી હા. ડાહી. પાઠ્ય. ડી
 સુચી



२६ स्यालो ट्युबवेल सिंचाई सम्बन्धी








	निर्माण सामग्रीको नाम	इकाई	मु. अ. कर बाहेक		
			आ. व. ०७९/८०	आ. व. ०७९/८०	आ. व. ०८१/८२
१	PVC Casing Pipe of dia 4" (Class C)	Rm	1065.15	1065.15	1065.15
२	PVC Screen (Ribbed) of dia 4" (Class C)	Rm	1450.00	1450.00	1450.0
३	PVC Sand Trap of 4" dia (Class C)	Rm	1100.00	1100.00	1100.0
४	PVC Cone of dia 4" (Class C)	Rm	200.00	200.00	200.0
५	Supply of Hand Pump Height 16"	No.	1650.00	1650.00	1650.0
६	Bottle tee size (4"x3"x1.5")	No.	977.50	977.50	977.5
७	4" MS Column pipe 4 mm	Rm	2277.00	2277.00	2277.0
८	2 Hp Electric Motor with Pump usha or equivalent	No.	22770.00	22770.00	22770.0
९	2 Hp Electric Motor with Pump Crompton or equivalent	No.	29900.00	29900.00	29900.0
१०	Solvent Cement (100 Mi.) Bottle	No.	120.00	120.00	120.0
११	5 Hp Diesel Motor with Pump Usha or Equivalent	No.	42900.00	42900.00	42900.0



२७ खास व्यवस्था तथा व्यापार कम्पनी




क्र.सं.	व्ययको विवरण	इकाई	मा.सं. २०७९/८० को दररेट रु.	मा.सं. २०८०/८१ को दररेट रु.	मा.सं. २०८१/८२ को दररेट रु.
१	सोडियम	प्रति स्कीन्टल	१६/-	१६/-	१६/-
२	अन सोडियम	प्रति स्कीन्टल	१३/-	१३/-	१३/-
३	लीमोनाई	प्रति स्कीन्टल	७/-	७/-	७/-
४	चीकाई	प्रति स्कीन्टल	७/-	७/-	७/-
५	प्रदुषणसन्त्र	प्रति सट	१००१- (१००० क्वी.माथि)	१००१- (१००० क्वी.माथि)	१००१- (१००० क्वी.माथि)
			६००१- (१००० क्वी.भन्दातल)	६००१- (१००० क्वी.भन्दातल)	६००१- (१००० क्वी.भन्दातल)
६	धामस सेभरको	प्रति स्कीन्टल	२४०१-	२४०१-	२४०१-
७	इलिकट्रिसिटी	इलिकट्रिसिटी	६४०१-	६४०१-	६६०१-
८	रफे गरेको (२,००० से टन)	इलिकट्रिसिटी	६००१-	६००१-	६००१-
९	हालकायती कस्तो	प्रति स्कीन्टल	३४१-	३४१-	३४१-
१०	प्लोष्टिक बोरा सोड/अनसोड	प्रति सट	१४१-	१४१-	४११-
११	बोरा सिलिकेट	प्रति स्कीन्टल	१११-	१११-	६११-
१२	जुट बोरा सोड/अनसोड	प्रति सट	४४१-	४४१-	४४१-
१३	जुट बोरा चीकाई	प्रति सट	२४१-	२४१-	२४१-
१४	घान/घाई (लीमोनाई/चीकाई)	प्रति स्कीन्टल	३४१-	३४१-	३४१-
१५	स्वाचष्ट श्रेक निमार्थ	प्रति टुकाई	३४१-	३४१-	३४१-



28. Carpet Related

क्र.स	उत्पादनको नाम	ईकाई तौल	मोटाई	आ.ब ०८१/०८२ को दर रेट
१	प्रिन्टिङ लुपपाइल ग्राफिक्स कार्पेट	१३५० ग्राम	५-६ एम.एम	रु ९२५ प्र. मिटर
२	प्रिन्टिङ नायलन प्रिन्टेड कार्पेट	१३५० ग्राम	५-६ एम.एम	रु १३९५ प्र. मिटर
३	प्रिन्टिङ कटपाइल कार्पेट	१७५० ग्राम	६-८ एम.एम	रु १६५० प्र. मिटर
४	प्रिन्टिङ बरबर कार्पेट	१८०० ग्राम	१०-१२ एम.एम	रु १७९५ प्र. मिटर

 ३०/१२
